



Analytical Summary Report

Analysis Method: 9095B
Parameter: Paint Filter
Run Number: LB122431

Reviewed By: Jignesh
Supervisor Review By: Sohil
BalanceID: WS SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	N5047-01	OR-3-100622	1	100.05	0.00	10/11/2022	15:02
2	N5080-01	TR-6-101022	1	100.06	0.00	10/11/2022	15:09
3	N5082-01	FLORENCE-COMP-1-FLO	1	100.04	0.00	10/11/2022	15:16
4	N5082-03	FLORENCE-COMP-2-FLO	1	100.08	0.00	10/11/2022	15:23
5	N5083-01	MOUNT-LAUREL-COMP-1-	1	100.02	0.00	10/11/2022	15:30
6	N5083-03	MOUNT-LAUREL-COMP-2-	1	100.05	0.00	10/11/2022	15:37
7	N5083-05	MOUNT-LAUREL-COMP-3-	1	100.06	0.00	10/11/2022	15:44
8	N5083-07	MOUNT-LAUREL-COMP-4-	1	100.03	0.00	10/11/2022	15:51
9	N5096-01	VNJ-217	1	100.06	0.00	10/11/2022	15:58
10	N5101-01	OK-2-101122	1	100.07	0.00	10/11/2022	16:06
11	N5102-01	CL-1-101122	1	100.06	0.00	10/11/2022	16:13
12	N5102-01DUP	CL-1-101122DUP	1	100.05	0.00	10/11/2022	16:20

WORKLIST(Hardcopy Internal Chain)

WorkList Name : PF-101122

WorkList ID : 163985

Department : Wet-Chemistry

Date : 10-11-2022 14:59:37

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
10/06/2022	Solid	N5047-01	Paint Filter	Cool 4 deg C	PSEG05	N11	OR-3-100622	10/06/2022	9095B
10/10/2022	Solid	N5080-01	Paint Filter	Cool 4 deg C	PSEG05	C11	TR-6-101022	10/10/2022	9095B
10/07/2022	Solid	N5082-01	Paint Filter	Cool 4 deg C	PSEG03	C11	FLORENCE-COMP-1-FLORENCE-VOC-1	10/07/2022	9095B
10/07/2022	Solid	N5082-03	Paint Filter	Cool 4 deg C	PSEG03	C11	FLORENCE-COMP-2-FLORENCE-VOC-2	10/07/2022	9095B
10/07/2022	Solid	N5083-01	Paint Filter	Cool 4 deg C	PSEG03	C11	MOUNT-LAUREL-COMP-1-MOUNT-LAUREL-VOC-1	10/07/2022	9095B
10/07/2022	Solid	N5083-03	Paint Filter	Cool 4 deg C	PSEG03	C11	MOUNT-LAUREL-COMP-2-MOUNT-LAUREL-VOC-2	10/07/2022	9095B
10/07/2022	Solid	N5083-05	Paint Filter	Cool 4 deg C	PSEG03	C11	MOUNT-LAUREL-COMP-3-MOUNT-LAUREL-VOC-3	10/07/2022	9095B
10/07/2022	Solid	N5083-07	Paint Filter	Cool 4 deg C	PSEG03	C11	MOUNT-LAUREL-COMP-4-MOUNT-LAUREL-VOC-4	10/07/2022	9095B
10/10/2022	Solid	N5096-01	Paint Filter	Cool 4 deg C	PSEG03	C11	VNJ-217	10/10/2022	9095B
10/11/2022	Solid	N5101-01	Paint Filter	Cool 4 deg C	PSEG05	C11	OK-2-101122	10/11/2022	9095B
10/11/2022	Solid	N5102-01	Paint Filter	Cool 4 deg C	PSEG05	C11	CL-1-101122	10/11/2022	9095B

Date/Time 10/11/22 15:00

Raw Sample Received by: SJ(wc)

Raw Sample Relinquished by: CP(Sr)

Date/Time 10/11/22 17:00

Raw Sample Received by: CP(Sr)

Raw Sample Relinquished by: SJ(wc)