



Analytical Summary Report

Analysis Method: 9095B
Parameter: Paint Filter
Run Number: LB122526

Reviewed By: Iwona
Supervisor Review By: Jignesh
BalanceID: WS SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	N5160-01	HD-1-101422	1	100.05	0.00	10/19/2022	10:00
2	N5160-01DUP	HD-1-101422DUP	1	100.03	0.00	10/19/2022	10:08
3	N5162-01	TR-4-101422	1	100.07	0.00	10/19/2022	10:15
4	N5171-01	NB-08-101722	1	100.04	0.00	10/19/2022	10:22
5	N5184-01	EO-02-101822	1	100.02	0.00	10/19/2022	10:30

WORKLIST(Hardcopy Internal Chain)

10/19/22

WorkList Name : PF-101922

WorkList ID : 164176

Department : Wet-Chemistry

Date : 10-19-2022 09:24:05

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
10/14/2022	Solid	N5160-01	Paint Filter	Cool 4 deg C	PSEG05	HD-1-101422		10/14/2022	9095B
10/14/2022	Solid	N5162-01	Paint Filter	Cool 4 deg C	PSEG05	D11	TR-4-101422	10/14/2022	9095B
10/17/2022	Solid	N5171-01	Paint Filter	Cool 4 deg C	PSEG05	D11	NB-08-101722	10/17/2022	9095B
10/18/2022	Solid	N5184-01	Paint Filter	Cool 4 deg C	PSEG05	D11	EO-02-101822	10/18/2022	9095B

Date/Time

10/19/22 09:35

Raw Sample Received by:

12/20/22

Raw Sample Relinquished by:

12/20/22

Date/Time

10/19/22

Raw Sample Received by:

12/20/22

Raw Sample Relinquished by:

12/20/22