



PERCENT SOLID

Supervisor: Iwona
Analyst: JIGNESH
Date: 10/21/2022

OVENTEMP IN Celsius(°C): 107
Time IN: 17:00
In Date: 10/20/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:14
Out Date: 10/21/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB122545

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
N5186-01	TEXAS-SP-1019	1	0.93	8.77	9.7	8.92	91.1	
N5195-01	BC248056-1-1	2	1.00	1.00	2.00	2.00	100.0	PILC REEL
N5195-02	BC248056-1-2	3	1.00	1.00	2.00	2.00	100.0	PILC REEL
N5195-03	BC107585-1-1	4	1.00	1.00	2.00	2.00	100.0	PILC REEL
N5195-04	BC107585-1-2	5	1.00	1.00	2.00	2.00	100.0	PILC REEL
N5195-05	BC107585-2-1	6	1.00	1.00	2.00	2.00	100.0	PILC REEL
N5195-06	BC107585-2-2	7	1.00	1.00	2.00	2.00	100.0	PILC REEL
N5196-01	132A	8	1.00	1.00	2.00	2.00	100.0	PILC REEL
N5196-02	132B	9	1.00	1.00	2.00	2.00	100.0	PILC REEL
N5203-01	2753-1	10	1.00	1.00	2.00	2.00	100.0	PILC REEL
N5203-02	2753-2	11	1.00	1.00	2.00	2.00	100.0	PILC REEL
N5203-03	2753-3	12	1.00	1.00	2.00	2.00	100.0	PILC REEL
N5203-04	2753-4	13	1.00	1.00	2.00	2.00	100.0	PILC REEL
N5203-05	2753-5	14	1.00	1.00	2.00	2.00	100.0	PILC REEL
N5203-06	2753-6	15	1.00	1.00	2.00	2.00	100.0	PILC REEL
N5203-07	2754-1	16	1.00	1.00	2.00	2.00	100.0	PILC REEL
N5203-08	2754-2	17	1.00	1.00	2.00	2.00	100.0	PILC REEL
N5203-09	2754-3	18	1.00	1.00	2.00	2.00	100.0	PILC REEL
N5203-10	2754-4	19	1.00	1.00	2.00	2.00	100.0	PILC REEL
N5203-11	2754-5	20	1.00	1.00	2.00	2.00	100.0	PILC REEL
N5203-12	2754-6	21	1.00	1.00	2.00	2.00	100.0	PILC REEL
N5203-13	KMH382K-1-1	22	1.00	1.00	2.00	2.00	100.0	PILC REEL
N5203-14	KMH382K-1-2	23	1.00	1.00	2.00	2.00	100.0	PILC REEL
N5203-15	BC271332-1-1	24	1.00	1.00	2.00	2.00	100.0	PILC REEL
N5203-16	BC271332-1-2	25	1.00	1.00	2.00	2.00	100.0	PILC REEL
N5204-01	20071	26	0.91	8.78	9.69	8.72	89.0	
N5207-01	2689	27	1.00	1.00	2.00	2.00	100.0	OIL SAMPLE
N5207-02	VNJ-221	28	0.93	9.04	9.97	8.7	86.0	



PERCENT SOLID

Supervisor: Iwona
Analyst: JIGNESH
Date: 10/21/2022

OVENTEMP IN Celsius(°C): 107
Time IN: 17:00
In Date: 10/20/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:14
Out Date: 10/21/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB122545

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
N5207-03	VNJ-221-EPH-2	29	0.93	9.03	9.96	9.36	93.4	
N5208-01	BC271315-1-1	30	1.00	1.00	2.00	2.00	100.0	PILC REEL
N5208-02	BC271315-1-2	31	1.00	1.00	2.00	2.00	100.0	PILC REEL
N5208-03	KMH243S-1-1	32	1.00	1.00	2.00	2.00	100.0	PILC REEL
N5208-04	KMH243S-1-2	33	1.00	1.00	2.00	2.00	100.0	PILC REEL
N5208-05	KMH243S-2-1	34	1.00	1.00	2.00	2.00	100.0	PILC REEL
N5208-06	KMH243S-2-2	35	1.00	1.00	2.00	2.00	100.0	PILC REEL
N5208-07	KMA660F-1-1	36	1.00	1.00	2.00	2.00	100.0	PILC REEL
N5208-08	KMA660F-1-2	37	1.00	1.00	2.00	2.00	100.0	PILC REEL
N5209-01	CL-02-101922	38	0.92	8.88	9.8	9.3	94.4	
N5209-02	CL-02-101922-EPH-2	39	0.9	8.87	9.77	9.09	92.3	
N5211-01	SB-SOILPILE-1020	51	0.92	9.02	9.94	8.77	87.0	
N5219-01	BACKYARD-SURFACE-A	40	0.95	9.01	9.96	8.13	79.7	
N5219-02	BACKYARD-BOTTOM-A	41	0.92	8.92	9.84	8.05	79.9	
N5219-03	BACKYARD-SURFACE-B	42	0.91	8.77	9.68	7.92	79.9	
N5219-04	BACKYARD-BOTTOM-B	43	0.92	9.01	9.93	8.19	80.7	
N5220-01	HFI-CON-1020	52	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
N5220-02	HFI-CON-1020-EPH-2	53	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
N5223-01	OR-3-102022	54	0.89	8.83	9.72	8.99	91.7	
N5223-02	OR-3-102022-EPH-2	55	0.89	8.97	9.86	9.03	90.7	
N5225-01	PE-1	44	0.96	9.01	9.97	9.46	94.3	
N5225-02	PE-2	45	0.91	8.65	9.56	8.69	89.9	
N5225-03	PE-3	46	0.93	8.82	9.75	8.87	90.0	
N5225-04	PE-4	47	0.93	8.57	9.5	8.62	89.7	
N5225-05	PE-5	48	0.91	8.77	9.68	8.71	88.9	
N5225-06	PE-6	49	0.91	8.75	9.66	8.76	89.7	
N5225-06D	PE-6DUP	50	0.93	8.75	9.68	8.78	89.7	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$