



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Iwona

Parameter: Paint Filter

Supervisor Review By: jignesh

Run Number: LB122612

BalanceID: WS SC-4

Seq	LabID	ClientID	Dilution	Weight (g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	N5257-01	HOLLAND-RD-COMP-1	1	100.06	0.00	10/25/2022	10:20
2	N5257-01DUP	HOLLAND-RD-COMP-1DUP	1	100.02	0.00	10/25/2022	10:28
3	N5257-03	HOLLAND-RD-COMP-2	1	100.04	0.00	10/25/2022	10:35
4	N5257-05	HOLLAND-RD-COMP-3	1	100.02	0.00	10/25/2022	10:42
5	N5257-07	HOLLAND-RD-COMP-4	1	100.08	0.00	10/25/2022	10:50
6	N5267-01	TP1-1024	1	100.02	0.00	10/25/2022	10:58
7	N5267-02	TP1-1024	1	100.03	0.00	10/25/2022	11:05
8	N5267-04	TP2-1024	1	100.07	0.00	10/25/2022	11:12
9	N5267-05	TP2-1024	1	100.06	0.00	10/25/2022	11:20
10	N5267-07	TP3-1024	1	100.02	0.00	10/25/2022	11:27
11	N5267-08	TP3-1024	1	100.05	0.00	10/25/2022	11:35
12	N5267-10	TP4-1024	1	100.02	0.00	10/25/2022	11:42
13	N5267-11	TP4-1024	1	100.03	0.00	10/25/2022	11:50
14	N5267-13	TP5-1024	1	100.07	0.00	10/25/2022	11:58
15	N5267-14	TP5-1024	1	100.03	0.00	10/25/2022	12:05
16	N5267-16	TP6-1024	1	100.03	0.00	10/25/2022	12:12
17	N5267-17	TP6-1024	1	100.03	0.00	10/25/2022	12:20
18	N5267-19	TP7-1024	1	100.06	0.00	10/25/2022	12:28
19	N5267-20	TP7-1024	1	100.05	0.00	10/25/2022	12:35
20	N5269-01	SU-03-102422	1	100.02	0.00	10/25/2022	12:42

WORKLIST(Hardcopy Internal Chain)

LB 122612

WorkList Name : PF-102522 WorkList ID : 164362 Department : Wet-Chemistry Date : 10-25-2022 10:05:23

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
10/21/2022	Solid	N5257-01	Paint Filter	Cool 4 deg C	PSEG03	D11	HOLLAND-RD-COMP-1	10/21/2022	9095B
10/21/2022	Solid	N5257-03	Paint Filter	Cool 4 deg C	PSEG03	D11	HOLLAND-RD-COMP-2	10/21/2022	9095B
10/21/2022	Solid	N5257-05	Paint Filter	Cool 4 deg C	PSEG03	D11	HOLLAND-RD-COMP-3	10/21/2022	9095B
10/21/2022	Solid	N5257-07	Paint Filter	Cool 4 deg C	PSEG03	D11	HOLLAND-RD-COMP-4	10/21/2022	9095B
10/24/2022	Solid	N5267-01	Paint Filter	Cool 4 deg C	PSEG03	F11	TP1-1024	10/24/2022	9095B
10/24/2022	Solid	N5267-02	Paint Filter	Cool 4 deg C	PSEG03	F11	TP1-1024	10/24/2022	9095B
10/24/2022	Solid	N5267-04	Paint Filter	Cool 4 deg C	PSEG03	F11	TP2-1024	10/24/2022	9095B
10/24/2022	Solid	N5267-05	Paint Filter	Cool 4 deg C	PSEG03	F11	TP2-1024	10/24/2022	9095B
10/24/2022	Solid	N5267-07	Paint Filter	Cool 4 deg C	PSEG03	F11	TP3-1024	10/24/2022	9095B
10/24/2022	Solid	N5267-08	Paint Filter	Cool 4 deg C	PSEG03	F11	TP3-1024	10/24/2022	9095B
10/24/2022	Solid	N5267-10	Paint Filter	Cool 4 deg C	PSEG03	F11	TP4-1024	10/24/2022	9095B
10/24/2022	Solid	N5267-11	Paint Filter	Cool 4 deg C	PSEG03	F11	TP4-1024	10/24/2022	9095B
10/24/2022	Solid	N5267-13	Paint Filter	Cool 4 deg C	PSEG03	F11	TP5-1024	10/24/2022	9095B
10/24/2022	Solid	N5267-14	Paint Filter	Cool 4 deg C	PSEG03	F11	TP5-1024	10/24/2022	9095B
10/24/2022	Solid	N5267-16	Paint Filter	Cool 4 deg C	PSEG03	F11	TP6-1024	10/24/2022	9095B
10/24/2022	Solid	N5267-17	Paint Filter	Cool 4 deg C	PSEG03	F11	TP6-1024	10/24/2022	9095B
10/24/2022	Solid	N5267-19	Paint Filter	Cool 4 deg C	PSEG03	F11	TP7-1024	10/24/2022	9095B
10/24/2022	Solid	N5267-20	Paint Filter	Cool 4 deg C	PSEG03	F11	TP7-1024	10/24/2022	9095B
10/24/2022	Solid	N5269-01	Paint Filter	Cool 4 deg C	PSEG05	F11	SU-03-102422	10/24/2022	9095B

Date/Time 10/25/22 10:10
 Raw Sample Received by: [Signature]
 Raw Sample Relinquished by: [Signature]

Date/Time 10/25/22 13:00
 Raw Sample Received by: [Signature]
 Raw Sample Relinquished by: [Signature]