



PERCENT SOLID

Supervisor: Iwona  
Analyst: JIGNESH  
Date: 10/28/2022

OVENTEMP IN Celsius(°C): 107  
Time IN: 17:20  
In Date: 10/27/2022  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:35  
Out Date: 10/28/2022  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: %SOLIDS-OVEN

QC:LB122628

| Lab ID   | Client SampleID             | Dish # | Dish Wt(g) (A) | Sample Wt(g) | Dish + Sample Wt(g) (B) | Dish+Dry Sample Wt(g) (C) | % Solid | Comments                 |
|----------|-----------------------------|--------|----------------|--------------|-------------------------|---------------------------|---------|--------------------------|
| N5273-01 | LIDEN-GAS-PIPELINE          | 1      | 0.93           | 9.03         | 9.96                    | 8.92                      | 88.5    |                          |
| N5282-01 | SUMP-STONE                  | 2      | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | STONE SAMPLE,100% SOLIDS |
| N5282-02 | SUMP-STONE-EPH-2            | 3      | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | STONE SAMPLE,100% SOLIDS |
| N5286-01 | BBS-SOILCUT-1026            | 4      | 0.91           | 9.06         | 9.97                    | 8.4                       | 82.7    |                          |
| N5286-02 | BBS-SOILCUT-1026-EPH-2      | 5      | 0.93           | 9.02         | 9.95                    | 8.9                       | 88.4    |                          |
| N5303-01 | NWB-1839                    | 6      | 0.95           | 9.02         | 9.97                    | 7.88                      | 76.8    |                          |
| N5303-02 | NWB-1840                    | 7      | 0.93           | 8.63         | 9.56                    | 7.56                      | 76.8    |                          |
| N5303-03 | NWB-1841                    | 8      | 0.93           | 8.84         | 9.77                    | 8.14                      | 81.6    |                          |
| N5303-04 | NWB-1821                    | 41     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | OIL SAMPLE               |
| N5303-09 | NWB-1842                    | 11     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | OIL SAMPLE,              |
| N5307-01 | CL-02-102622                | 12     | 0.93           | 8.96         | 9.89                    | 9.05                      | 90.6    |                          |
| N5307-02 | CL-02-102622-EPH-2          | 13     | 0.93           | 8.96         | 9.89                    | 9.05                      | 90.6    |                          |
| N5308-01 | PL-2-102622                 | 9      | 0.91           | 8.83         | 9.74                    | 7.14                      | 70.6    |                          |
| N5308-02 | PL-2-102622-EPH-2           | 10     | 0.93           | 9.04         | 9.97                    | 9.5                       | 94.8    |                          |
| N5310-01 | BIN-1-2- (2840)             | 14     | 0.93           | 8.70         | 9.63                    | 9.32                      | 96.4    |                          |
| N5310-02 | BIN-1-2- (2840)             | 15     | 0.95           | 9.01         | 9.96                    | 9.8                       | 98.2    |                          |
| N5313-01 | COMPOSITE-SW-QUARTER        | 42     | 0.91           | 8.61         | 9.52                    | 8.5                       | 88.2    |                          |
| N5313-03 | EPH-1-SW-QUARTER            | 43     | 0.93           | 8.71         | 9.64                    | 8.61                      | 88.2    |                          |
| N5313-04 | EPH-2-SW-QUARTER            | 44     | 0.91           | 9.07         | 9.98                    | 8.96                      | 88.8    |                          |
| N5313-06 | TOTAL-VOC-GRAB-5-SW-QUARTER | 45     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | no jar                   |
| N5313-07 | TOTAL-VOC-GRAB-6-SW-QUARTER | 46     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | no jar                   |
| N5313-08 | COMPOSITE-NW-QUARTER        | 47     | 0.93           | 8.96         | 9.89                    | 8.85                      | 88.4    |                          |
| N5313-10 | EPH-1-NW-QUARTER            | 48     | 0.92           | 9.04         | 9.96                    | 8.97                      | 89.0    |                          |
| N5313-11 | EPH-2-NW-QUARTER            | 49     | 0.95           | 8.99         | 9.94                    | 9.3                       | 92.9    |                          |
| N5313-13 | TOTAL-VOC-GRAB-1-NW-QUARTER | 50     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | no jar                   |
| N5313-14 | TOTAL-VOC-GRAB-2-NW-QUARTER | 51     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | no jar                   |
| N5313-15 | COMPOSITE-SE-QUARTER        | 52     | 0.93           | 8.96         | 9.89                    | 8.79                      | 87.7    |                          |



PERCENT SOLID

Supervisor: Iwona  
Analyst: JIGNESH  
Date: 10/28/2022

OVENTEMP IN Celsius(°C): 107  
Time IN: 17:20  
In Date: 10/27/2022  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:35  
Out Date: 10/28/2022  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: %SOLIDS-OVEN

QC:LB122628

| Lab ID   | Client SampleID             | Dish # | Dish Wt(g) (A) | Sample Wt(g) | Dish + Sample Wt(g) (B) | Dish+Dry Sample Wt(g) (C) | % Solid | Comments |
|----------|-----------------------------|--------|----------------|--------------|-------------------------|---------------------------|---------|----------|
| N5313-17 | EPH-1-SE-QUARTER            | 53     | 0.93           | 8.92         | 9.85                    | 8.76                      | 87.8    |          |
| N5313-18 | EPH-2-SE-QUARTER            | 54     | 0.92           | 8.72         | 9.64                    | 8.55                      | 87.5    |          |
| N5313-20 | TOTAL-VOC-GRAB-2-SE-QUARTER | 55     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | no jar   |
| N5313-23 | TOTAL-VOC-GRAB-3-SE-QUARTER | 56     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | no jar   |
| N5316-01 | COMPOSITE-NE-QUARTER        | 57     | 0.92           | 8.76         | 9.68                    | 8.62                      | 87.9    |          |
| N5316-03 | EPH-1-NE-QUARTER            | 58     | 0.93           | 9.05         | 9.98                    | 9.35                      | 93.0    |          |
| N5316-04 | EPH-2-NE-QUARTER            | 59     | 0.91           | 9.04         | 9.95                    | 9.28                      | 92.6    |          |
| N5316-06 | TOTAL-VOC-GRAB-6-NE-QUARTER | 60     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | no jar   |
| N5316-07 | TOTAL-VOC-GRAB-7-NE-QUARTER | 61     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | no jar   |
| N5316-08 | COMPOSITE-PILE-2            | 62     | 0.91           | 8.67         | 9.58                    | 8.46                      | 87.1    |          |
| N5316-10 | EPH-1-PILE-2                | 63     | 0.92           | 8.85         | 9.77                    | 8.77                      | 88.7    |          |
| N5316-11 | EPH-2-PILE-2                | 64     | 0.91           | 8.85         | 9.76                    | 8.64                      | 87.3    |          |
| N5316-13 | TOTAL-VOC-GRAB-1-PILE-2     | 65     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | no jar   |
| N5316-14 | TOTAL-VOC-GRAB-2-PILE-2     | 66     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | no jar   |
| N5317-01 | PT-AN-SOIL                  | 16     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |          |
| N5317-02 | PT-CORR-SOIL                | 17     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |          |
| N5317-03 | PT-CORR-SOIL                | 18     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |          |
| N5317-04 | PT-CN-SOIL                  | 19     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |          |
| N5317-05 | PT-CN-SOIL                  | 20     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |          |
| N5317-06 | PT-FP-SOIL                  | 21     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |          |
| N5317-07 | PT-CR6-SOIL                 | 22     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |          |
| N5317-08 | PT-NUT-SOIL                 | 23     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |          |
| N5317-09 | PT-NUT-SOIL                 | 24     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |          |
| N5317-10 | PT-OGP-SOIL                 | 25     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |          |
| N5317-11 | PT-MET-SOIL                 | 26     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |          |
| N5317-12 | PT-BNA-SOIL                 | 27     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |          |



PERCENT SOLID

Supervisor: Iwona  
Analyst: JIGNESH  
Date: 10/28/2022

OVENTEMP IN Celsius(°C): 107  
Time IN: 17:20  
In Date: 10/27/2022  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:35  
Out Date: 10/28/2022  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: %SOLIDS-OVEN

QC:LB122628

| Lab ID   | Client SampleID  | Dish # | Dish Wt(g) (A) | Sample Wt(g) | Dish + Sample Wt(g) (B) | Dish+Dry Sample Wt(g) (C) | % Solid | Comments      |
|----------|------------------|--------|----------------|--------------|-------------------------|---------------------------|---------|---------------|
| N5317-13 | PT-TRIAZINE-SOIL | 28     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |               |
| N5317-14 | PT-PAH-SOIL      | 29     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |               |
| N5317-15 | PT-DIES-SOIL     | 30     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |               |
| N5317-16 | PT-GAS-SOIL      | 31     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |               |
| N5317-17 | PT-NJEPH-SOIL    | 32     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |               |
| N5317-18 | PT-HERB-SOIL     | 33     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |               |
| N5317-19 | PT-PCB-SOIL      | 34     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |               |
| N5317-20 | PT-PCBO-SOIL     | 35     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |               |
| N5317-21 | PT-PEST-SOIL     | 36     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |               |
| N5317-22 | PT-CHLR-SOIL     | 37     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |               |
| N5317-23 | PT-TXP-SOIL      | 38     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |               |
| N5317-24 | PT-VOA-SOIL      | 39     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |               |
| N5317-25 | PT-SOL-SOIL      | 40     | 0.91           | 8.62         | 9.53                    | 7.78                      | 79.7    |               |
| N5318-01 | 20221105-COMP-04 | 73     | 0.92           | 8.98         | 9.9                     | 5.63                      | 52.4    |               |
| N5318-02 | 20221106-COMP-05 | 74     | 0.92           | 8.95         | 9.87                    | 4.9                       | 44.5    | SLUDGE SAMPLE |
| N5318-03 | 20221117-COMP-06 | 75     | 0.88           | 8.75         | 9.63                    | 4.47                      | 41.0    | SLUDGE SAMPLE |
| N5318-04 | 20221108-COMP-07 | 76     | 0.91           | 9.06         | 9.97                    | 6.52                      | 61.9    | SLUDGE SAMPLE |
| N5318-05 | 20221111-COMP-10 | 77     | 0.96           | 9.02         | 9.98                    | 6.27                      | 58.9    | SLUDGE SAMPLE |
| N5318-06 | 20221115-COMP-14 | 78     | 0.91           | 9.05         | 9.96                    | 4.78                      | 42.8    | SLUDGE SAMPLE |
| N5318-19 | 20221105-COMP-04 | 79     | 0.92           | 8.98         | 9.9                     | 5.63                      | 52.4    | SLUDGE SAMPLE |
| N5318-20 | 20221106-COMP-05 | 80     | 0.92           | 8.95         | 9.87                    | 4.9                       | 44.5    |               |
| N5318-21 | 20221117-COMP-06 | 81     | 0.88           | 8.75         | 9.63                    | 4.47                      | 41.0    |               |
| N5318-22 | 20221108-COMP-07 | 82     | 0.91           | 9.06         | 9.97                    | 6.52                      | 61.9    |               |
| N5318-23 | 20221111-COMP-10 | 83     | 0.96           | 9.02         | 9.98                    | 6.27                      | 58.9    | SLUDGE SAMPLE |
| N5318-24 | 20221115-COMP-14 | 84     | 0.91           | 9.05         | 9.96                    | 4.78                      | 42.8    | SLUDGE SAMPLE |
| N5327-01 | LACY-05          | 85     | 0.96           | 8.99         | 9.95                    | 8.76                      | 86.8    |               |
| N5327-02 | LACY-05-EPH-2    | 86     | 0.92           | 8.66         | 9.58                    | 8.55                      | 88.1    |               |
| N5327-04 | LACY-03          | 87     | 0.91           | 8.98         | 9.89                    | 8.66                      | 86.3    |               |



PERCENT SOLID

Supervisor: Iwona  
Analyst: JIGNESH  
Date: 10/28/2022

OVENTEMP IN Celsius(°C): 107  
Time IN: 17:20  
In Date: 10/27/2022  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:35  
Out Date: 10/28/2022  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: %SOLIDS-OVEN

QC:LB122628

| Lab ID   | Client SampleID       | Dish # | Dish Wt(g) (A) | Sample Wt(g) | Dish + Sample Wt(g) (B) | Dish+Dry Sample Wt(g) (C) | % Solid | Comments        |
|----------|-----------------------|--------|----------------|--------------|-------------------------|---------------------------|---------|-----------------|
| N5327-05 | LACY-03-EPH-2         | 88     | 0.93           | 9.04         | 9.97                    | 8.82                      | 87.3    |                 |
| N5328-01 | COMP-VNJ-219-CONCRETE | 89     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | CONCRETE SAMPLE |
| N5330-01 | TR-5-102722           | 90     | 0.9            | 9.00         | 9.9                     | 8.84                      | 88.2    |                 |
| N5330-02 | TR-5-102722-EPH-2     | 91     | 0.96           | 9.02         | 9.98                    | 9.14                      | 90.7    |                 |
| N5331-01 | ROLLOFF-RB21502       | 92     | 0.92           | 8.58         | 9.5                     | 8.79                      | 91.7    |                 |
| N5331-02 | ROLLOFF-RB21502       | 93     | 1.00           | 8.87         | 9.87                    | 9.51                      | 95.9    |                 |
| N5332-01 | MH-4-WC               | 67     | 0.95           | 9.01         | 9.96                    | 8.28                      | 81.4    |                 |
| N5332-03 | MH-4-WC-EPH-2         | 68     | 0.95           | 9.01         | 9.96                    | 8.28                      | 81.4    |                 |
| N5335-01 | SB-1                  | 69     | 0.91           | 9.05         | 9.96                    | 9.24                      | 92.0    |                 |
| N5335-02 | SB-2                  | 70     | 0.96           | 9.01         | 9.97                    | 9.48                      | 94.6    |                 |
| N5335-03 | SB-3                  | 71     | 0.93           | 9.05         | 9.98                    | 9.12                      | 90.5    |                 |
| N5335-04 | SB-4                  | 72     | 0.91           | 9.07         | 9.98                    | 9.24                      | 91.8    |                 |
| N5339-01 | NB-07-102722          | 94     | 0.91           | 9.02         | 9.93                    | 8.72                      | 86.6    |                 |
| N5339-02 | NB-07-102722-EPH-2    | 95     | 0.96           | 9.02         | 9.98                    | 8.94                      | 88.5    |                 |

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

122628

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-102722      WorkList ID : 164409      Department : Wet-Chemistry      Date : 10-27-2022 09:15:19

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Raw Sample Storage Location | Customer Sample             | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|-----------------------------|-----------------------------|--------------|--------------|
| 11/04/2022 | Solid  | N5273-01 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | LIDEN-GAS-PIPELINE          | 10/25/2022   | Chemtech -SO |
| 10/28/2022 | Solid  | N5282-01 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | SUMP-STONE                  | 10/25/2022   | Chemtech -SO |
| 10/28/2022 | Solid  | N5282-02 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | SUMP-STONE-EPH-2            | 10/25/2022   | Chemtech -SO |
| 11/02/2022 | Solid  | N5286-01 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | BBS-SOILCUT-1026            | 10/26/2022   | Chemtech -SO |
| 11/02/2022 | Solid  | N5286-02 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | BBS-SOILCUT-1026-EPH-2      | 10/26/2022   | Chemtech -SO |
| 11/02/2022 | Solid  | N5303-01 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | NWB-1839                    | 10/26/2022   | Chemtech -SO |
| 11/02/2022 | Solid  | N5303-02 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | NWB-1840                    | 10/26/2022   | Chemtech -SO |
| 11/02/2022 | Solid  | N5303-03 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | NWB-1841                    | 10/26/2022   | Chemtech -SO |
| 11/02/2022 | Solid  | N5303-04 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | NWB-1821                    | 10/26/2022   | Chemtech -SO |
| 11/02/2022 | Solid  | N5303-09 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | NWB-1842                    | 10/26/2022   | Chemtech -SO |
| 10/31/2022 | Solid  | N5307-01 | Percent Solids | Cool 4 deg C | PSEG05   | F11                         | CL-02-102622                | 10/26/2022   | Chemtech -SO |
| 10/31/2022 | Solid  | N5307-02 | Percent Solids | Cool 4 deg C | PSEG05   | F11                         | CL-02-102622-EPH-2          | 10/26/2022   | Chemtech -SO |
| 10/31/2022 | Solid  | N5308-01 | Percent Solids | Cool 4 deg C | PSEG05   | F11                         | PL-2-102622                 | 10/26/2022   | Chemtech -SO |
| 10/31/2022 | Solid  | N5308-02 | Percent Solids | Cool 4 deg C | PSEG05   | F11                         | PL-2-102622-EPH-2           | 10/26/2022   | Chemtech -SO |
| 11/05/2022 | Solid  | N5310-01 | Percent Solids | Cool 4 deg C | GEIC06   | F11                         | BIN-1-2-(2840)              | 10/26/2022   | Chemtech -SO |
| 11/05/2022 | Solid  | N5310-02 | Percent Solids | Cool 4 deg C | GEIC06   | F11                         | BIN-1-2-(2840)              | 10/26/2022   | Chemtech -SO |
| 10/31/2022 | Solid  | N5313-01 | Percent Solids | Cool 4 deg C | SOUN03   | F11                         | COMPOSITE-SW-QUARTER        | 10/26/2022   | Chemtech -SO |
| 10/31/2022 | Solid  | N5313-03 | Percent Solids | Cool 4 deg C | SOUN03   | F11                         | EPH-1-SW-QUARTER            | 10/26/2022   | Chemtech -SO |
| 10/31/2022 | Solid  | N5313-04 | Percent Solids | Cool 4 deg C | SOUN03   | F11                         | EPH-2-SW-QUARTER            | 10/26/2022   | Chemtech -SO |
| 10/31/2022 | Solid  | N5313-06 | Percent Solids | Cool 4 deg C | SOUN03   | F11                         | TOTAL-VOC-GRAB-5-SW-QUARTER | 10/26/2022   | Chemtech -SO |
| 10/31/2022 | Solid  | N5313-07 | Percent Solids | Cool 4 deg C | SOUN03   | F11                         | TOTAL-VOC-GRAB-6-SW-QUARTER | 10/26/2022   | Chemtech -SO |

Date/Time 10/27/22 15:40      Date/Time 10/27/22      Date/Time 10/27/22  
 Raw Sample Received by: JD CSM      Raw Sample Received by: JD CSM      Raw Sample Received by: JD CSM  
 Raw Sample Relinquished by: JD CSM      Raw Sample Relinquished by: JD CSM      Raw Sample Relinquished by: JD CSM

# WORKLIST(Hardcopy Internal Chain)

1226258

WorkList Name : %1-102722

WorkList ID : 164409

Department : Wet-Chemistry

Date : 10-27-2022 09:15:19

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Raw Sample Storage Location | Customer Sample             | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|-----------------------------|-----------------------------|--------------|--------------|
| 10/31/2022 | Solid  | N5313-08 | Percent Solids | Cool 4 deg C | SOUN03   | F11                         | COMPOSITE-NW-QUARTER        | 10/26/2022   | Chemtech -SO |
| 10/31/2022 | Solid  | N5313-10 | Percent Solids | Cool 4 deg C | SOUN03   | F11                         | EPH-1-NW-QUARTER            | 10/26/2022   | Chemtech -SO |
| 10/31/2022 | Solid  | N5313-11 | Percent Solids | Cool 4 deg C | SOUN03   | F11                         | EPH-2-NW-QUARTER            | 10/26/2022   | Chemtech -SO |
| 10/31/2022 | Solid  | N5313-13 | Percent Solids | Cool 4 deg C | SOUN03   | F11                         | TOTAL-VOC-GRAB-1-NW-QUARTER | 10/26/2022   | Chemtech -SO |
| 10/31/2022 | Solid  | N5313-14 | Percent Solids | Cool 4 deg C | SOUN03   | F11                         | TOTAL-VOC-GRAB-2-NW-QUARTER | 10/26/2022   | Chemtech -SO |
| 10/31/2022 | Solid  | N5313-15 | Percent Solids | Cool 4 deg C | SOUN03   | F11                         | COMPOSITE-SE-QUARTER        | 10/26/2022   | Chemtech -SO |
| 10/31/2022 | Solid  | N5313-17 | Percent Solids | Cool 4 deg C | SOUN03   | F11                         | EPH-1-SE-QUARTER            | 10/26/2022   | Chemtech -SO |
| 10/31/2022 | Solid  | N5313-18 | Percent Solids | Cool 4 deg C | SOUN03   | F11                         | EPH-2-SE-QUARTER            | 10/26/2022   | Chemtech -SO |
| 10/31/2022 | Solid  | N5313-20 | Percent Solids | Cool 4 deg C | SOUN03   | F11                         | TOTAL-VOC-GRAB-2-SE-QUARTER | 10/26/2022   | Chemtech -SO |
| 10/31/2022 | Solid  | N5313-23 | Percent Solids | Cool 4 deg C | SOUN03   | F11                         | TOTAL-VOC-GRAB-3-SE-QUARTER | 10/26/2022   | Chemtech -SO |
| 10/31/2022 | Solid  | N5316-01 | Percent Solids | Cool 4 deg C | SOUN03   | F11                         | COMPOSITE-NE-QUARTER        | 10/26/2022   | Chemtech -SO |
| 10/31/2022 | Solid  | N5316-03 | Percent Solids | Cool 4 deg C | SOUN03   | F11                         | EPH-1-NE-QUARTER            | 10/26/2022   | Chemtech -SO |
| 10/31/2022 | Solid  | N5316-04 | Percent Solids | Cool 4 deg C | SOUN03   | F11                         | EPH-2-NE-QUARTER            | 10/26/2022   | Chemtech -SO |
| 10/31/2022 | Solid  | N5316-06 | Percent Solids | Cool 4 deg C | SOUN03   | F11                         | TOTAL-VOC-GRAB-6-NE-QUARTER | 10/26/2022   | Chemtech -SO |
| 10/31/2022 | Solid  | N5316-07 | Percent Solids | Cool 4 deg C | SOUN03   | F11                         | TOTAL-VOC-GRAB-7-NE-QUARTER | 10/26/2022   | Chemtech -SO |
| 10/31/2022 | Solid  | N5316-08 | Percent Solids | Cool 4 deg C | SOUN03   | F11                         | COMPOSITE-PILE-2            | 10/26/2022   | Chemtech -SO |
| 10/31/2022 | Solid  | N5316-10 | Percent Solids | Cool 4 deg C | SOUN03   | F11                         | EPH-1-PILE-2                | 10/26/2022   | Chemtech -SO |
| 10/31/2022 | Solid  | N5316-11 | Percent Solids | Cool 4 deg C | SOUN03   | F11                         | EPH-2-PILE-2                | 10/26/2022   | Chemtech -SO |
| 10/31/2022 | Solid  | N5316-13 | Percent Solids | Cool 4 deg C | SOUN03   | F11                         | TOTAL-VOC-GRAB-1-PILE-2     | 10/26/2022   | Chemtech -SO |
| 10/31/2022 | Solid  | N5316-14 | Percent Solids | Cool 4 deg C | SOUN03   | F11                         | TOTAL-VOC-GRAB-2-PILE-2     | 10/26/2022   | Chemtech -SO |
| 11/03/2022 | Solid  | N5317-01 | Percent Solids | Cool 4 deg C | CHEM02   | QA Of                       | PT-AN-SOIL                  | 10/24/2022   | Chemtech -SO |

Date/Time 10/27/22 15:40  
 Raw Sample Received by: JP/WCJ  
 Raw Sample Relinquished by: JDCSM

Date/Time 10/27/22 17:30  
 Raw Sample Received by: JDCSM  
 Raw Sample Relinquished by: JP/WCJ

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-102722

WorkList ID : 164409

Department : Wet-Chemistry

Date : 10-27-2022 09:15:19

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Raw Sample Storage Location | Customer Sample  | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|-----------------------------|------------------|--------------|--------------|
| 11/03/2022 | Solid  | N5317-02 | Percent Solids | Cool 4 deg C | CHEM02   | QA Of                       | PT-CORR-SOIL     | 10/24/2022   | Chemtech -SO |
| 11/03/2022 | Solid  | N5317-03 | Percent Solids | Cool 4 deg C | CHEM02   | QA Of                       | PT-CORR-SOIL     | 10/24/2022   | Chemtech -SO |
| 11/03/2022 | Solid  | N5317-04 | Percent Solids | Cool 4 deg C | CHEM02   | QA Of                       | PT-CN-SOIL       | 10/24/2022   | Chemtech -SO |
| 11/03/2022 | Solid  | N5317-05 | Percent Solids | Cool 4 deg C | CHEM02   | QA Of                       | PT-CN-SOIL       | 10/24/2022   | Chemtech -SO |
| 11/03/2022 | Solid  | N5317-06 | Percent Solids | Cool 4 deg C | CHEM02   | QA Of                       | PT-FP-SOIL       | 10/24/2022   | Chemtech -SO |
| 11/03/2022 | Solid  | N5317-07 | Percent Solids | Cool 4 deg C | CHEM02   | QA Of                       | PT-CR6-SOIL      | 10/24/2022   | Chemtech -SO |
| 11/03/2022 | Solid  | N5317-08 | Percent Solids | Cool 4 deg C | CHEM02   | QA Of                       | PT-NUT-SOIL      | 10/24/2022   | Chemtech -SO |
| 11/03/2022 | Solid  | N5317-09 | Percent Solids | Cool 4 deg C | CHEM02   | QA Of                       | PT-NUT-SOIL      | 10/24/2022   | Chemtech -SO |
| 11/03/2022 | Solid  | N5317-10 | Percent Solids | Cool 4 deg C | CHEM02   | QA Of                       | PT-OGR-SOIL      | 10/24/2022   | Chemtech -SO |
| 11/03/2022 | Solid  | N5317-11 | Percent Solids | Cool 4 deg C | CHEM02   | QA Of                       | PT-MET-SOIL      | 10/24/2022   | Chemtech -SO |
| 11/03/2022 | Solid  | N5317-12 | Percent Solids | Cool 4 deg C | CHEM02   | QA Of                       | PT-BNA-SOIL      | 10/24/2022   | Chemtech -SO |
| 11/03/2022 | Solid  | N5317-13 | Percent Solids | Cool 4 deg C | CHEM02   | QA Of                       | PT-TRIAZINE-SOIL | 10/24/2022   | Chemtech -SO |
| 11/03/2022 | Solid  | N5317-14 | Percent Solids | Cool 4 deg C | CHEM02   | QA Of                       | PT-PAH-SOIL      | 10/24/2022   | Chemtech -SO |
| 11/03/2022 | Solid  | N5317-15 | Percent Solids | Cool 4 deg C | CHEM02   | QA Of                       | PT-DIES-SOIL     | 10/24/2022   | Chemtech -SO |
| 11/03/2022 | Solid  | N5317-16 | Percent Solids | Cool 4 deg C | CHEM02   | QA Of                       | PT-GAS-SOIL      | 10/24/2022   | Chemtech -SO |
| 11/03/2022 | Solid  | N5317-17 | Percent Solids | Cool 4 deg C | CHEM02   | QA Of                       | PT-NJEPH-SOIL    | 10/24/2022   | Chemtech -SO |
| 11/03/2022 | Solid  | N5317-18 | Percent Solids | Cool 4 deg C | CHEM02   | QA Of                       | PT-HERB-SOIL     | 10/24/2022   | Chemtech -SO |
| 11/03/2022 | Solid  | N5317-19 | Percent Solids | Cool 4 deg C | CHEM02   | QA Of                       | PT-PCB-SOIL      | 10/24/2022   | Chemtech -SO |
| 11/03/2022 | Solid  | N5317-20 | Percent Solids | Cool 4 deg C | CHEM02   | QA Of                       | PT-PCBO-SOIL     | 10/24/2022   | Chemtech -SO |
| 11/03/2022 | Solid  | N5317-21 | Percent Solids | Cool 4 deg C | CHEM02   | QA Of                       | PT-PEST-SOIL     | 10/24/2022   | Chemtech -SO |
| 11/03/2022 | Solid  | N5317-22 | Percent Solids | Cool 4 deg C | CHEM02   | QA Of                       | PT-CHLR-SOIL     | 10/24/2022   | Chemtech -SO |

Date/Time 10/27/22 15:40 Date/Time 10/24/22 17:30

Raw Sample Received by: 10/27/22 JDCSM Raw Sample Received by: JDCSM

Raw Sample Relinquished by: JDCSM Raw Sample Relinquished by: JDCSM

# WORKLIST(Hardcopy Internal Chain)

122628

WorkList Name : %1-102722

WorkList ID : 164409

Department : Wet-Chemistry

Date : 10-27-2022 09:15:19

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Raw Sample Storage Location | Customer Sample       | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|-----------------------------|-----------------------|--------------|--------------|
| 11/03/2022 | Solid  | N5317-23 | Percent Solids | Cool 4 deg C | CHEM02   | QA Of                       | PT-TXP-SOIL           | 10/24/2022   | Chemtech -SO |
| 11/03/2022 | Solid  | N5317-24 | Percent Solids | Cool 4 deg C | CHEM02   | QA Of                       | PT-VOA-SOIL           | 10/24/2022   | Chemtech -SO |
| 11/03/2022 | Solid  | N5317-25 | Percent Solids | Cool 4 deg C | CHEM02   | QA Of                       | PT-SOL-SOIL           | 10/24/2022   | Chemtech -SO |
| 10/29/2022 | Solid  | N5318-01 | Percent Solids | Cool 4 deg C | AQUA04   | F11                         | 20221105-COMP-04      | 10/19/2022   | Chemtech -SO |
| 10/29/2022 | Solid  | N5318-02 | Percent Solids | Cool 4 deg C | AQUA04   | F11                         | 20221106-COMP-05      | 10/19/2022   | Chemtech -SO |
| 10/29/2022 | Solid  | N5318-03 | Percent Solids | Cool 4 deg C | AQUA04   | F11                         | 20221117-COMP-06      | 10/19/2022   | Chemtech -SO |
| 10/29/2022 | Solid  | N5318-04 | Percent Solids | Cool 4 deg C | AQUA04   | F11                         | 20221108-COMP-07      | 10/19/2022   | Chemtech -SO |
| 10/30/2022 | Solid  | N5318-05 | Percent Solids | Cool 4 deg C | AQUA04   | F11                         | 20221111-COMP-10      | 10/20/2022   | Chemtech -SO |
| 10/28/2022 | Solid  | N5318-06 | Percent Solids | Cool 4 deg C | AQUA04   | F11                         | 20221115-COMP-14      | 10/18/2022   | Chemtech -SO |
| 10/29/2022 | Solid  | N5318-19 | Percent Solids | Cool 4 deg C | AQUA04   | F11                         | 20221105-COMP-04      | 10/19/2022   | Chemtech -SO |
| 10/29/2022 | Solid  | N5318-20 | Percent Solids | Cool 4 deg C | AQUA04   | F11                         | 20221106-COMP-05      | 10/19/2022   | Chemtech -SO |
| 10/29/2022 | Solid  | N5318-21 | Percent Solids | Cool 4 deg C | AQUA04   | F11                         | 20221117-COMP-06      | 10/19/2022   | Chemtech -SO |
| 10/29/2022 | Solid  | N5318-22 | Percent Solids | Cool 4 deg C | AQUA04   | F11                         | 20221108-COMP-07      | 10/19/2022   | Chemtech -SO |
| 10/30/2022 | Solid  | N5318-23 | Percent Solids | Cool 4 deg C | AQUA04   | F11                         | 20221111-COMP-10      | 10/20/2022   | Chemtech -SO |
| 10/28/2022 | Solid  | N5318-24 | Percent Solids | Cool 4 deg C | AQUA04   | F11                         | 20221115-COMP-14      | 10/18/2022   | Chemtech -SO |
| 11/02/2022 | Solid  | N5327-01 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | LACY-05               | 10/27/2022   | Chemtech -SO |
| 11/02/2022 | Solid  | N5327-02 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | LACY-05-EPH-2         | 10/27/2022   | Chemtech -SO |
| 11/02/2022 | Solid  | N5327-04 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | LACY-03               | 10/27/2022   | Chemtech -SO |
| 11/02/2022 | Solid  | N5327-05 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | LACY-03-EPH-2         | 10/27/2022   | Chemtech -SO |
| 11/01/2022 | Solid  | N5328-01 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | COMP-VNJ-219-CONCRETE | 10/27/2022   | Chemtech -SO |
| 11/01/2022 | Solid  | N5330-01 | Percent Solids | Cool 4 deg C | PSEG05   | F11                         | TR-5-102722           | 10/27/2022   | Chemtech -SO |

Date/Time 10/27/2022 15:40  
 Raw Sample Received by: J D (WOC)  
 Raw Sample Relinquished by: J D (WOC)

Date/Time 10/27/2022 17:13  
 Raw Sample Received by: J D (WOC)  
 Raw Sample Relinquished by: J D (WOC)

VB 122628

## WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-102722

WorkList ID : 164409

Department : Wet-Chemistry

Date : 10-27-2022 09:15:19

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Raw Sample Storage Location | Customer Sample    | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|-----------------------------|--------------------|--------------|--------------|
| 11/01/2022 | Solid  | N5330-02 | Percent Solids | Cool 4 deg C | PSEG05   | F11                         | TR-5-102722-EPH-2  | 10/27/2022   | Chemtech -SO |
| 11/01/2022 | Solid  | N5331-01 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | ROLLOFF-RB21502    | 10/27/2022   | Chemtech -SO |
| 11/01/2022 | Solid  | N5331-02 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | ROLLOFF-RB21502    | 10/27/2022   | Chemtech -SO |
| 11/03/2022 | Solid  | N5332-01 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | MH-4-WC            | 10/27/2022   | Chemtech -SO |
| 11/03/2022 | Solid  | N5332-03 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | MH-4-WC-EPH-2      | 10/27/2022   | Chemtech -SO |
| 11/05/2022 | Solid  | N5335-01 | Percent Solids | Cool 4 deg C | POWE02   | F11                         | SB-1               | 10/26/2022   | Chemtech -SO |
| 11/05/2022 | Solid  | N5335-02 | Percent Solids | Cool 4 deg C | POWE02   | F11                         | SB-2               | 10/26/2022   | Chemtech -SO |
| 11/05/2022 | Solid  | N5335-03 | Percent Solids | Cool 4 deg C | POWE02   | F11                         | SB-3               | 10/26/2022   | Chemtech -SO |
| 11/05/2022 | Solid  | N5335-04 | Percent Solids | Cool 4 deg C | POWE02   | F11                         | SB-4               | 10/26/2022   | Chemtech -SO |
| 11/01/2022 | Solid  | N5339-01 | Percent Solids | Cool 4 deg C | PSEG05   | F11                         | NB-07-102722       | 10/27/2022   | Chemtech -SO |
| 11/01/2022 | Solid  | N5339-02 | Percent Solids | Cool 4 deg C | PSEG05   | F11                         | NB-07-102722-EPH-2 | 10/27/2022   | Chemtech -SO |

Date/Time 10/27/22

Raw Sample Received by:

JD (WC)

Raw Sample Relinquished by:

JD (WC)

Date/Time

10/27/22

Raw Sample Received by:

JD (WC)

Raw Sample Relinquished by:

JD (WC)