



PERCENT SOLID

Supervisor: Iwona  
Analyst: jignesh  
Date: 11/3/2022

OVENTEMP IN Celsius(°C): 107  
Time IN: 17:20  
In Date: 11/02/2022  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:18  
Out Date: 11/03/2022  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: %SOLIDS-OVEN

QC:LB122724

| Lab ID   | Client SampleID     | Dish # | Dish Wt(g) (A) | Sample Wt(g) | Dish + Sample Wt(g) (B) | Dish+Dry Sample Wt(g) (C) | % Solid | Comments  |
|----------|---------------------|--------|----------------|--------------|-------------------------|---------------------------|---------|-----------|
| N5377-01 | SOIL-WC-20221028    | 47     | 0.91           | 8.73         | 9.64                    | 8.01                      | 81.3    |           |
| N5397-01 | ALBANY-STREET       | 1      | 0.91           | 8.84         | 9.75                    | 8.79                      | 89.1    |           |
| N5397-02 | ALBANY-STREET-EPH-2 | 2      | 0.93           | 8.85         | 9.78                    | 8.73                      | 88.1    |           |
| N5398-01 | BC288026-1-1        | 3      | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| N5398-02 | BC288026-1-2        | 4      | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| N5398-03 | FDA671T-1-1         | 5      | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| N5398-04 | FDA671T-1-2         | 6      | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| N5398-05 | KZZ107U-1-1         | 7      | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| N5398-06 | KZZ107U-1-2         | 8      | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| N5398-07 | BC226462-1-1        | 9      | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| N5398-08 | BC226462-1-2        | 10     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| N5398-09 | BC226462-2-1        | 11     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| N5398-10 | BC226462-2-2        | 12     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| N5410-01 | BC274770-1-1        | 13     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| N5410-02 | BC274770-1-2        | 14     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| N5410-03 | KMA573Y-1-1         | 15     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| N5410-04 | KMA573Y-1-2         | 16     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| N5410-05 | KMA573Y-2-1         | 17     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| N5410-06 | KMA573Y-2-2         | 18     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| N5410-07 | BC260967-1-1        | 19     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| N5410-08 | BC260967-1-2        | 20     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| N5410-09 | BC260967-2-1        | 21     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| N5410-10 | BC260967-2-2        | 22     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| N5412-01 | D-2757              | 23     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | debris    |
| N5412-02 | D-2770              | 24     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | debris    |
| N5413-01 | BC226642-1-1        | 25     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| N5413-02 | BC226642-1-2        | 26     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| N5413-03 | BC271242-1-1        | 27     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |



PERCENT SOLID

Supervisor: Iwona  
Analyst: jignesh  
Date: 11/3/2022

OVENTEMP IN Celsius(°C): 107  
Time IN: 17:20  
In Date: 11/02/2022  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:18  
Out Date: 11/03/2022  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: %SOLIDS-OVEN

QC:LB122724

| Lab ID   | Client SampleID      | Dish # | Dish Wt(g) (A) | Sample Wt(g) | Dish + Sample Wt(g) (B) | Dish+Dry Sample Wt(g) (C) | % Solid | Comments        |
|----------|----------------------|--------|----------------|--------------|-------------------------|---------------------------|---------|-----------------|
| N5413-04 | BC271242-1-2         | 28     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL       |
| N5417-01 | AUD-1731             | 29     | 0.91           | 8.71         | 9.62                    | 9.42                      | 97.7    |                 |
| N5417-02 | AUD-1732             | 30     | 0.93           | 8.73         | 9.66                    | 9.47                      | 97.8    |                 |
| N5417-03 | 40177                | 31     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE     |
| N5417-04 | 40178                | 32     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE     |
| N5417-05 | 40182                | 33     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE     |
| N5417-06 | 40183                | 34     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE     |
| N5418-01 | TP-J                 | 35     | 0.92           | 8.89         | 9.81                    | 8.7                       | 87.5    |                 |
| N5418-03 | TP-J-EPH-2           | 36     | 0.92           | 8.89         | 9.81                    | 8.7                       | 87.5    |                 |
| N5418-04 | TP-K                 | 37     | 0.92           | 9.05         | 9.97                    | 9.3                       | 92.6    |                 |
| N5418-06 | TP-K-EPH-2           | 38     | 0.92           | 9.05         | 9.97                    | 9.3                       | 92.6    |                 |
| N5418-07 | TP-L                 | 39     | 0.93           | 8.78         | 9.71                    | 8.91                      | 90.9    |                 |
| N5418-09 | TP-L-EPH-2           | 40     | 0.93           | 8.78         | 9.71                    | 8.91                      | 90.9    |                 |
| N5418-10 | TP-M                 | 41     | 0.97           | 8.81         | 9.78                    | 8.7                       | 87.7    |                 |
| N5418-12 | TP-M-EPH-2           | 42     | 0.97           | 8.81         | 9.78                    | 8.7                       | 87.7    |                 |
| N5418-13 | TP-N                 | 43     | 0.92           | 9.02         | 9.94                    | 9.05                      | 90.1    |                 |
| N5418-15 | TP-N-EPH-2           | 44     | 0.92           | 9.02         | 9.94                    | 9.05                      | 90.1    |                 |
| N5418-16 | TP-O                 | 45     | 0.93           | 8.60         | 9.53                    | 9.04                      | 94.3    |                 |
| N5418-18 | TP-O-EPH-2           | 46     | 0.93           | 8.60         | 9.53                    | 9.04                      | 94.3    |                 |
| N5419-01 | VNJ-240              | 48     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | CONCRETE SAMPLE |
| N5425-01 | 371                  | 49     | 0.95           | 8.99         | 9.94                    | 9.52                      | 95.3    |                 |
| N5425-03 | 371-EPH-2            | 50     | 0.93           | 8.68         | 9.61                    | 9.09                      | 94.0    |                 |
| N5430-01 | 185465               | 51     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | CONCRETE SAMPLE |
| N5430-03 | SOIL-COMP-1102       | 52     | 0.91           | 8.98         | 9.89                    | 9.04                      | 90.5    |                 |
| N5430-04 | SOIL-COMP-1102-EPH-2 | 53     | 0.91           | 8.86         | 9.77                    | 8.96                      | 90.9    |                 |
| N5433-01 | CL-01-110222         | 54     | 0.91           | 8.82         | 9.73                    | 8.98                      | 91.5    |                 |
| N5433-02 | CL-01-110222-EPH-2   | 55     | 0.91           | 8.82         | 9.73                    | 8.98                      | 91.5    |                 |



## WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-110222

WorkList ID : 164609

Department : Wet-Chemistry

Date : 11-02-2022 08:22:24

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Raw Sample Storage Location | Customer Sample     | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|-----------------------------|---------------------|--------------|--------------|
| 11/02/2022 | Solid  | N5377-01 | Percent Solids | Cool 4 deg C | PARS02   | F11                         | SOIL-WC-20221028    | 10/28/2022   | Chemtech -SO |
| 11/04/2022 | Solid  | N5397-01 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | ALBANY-STREET       | 11/01/2022   | Chemtech -SO |
| 11/04/2022 | Solid  | N5397-02 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | ALBANY-STREET-EPH-2 | 11/01/2022   | Chemtech -SO |
| 11/03/2022 | Solid  | N5398-01 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | BC288026-1-1        | 11/01/2022   | Chemtech -SO |
| 11/03/2022 | Solid  | N5398-02 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | BC288026-1-2        | 11/01/2022   | Chemtech -SO |
| 11/03/2022 | Solid  | N5398-03 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | FDA671T-1-1         | 11/01/2022   | Chemtech -SO |
| 11/03/2022 | Solid  | N5398-04 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | FDA671T-1-2         | 11/01/2022   | Chemtech -SO |
| 11/03/2022 | Solid  | N5398-05 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | KZZ107U-1-1         | 11/01/2022   | Chemtech -SO |
| 11/03/2022 | Solid  | N5398-06 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | KZZ107U-1-2         | 11/01/2022   | Chemtech -SO |
| 11/03/2022 | Solid  | N5398-07 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | BC228462-1-1        | 11/01/2022   | Chemtech -SO |
| 11/03/2022 | Solid  | N5398-08 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | BC228462-1-2        | 11/01/2022   | Chemtech -SO |
| 11/03/2022 | Solid  | N5398-09 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | BC228462-2-1        | 11/01/2022   | Chemtech -SO |
| 11/03/2022 | Solid  | N5398-10 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | BC228462-2-2        | 11/01/2022   | Chemtech -SO |
| 11/08/2022 | Solid  | N5410-01 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | BC274770-1-1        | 11/01/2022   | Chemtech -SO |
| 11/08/2022 | Solid  | N5410-02 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | BC274770-1-2        | 11/01/2022   | Chemtech -SO |
| 11/08/2022 | Solid  | N5410-03 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | KMA573Y-1-1         | 11/01/2022   | Chemtech -SO |
| 11/08/2022 | Solid  | N5410-04 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | KMA573Y-1-2         | 11/01/2022   | Chemtech -SO |
| 11/08/2022 | Solid  | N5410-05 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | KMA573Y-2-1         | 11/01/2022   | Chemtech -SO |
| 11/08/2022 | Solid  | N5410-06 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | KMA573Y-2-2         | 11/01/2022   | Chemtech -SO |
| 11/08/2022 | Solid  | N5410-07 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | BC260967-1-1        | 11/01/2022   | Chemtech -SO |
| 11/08/2022 | Solid  | N5410-08 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | BC260967-1-2        | 11/01/2022   | Chemtech -SO |

Date/Time 11/02/22 16:00

Raw Sample Received by: [Signature]

Raw Sample Relinquished by: [Signature]

Date/Time 11/02/22

Raw Sample Received by: [Signature]

Raw Sample Relinquished by: [Signature]

122724

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-110222

WorkList ID : 164609

Department : Wet-Chemistry

Date : 11-02-2022 08:22:24

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Raw Sample Storage Location | Customer Sample | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|-----------------------------|-----------------|--------------|--------------|
| 11/08/2022 | Solid  | N5410-09 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | BC260967-2-1    | 11/01/2022   | Chemtech -SO |
| 11/08/2022 | Solid  | N5410-10 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | BC260967-2-2    | 11/01/2022   | Chemtech -SO |
| 11/08/2022 | Solid  | N5412-01 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | D-2757          | 11/01/2022   | Chemtech -SO |
| 11/08/2022 | Solid  | N5412-02 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | D-2770          | 11/01/2022   | Chemtech -SO |
| 11/03/2022 | Solid  | N5413-01 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | BC226642-1-1    | 11/01/2022   | Chemtech -SO |
| 11/03/2022 | Solid  | N5413-02 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | BC226642-1-2    | 11/01/2022   | Chemtech -SO |
| 11/03/2022 | Solid  | N5413-03 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | BC271242-1-1    | 11/01/2022   | Chemtech -SO |
| 11/03/2022 | Solid  | N5413-04 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | BC271242-1-2    | 11/01/2022   | Chemtech -SO |
| 11/11/2022 | Solid  | N5417-01 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | AUD-1731        | 11/01/2022   | Chemtech -SO |
| 11/11/2022 | Solid  | N5417-02 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | AUD-1732        | 11/01/2022   | Chemtech -SO |
| 11/11/2022 | Solid  | N5417-03 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | 40177           | 11/01/2022   | Chemtech -SO |
| 11/11/2022 | Solid  | N5417-04 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | 40178           | 11/01/2022   | Chemtech -SO |
| 11/11/2022 | Solid  | N5417-05 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | 40182           | 11/01/2022   | Chemtech -SO |
| 11/11/2022 | Solid  | N5417-06 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | 40183           | 11/01/2022   | Chemtech -SO |
| 11/08/2022 | Solid  | N5418-01 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | TP-J            | 11/01/2022   | Chemtech -SO |
| 11/08/2022 | Solid  | N5418-03 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | TP-J-EPH-2      | 11/01/2022   | Chemtech -SO |
| 11/08/2022 | Solid  | N5418-04 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | TP-K            | 11/01/2022   | Chemtech -SO |
| 11/08/2022 | Solid  | N5418-06 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | TP-K-EPH-2      | 11/01/2022   | Chemtech -SO |
| 11/08/2022 | Solid  | N5418-07 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | TP-L            | 11/01/2022   | Chemtech -SO |
| 11/08/2022 | Solid  | N5418-09 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | TP-L-EPH-2      | 11/01/2022   | Chemtech -SO |
| 11/08/2022 | Solid  | N5418-10 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | TP-M            | 11/01/2022   | Chemtech -SO |

Date/Time 11/02/22 17:45  
 Raw Sample Received by: J.C. (sm)  
 Raw Sample Relinquished by: J.C. (sm)

# WORKLIST(Hardcopy Internal Chain)

122723

WorkList Name : %1-110222

WorkList ID : 164609

Department : Wet-Chemistry

Date : 11-02-2022 08:22:24

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Raw Sample Storage Location | Customer Sample      | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|-----------------------------|----------------------|--------------|--------------|
| 11/08/2022 | Solid  | N5418-12 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | TP-M-EPH-2           | 11/01/2022   | Chemtech -SO |
| 11/08/2022 | Solid  | N5418-13 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | TP-N                 | 11/01/2022   | Chemtech -SO |
| 11/08/2022 | Solid  | N5418-15 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | TP-N-EPH-2           | 11/01/2022   | Chemtech -SO |
| 11/08/2022 | Solid  | N5418-16 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | TP-O                 | 11/01/2022   | Chemtech -SO |
| 11/08/2022 | Solid  | N5418-18 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | TP-O-EPH-2           | 11/01/2022   | Chemtech -SO |
| 11/09/2022 | Solid  | N5419-01 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | VNJ-240              | 11/02/2022   | Chemtech -SO |
| 11/09/2022 | Solid  | N5425-01 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | 371                  | 11/02/2022   | Chemtech -SO |
| 11/09/2022 | Solid  | N5425-03 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | 371-EPH-2            | 11/02/2022   | Chemtech -SO |
| 11/09/2022 | Solid  | N5430-01 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | 185465               | 11/02/2022   | Chemtech -SO |
| 11/09/2022 | Solid  | N5430-03 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | SOIL-COMP-1102       | 11/02/2022   | Chemtech -SO |
| 11/09/2022 | Solid  | N5430-04 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | SOIL-COMP-1102-EPH-2 | 11/02/2022   | Chemtech -SO |
| 11/07/2022 | Solid  | N5433-01 | Percent Solids | Cool 4 deg C | PSEG05   | F11                         | CL-01-110222         | 11/02/2022   | Chemtech -SO |
| 11/07/2022 | Solid  | N5433-02 | Percent Solids | Cool 4 deg C | PSEG05   | F11                         | CL-01-110222-EPH-2   | 11/02/2022   | Chemtech -SO |

Date/Time 11/02/22 15:00  
 Raw Sample Received by: JPLWC  
 Raw Sample Relinquished by: JPLWC

Date/Time 11/02/22 17:35  
 Raw Sample Received by: JPLWC  
 Raw Sample Relinquished by: JPLWC