



PERCENT SOLID

Supervisor: Iwona

Analyst: JIGNESH

Date: 11/8/2022

OVENTEMP IN Celsius(°C): 107

Time IN: 17:20

In Date: 11/07/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:15

Out Date: 11/08/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB122784

| Lab ID   | Client SampleID | Dish # | Dish Wt(g) (A) | Sample Wt(g) | Dish + Sample Wt(g) (B) | Dish+Dry Sample Wt(g) (C) | % Solid | Comments |
|----------|-----------------|--------|----------------|--------------|-------------------------|---------------------------|---------|----------|
| N5494-01 | SB-19           | 1      | 0.91           | 8.73         | 9.64                    | 8.68                      | 89.0    |          |
| N5494-02 | WC-19           | 2      | 0.92           | 8.89         | 9.81                    | 8.95                      | 90.3    |          |
| N5494-03 | SB-18           | 3      | 0.95           | 8.76         | 9.71                    | 8.7                       | 88.5    |          |
| N5494-04 | WC-18           | 4      | 0.95           | 9.00         | 9.95                    | 9.13                      | 90.9    |          |
| N5494-05 | SB-17           | 5      | 0.91           | 9.07         | 9.98                    | 8.98                      | 89.0    |          |
| N5494-06 | WC-17           | 6      | 0.94           | 8.99         | 9.93                    | 8.92                      | 88.8    |          |
| N5494-07 | SB-16           | 7      | 0.91           | 8.83         | 9.74                    | 8.33                      | 84.0    |          |
| N5494-08 | WC-16           | 8      | 0.96           | 8.81         | 9.77                    | 8.41                      | 84.6    |          |
| N5494-09 | SB-15           | 9      | 0.93           | 8.89         | 9.82                    | 7.58                      | 74.8    |          |
| N5494-10 | WC-15           | 10     | 0.92           | 8.71         | 9.63                    | 8.38                      | 85.6    |          |
| N5494-11 | SB-24           | 11     | 0.95           | 8.67         | 9.62                    | 8.91                      | 91.8    |          |
| N5494-12 | WC-24           | 12     | 0.92           | 8.60         | 9.52                    | 8.72                      | 90.7    |          |
| N5494-13 | SB-23           | 13     | 0.95           | 9.01         | 9.96                    | 8.82                      | 87.3    |          |
| N5494-14 | WC-23           | 14     | 0.93           | 9.04         | 9.97                    | 8.47                      | 83.4    |          |
| N5494-15 | SB-22           | 15     | 0.95           | 8.99         | 9.94                    | 8.81                      | 87.4    |          |
| N5494-16 | WC-22           | 16     | 0.92           | 8.98         | 9.9                     | 8.68                      | 86.4    |          |
| N5494-17 | SB-20           | 17     | 0.91           | 8.75         | 9.66                    | 8.8                       | 90.2    |          |
| N5494-18 | WC-20           | 18     | 0.95           | 9.01         | 9.96                    | 9.55                      | 95.4    |          |
| N5494-19 | SB-21           | 19     | 0.92           | 9.06         | 9.98                    | 9.11                      | 90.4    |          |
| N5494-20 | WC-21           | 20     | 0.92           | 8.52         | 9.44                    | 8.83                      | 92.8    |          |
| N5495-01 | SB-32A          | 21     | 0.92           | 9.06         | 9.98                    | 8.43                      | 82.9    |          |
| N5495-02 | SB-32B          | 22     | 0.92           | 8.82         | 9.74                    | 7.85                      | 78.6    |          |
| N5495-03 | WC-32           | 23     | 0.93           | 8.82         | 9.75                    | 8.41                      | 84.8    |          |
| N5495-04 | SB-31A          | 24     | 0.91           | 8.62         | 9.53                    | 8.59                      | 89.1    |          |
| N5495-05 | SB-31B          | 25     | 0.93           | 8.77         | 9.7                     | 8.45                      | 85.7    |          |
| N5495-06 | WC-31           | 26     | 0.94           | 8.61         | 9.55                    | 7.42                      | 75.3    |          |
| N5495-07 | SB-29A          | 27     | 0.93           | 9.05         | 9.98                    | 8.87                      | 87.7    |          |
| N5495-08 | SB-29B          | 28     | 0.94           | 9.05         | 9.99                    | 8.46                      | 83.1    |          |



PERCENT SOLID

Supervisor: Iwona  
Analyst: JIGNESH  
Date: 11/8/2022

OVENTEMP IN Celsius(°C): 107  
Time IN: 17:20  
In Date: 11/07/2022  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:15  
Out Date: 11/08/2022  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: %SOLIDS-OVEN

QC:LB122784

| Lab ID   | Client SampleID | Dish # | Dish Wt(g) (A) | Sample Wt(g) | Dish + Sample Wt(g) (B) | Dish+Dry Sample Wt(g) (C) | % Solid | Comments  |
|----------|-----------------|--------|----------------|--------------|-------------------------|---------------------------|---------|-----------|
| N5495-09 | WC-29           | 29     | 0.92           | 8.65         | 9.57                    | 8.18                      | 83.9    |           |
| N5495-10 | DUP-01          | 30     | 0.92           | 9.06         | 9.98                    | 8.42                      | 82.8    |           |
| N5495-11 | SB-14           | 31     | 0.92           | 8.98         | 9.9                     | 8.57                      | 85.2    |           |
| N5495-12 | WC-14           | 32     | 0.95           | 8.96         | 9.91                    | 8.69                      | 86.4    |           |
| N5498-01 | GJA196A-1-1     | 44     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| N5498-02 | GJA196A-1-2     | 45     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| N5498-03 | KZZ168E-1-1     | 46     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| N5498-04 | KZZ168E-1-2     | 47     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| N5498-05 | KMH418P-1-1     | 48     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| N5498-06 | KMH418P-1-2     | 49     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| N5498-07 | KMH418P-2-1     | 50     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| N5498-08 | KMH418P-2-2     | 51     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| N5498-09 | KMA358G-1-1     | 52     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| N5498-10 | KMA358G-1-2     | 53     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| N5498-11 | KMA358G-2-1     | 54     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| N5498-12 | KMA358G-2-2     | 55     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| N5498-13 | ELI-2022-25A    | 56     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| N5498-14 | ELI-2022-25B    | 57     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| N5498-15 | ELI-2022-26A    | 58     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| N5498-16 | ELI-2022-26B    | 59     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| N5498-17 | ELI-2022-27A    | 60     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| N5498-18 | ELI-2022-27B    | 61     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| N5498-19 | ELI-2022-28A    | 62     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| N5498-20 | ELI-2022-28B    | 63     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| N5498-21 | ELI-2022-29A    | 64     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| N5498-22 | ELI-2022-30A    | 65     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| N5498-23 | ELI-2022-30B    | 66     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| N5498-24 | ELI-2022-31A    | 67     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |



PERCENT SOLID

Supervisor: Iwona  
Analyst: JIGNESH  
Date: 11/8/2022

OVENTEMP IN Celsius(°C): 107  
Time IN: 17:20  
In Date: 11/07/2022  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:15  
Out Date: 11/08/2022  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: %SOLIDS-OVEN

QC:LB122784

| Lab ID   | Client SampleID    | Dish # | Dish Wt(g) (A) | Sample Wt(g) | Dish + Sample Wt(g) (B) | Dish+Dry Sample Wt(g) (C) | % Solid | Comments  |
|----------|--------------------|--------|----------------|--------------|-------------------------|---------------------------|---------|-----------|
| N5498-25 | ELI-2022-31B       | 68     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| N5501-01 | HS-3-110722        | 69     | 0.91           | 8.68         | 9.59                    | 8.91                      | 92.2    |           |
| N5501-02 | HS-3-110722-EPH-2  | 70     | 0.93           | 8.62         | 9.55                    | 8.96                      | 93.2    |           |
| N5501-03 | HS-4-110722        | 71     | 0.93           | 8.72         | 9.65                    | 9.12                      | 93.9    |           |
| N5501-04 | HS-4-110722-EPH-2  | 72     | 0.93           | 8.69         | 9.62                    | 9.06                      | 93.6    |           |
| N5502-01 | 2182               | 43     | 0.93           | 9.05         | 9.98                    | 8.93                      | 88.4    |           |
| N5505-01 | HD-2-110722        | 73     | 0.95           | 8.86         | 9.81                    | 8.87                      | 89.4    |           |
| N5505-02 | HD-2-110722-EPH-2  | 74     | 0.91           | 8.60         | 9.51                    | 8.3                       | 85.9    |           |
| N5506-01 | TP-5               | 33     | 0.93           | 8.93         | 9.86                    | 8.85                      | 88.7    |           |
| N5506-03 | TP-5-EPH-2         | 34     | 0.94           | 8.77         | 9.71                    | 8.72                      | 88.7    |           |
| N5506-04 | TP-6               | 35     | 0.94           | 8.98         | 9.92                    | 9.00                      | 89.8    |           |
| N5506-06 | TP-6-EPH-2         | 36     | 0.94           | 8.79         | 9.73                    | 8.86                      | 90.1    |           |
| N5506-07 | TP-8               | 37     | 0.95           | 8.97         | 9.92                    | 8.98                      | 89.5    |           |
| N5506-09 | TP-8-EPH-2         | 38     | 0.93           | 8.69         | 9.62                    | 8.7                       | 89.4    |           |
| N5506-10 | TP-9               | 39     | 0.92           | 9.00         | 9.92                    | 8.9                       | 88.7    |           |
| N5506-12 | TP-9-EPH-2         | 40     | 0.93           | 8.68         | 9.61                    | 8.52                      | 87.4    |           |
| N5506-13 | TP-10              | 41     | 0.92           | 9.06         | 9.98                    | 8.72                      | 86.1    |           |
| N5506-15 | TP-10-EPH-2        | 42     | 0.94           | 8.58         | 9.52                    | 8.66                      | 90.0    |           |
| N5511-01 | PL-03-110722       | 75     | 0.95           | 8.55         | 9.5                     | 8.75                      | 91.2    |           |
| N5511-02 | PL-03-110722-EPH-2 | 76     | 0.96           | 8.72         | 9.68                    | 9.00                      | 92.2    |           |
| N5511-03 | PL-04-110722       | 77     | 0.98           | 8.71         | 9.69                    | 9.05                      | 92.7    |           |
| N5511-04 | PL-04-110722-EPH-2 | 78     | 0.98           | 8.86         | 9.84                    | 9.36                      | 94.6    |           |
| N5511-05 | PL-05-110722       | 79     | 0.96           | 9.02         | 9.98                    | 8.76                      | 86.5    |           |
| N5511-06 | PL-05-110722-EPH-2 | 80     | 0.91           | 9.06         | 9.97                    | 8.68                      | 85.8    |           |
| N5513-01 | WC-D2 (7-9)        | 81     | 0.95           | 8.65         | 9.6                     | 8.72                      | 89.8    |           |

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

WB 122784

## WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-110722

WorkList ID : 164772

Department : Wet-Chemistry

Date : 11-07-2022 09:30:23

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Raw Sample Storage Location | Customer Sample | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|-----------------------------|-----------------|--------------|--------------|
| 11/11/2022 | Solid  | N5494-01 | Percent Solids | Cool 4 deg C | loui01   | F11                         | SB-19           | 11/04/2022   | Chemtech -SO |
| 11/11/2022 | Solid  | N5494-02 | Percent Solids | Cool 4 deg C | loui01   | F11                         | WC-19           | 11/04/2022   | Chemtech -SO |
| 11/11/2022 | Solid  | N5494-03 | Percent Solids | Cool 4 deg C | loui01   | F11                         | SB-18           | 11/04/2022   | Chemtech -SO |
| 11/11/2022 | Solid  | N5494-04 | Percent Solids | Cool 4 deg C | loui01   | F11                         | WC-18           | 11/04/2022   | Chemtech -SO |
| 11/11/2022 | Solid  | N5494-05 | Percent Solids | Cool 4 deg C | loui01   | F11                         | SB-17           | 11/04/2022   | Chemtech -SO |
| 11/11/2022 | Solid  | N5494-06 | Percent Solids | Cool 4 deg C | loui01   | F11                         | WC-17           | 11/04/2022   | Chemtech -SO |
| 11/11/2022 | Solid  | N5494-07 | Percent Solids | Cool 4 deg C | loui01   | F11                         | SB-16           | 11/04/2022   | Chemtech -SO |
| 11/11/2022 | Solid  | N5494-08 | Percent Solids | Cool 4 deg C | loui01   | F11                         | WC-16           | 11/04/2022   | Chemtech -SO |
| 11/11/2022 | Solid  | N5494-09 | Percent Solids | Cool 4 deg C | loui01   | F11                         | SB-15           | 11/04/2022   | Chemtech -SO |
| 11/11/2022 | Solid  | N5494-10 | Percent Solids | Cool 4 deg C | loui01   | F11                         | WC-15           | 11/04/2022   | Chemtech -SO |
| 11/11/2022 | Solid  | N5494-11 | Percent Solids | Cool 4 deg C | loui01   | F11                         | SB-24           | 11/03/2022   | Chemtech -SO |
| 11/11/2022 | Solid  | N5494-12 | Percent Solids | Cool 4 deg C | loui01   | F11                         | WC-24           | 11/03/2022   | Chemtech -SO |
| 11/11/2022 | Solid  | N5494-13 | Percent Solids | Cool 4 deg C | loui01   | F11                         | SB-23           | 11/03/2022   | Chemtech -SO |
| 11/11/2022 | Solid  | N5494-14 | Percent Solids | Cool 4 deg C | loui01   | F11                         | WC-23           | 11/03/2022   | Chemtech -SO |
| 11/11/2022 | Solid  | N5494-15 | Percent Solids | Cool 4 deg C | loui01   | F11                         | SB-22           | 11/03/2022   | Chemtech -SO |
| 11/11/2022 | Solid  | N5494-16 | Percent Solids | Cool 4 deg C | loui01   | F11                         | WC-22           | 11/04/2022   | Chemtech -SO |
| 11/11/2022 | Solid  | N5494-17 | Percent Solids | Cool 4 deg C | loui01   | F11                         | SB-20           | 11/04/2022   | Chemtech -SO |
| 11/11/2022 | Solid  | N5494-18 | Percent Solids | Cool 4 deg C | loui01   | F11                         | WC-20           | 11/04/2022   | Chemtech -SO |
| 11/11/2022 | Solid  | N5494-19 | Percent Solids | Cool 4 deg C | loui01   | F11                         | SB-21           | 11/04/2022   | Chemtech -SO |
| 11/11/2022 | Solid  | N5494-20 | Percent Solids | Cool 4 deg C | loui01   | F11                         | WC-21           | 11/04/2022   | Chemtech -SO |
| 11/11/2022 | Solid  | N5495-01 | Percent Solids | Cool 4 deg C | loui01   | F11                         | SB-32A          | 11/03/2022   | Chemtech -SO |

Date/Time 11/07/22 1540

Raw Sample Received by: 70(wc)

Raw Sample Relinquished by: L.C.C. SW1

Date/Time 11/07/22

Raw Sample Received by: L.C.C. SW1

Raw Sample Relinquished by: 20(wc)

# WORKLIST(Hardcopy Internal Chain)

122789

WorkList Name : %1-110722

WorkList ID : 164772

Department : Wet-Chemistry

Date : 11-07-2022 09:30:23

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Raw Sample Storage Location | Customer Sample | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|-----------------------------|-----------------|--------------|--------------|
| 11/11/2022 | Solid  | N5495-02 | Percent Solids | Cool 4 deg C | loui01   | F11                         | SB-32B          | 11/03/2022   | Chemtech -SO |
| 11/11/2022 | Solid  | N5495-03 | Percent Solids | Cool 4 deg C | loui01   | F11                         | WC-32           | 11/03/2022   | Chemtech -SO |
| 11/11/2022 | Solid  | N5495-04 | Percent Solids | Cool 4 deg C | loui01   | F11                         | SB-31A          | 11/03/2022   | Chemtech -SO |
| 11/11/2022 | Solid  | N5495-05 | Percent Solids | Cool 4 deg C | loui01   | F11                         | SB-31B          | 11/03/2022   | Chemtech -SO |
| 11/11/2022 | Solid  | N5495-06 | Percent Solids | Cool 4 deg C | loui01   | F11                         | WC-31           | 11/03/2022   | Chemtech -SO |
| 11/11/2022 | Solid  | N5495-07 | Percent Solids | Cool 4 deg C | loui01   | F11                         | SB-29A          | 11/03/2022   | Chemtech -SO |
| 11/11/2022 | Solid  | N5495-08 | Percent Solids | Cool 4 deg C | loui01   | F11                         | SB-29B          | 11/03/2022   | Chemtech -SO |
| 11/11/2022 | Solid  | N5495-09 | Percent Solids | Cool 4 deg C | loui01   | F11                         | WC-29           | 11/03/2022   | Chemtech -SO |
| 11/11/2022 | Solid  | N5495-10 | Percent Solids | Cool 4 deg C | loui01   | F11                         | DUP-01          | 11/03/2022   | Chemtech -SO |
| 11/11/2022 | Solid  | N5495-11 | Percent Solids | Cool 4 deg C | loui01   | F11                         | SB-14           | 11/04/2022   | Chemtech -SO |
| 11/11/2022 | Solid  | N5495-12 | Percent Solids | Cool 4 deg C | loui01   | F11                         | WC-14           | 11/04/2022   | Chemtech -SO |
| 11/10/2022 | Solid  | N5498-01 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | GJA196A-1-1     | 11/07/2022   | Chemtech -SO |
| 11/10/2022 | Solid  | N5498-02 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | GJA196A-1-2     | 11/07/2022   | Chemtech -SO |
| 11/10/2022 | Solid  | N5498-03 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | KZZ168E-1-1     | 11/07/2022   | Chemtech -SO |
| 11/10/2022 | Solid  | N5498-04 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | KZZ168E-1-2     | 11/07/2022   | Chemtech -SO |
| 11/10/2022 | Solid  | N5498-05 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | KMH418P-1-1     | 11/07/2022   | Chemtech -SO |
| 11/10/2022 | Solid  | N5498-06 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | KMH418P-1-2     | 11/07/2022   | Chemtech -SO |
| 11/10/2022 | Solid  | N5498-07 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | KMH418P-2-1     | 11/07/2022   | Chemtech -SO |
| 11/10/2022 | Solid  | N5498-08 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | KMH418P-2-2     | 11/07/2022   | Chemtech -SO |
| 11/10/2022 | Solid  | N5498-09 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | KMA358G-1-1     | 11/07/2022   | Chemtech -SO |
| 11/10/2022 | Solid  | N5498-10 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | KMA358G-1-2     | 11/07/2022   | Chemtech -SO |

Date/Time 11/07/22 15:40  
 Raw Sample Received by: J.C. Ban  
 Raw Sample Relinquished by: J.C. Ban

Date/Time 11/07/22 17:30  
 Raw Sample Received by: J.C. Ban  
 Raw Sample Relinquished by: J.C. Ban

# WORKLIST(Hardcopy Internal Chain)

VB 122784

WorkList Name : %1-110722

WorkList ID : 164772

Department : Wet-Chemistry

Date : 11-07-2022 09:30:23

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Raw Sample Storage Location | Customer Sample   | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|-----------------------------|-------------------|--------------|--------------|
| 11/10/2022 | Solid  | N5498-11 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | KMA358G-2-1       | 11/07/2022   | Chemtech -SO |
| 11/10/2022 | Solid  | N5498-12 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | KMA358G-2-2       | 11/07/2022   | Chemtech -SO |
| 11/10/2022 | Solid  | N5498-13 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | ELI-2022-25A      | 11/07/2022   | Chemtech -SO |
| 11/10/2022 | Solid  | N5498-14 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | ELI-2022-25B      | 11/07/2022   | Chemtech -SO |
| 11/10/2022 | Solid  | N5498-15 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | ELI-2022-26A      | 11/07/2022   | Chemtech -SO |
| 11/10/2022 | Solid  | N5498-16 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | ELI-2022-26B      | 11/07/2022   | Chemtech -SO |
| 11/10/2022 | Solid  | N5498-17 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | ELI-2022-27A      | 11/07/2022   | Chemtech -SO |
| 11/10/2022 | Solid  | N5498-18 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | ELI-2022-27B      | 11/07/2022   | Chemtech -SO |
| 11/10/2022 | Solid  | N5498-19 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | ELI-2022-28A      | 11/07/2022   | Chemtech -SO |
| 11/10/2022 | Solid  | N5498-20 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | ELI-2022-28B      | 11/07/2022   | Chemtech -SO |
| 11/10/2022 | Solid  | N5498-21 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | ELI-2022-29A      | 11/07/2022   | Chemtech -SO |
| 11/10/2022 | Solid  | N5498-22 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | ELI-2022-30A      | 11/07/2022   | Chemtech -SO |
| 11/10/2022 | Solid  | N5498-23 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | ELI-2022-30B      | 11/07/2022   | Chemtech -SO |
| 11/10/2022 | Solid  | N5498-24 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | ELI-2022-31A      | 11/07/2022   | Chemtech -SO |
| 11/10/2022 | Solid  | N5498-25 | Percent Solids | Cool 4 deg C | PSEG03   | F11                         | ELI-2022-31B      | 11/07/2022   | Chemtech -SO |
| 11/14/2022 | Solid  | N5501-01 | Percent Solids | Cool 4 deg C | PSEG05   | F11                         | HS-3-110722       | 11/07/2022   | Chemtech -SO |
| 11/14/2022 | Solid  | N5501-02 | Percent Solids | Cool 4 deg C | PSEG05   | F11                         | HS-3-110722-EPH-2 | 11/07/2022   | Chemtech -SO |
| 11/14/2022 | Solid  | N5501-03 | Percent Solids | Cool 4 deg C | PSEG05   | F11                         | HS-4-110722       | 11/07/2022   | Chemtech -SO |
| 11/14/2022 | Solid  | N5501-04 | Percent Solids | Cool 4 deg C | PSEG05   | F11                         | HS-4-110722-EPH-2 | 11/07/2022   | Chemtech -SO |
| 11/10/2022 | Solid  | N5502-01 | Percent Solids | Cool 4 deg C | TULL02   | F11                         | 2182              | 11/07/2022   | Chemtech -SO |
| 11/10/2022 | Solid  | N5505-01 | Percent Solids | Cool 4 deg C | PSEG05   | G11                         | HD-2-110722       | 11/07/2022   | Chemtech -SO |

Date/Time 11/07/22 15:40

Raw Sample Received by: J010001

Raw Sample Relinquished by: J-c (sum)

Date/Time 11/07/22 17:30

Raw Sample Received by: J-c (sum)

Raw Sample Relinquished by: J010001

122784

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-110722

WorkList ID : 164772

Department : Wet-Chemistry

Date : 11-07-2022 09:30:23

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Raw Sample Storage Location | Customer Sample    | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|-----------------------------|--------------------|--------------|--------------|
| 11/10/2022 | Solid  | N5505-02 | Percent Solids | Cool 4 deg C | PSEG05   | G11                         | HD-2-110722-EPH-2  | 11/07/2022   | Chemtech -SO |
| 11/14/2022 | Solid  | N5506-01 | Percent Solids | Cool 4 deg C | PSEG03   | G11                         | TP-5               | 11/07/2022   | Chemtech -SO |
| 11/14/2022 | Solid  | N5506-03 | Percent Solids | Cool 4 deg C | PSEG03   | G11                         | TP-5-EPH-2         | 11/07/2022   | Chemtech -SO |
| 11/14/2022 | Solid  | N5506-04 | Percent Solids | Cool 4 deg C | PSEG03   | G11                         | TP-6               | 11/07/2022   | Chemtech -SO |
| 11/14/2022 | Solid  | N5506-06 | Percent Solids | Cool 4 deg C | PSEG03   | G11                         | TP-6-EPH-2         | 11/07/2022   | Chemtech -SO |
| 11/14/2022 | Solid  | N5506-07 | Percent Solids | Cool 4 deg C | PSEG03   | G11                         | TP-8               | 11/07/2022   | Chemtech -SO |
| 11/14/2022 | Solid  | N5506-09 | Percent Solids | Cool 4 deg C | PSEG03   | G11                         | TP-8-EPH-2         | 11/07/2022   | Chemtech -SO |
| 11/14/2022 | Solid  | N5506-10 | Percent Solids | Cool 4 deg C | PSEG03   | G11                         | TP-9               | 11/07/2022   | Chemtech -SO |
| 11/14/2022 | Solid  | N5506-12 | Percent Solids | Cool 4 deg C | PSEG03   | G11                         | TP-9-EPH-2         | 11/07/2022   | Chemtech -SO |
| 11/14/2022 | Solid  | N5506-13 | Percent Solids | Cool 4 deg C | PSEG03   | G11                         | TP-10              | 11/07/2022   | Chemtech -SO |
| 11/14/2022 | Solid  | N5506-15 | Percent Solids | Cool 4 deg C | PSEG03   | G11                         | TP-10-EPH-2        | 11/07/2022   | Chemtech -SO |
| 11/10/2022 | Solid  | N5511-01 | Percent Solids | Cool 4 deg C | PSEG05   | G11                         | PL-03-110722       | 11/07/2022   | Chemtech -SO |
| 11/10/2022 | Solid  | N5511-02 | Percent Solids | Cool 4 deg C | PSEG05   | G11                         | PL-03-110722-EPH-2 | 11/07/2022   | Chemtech -SO |
| 11/10/2022 | Solid  | N5511-03 | Percent Solids | Cool 4 deg C | PSEG05   | G11                         | PL-04-110722       | 11/07/2022   | Chemtech -SO |
| 11/10/2022 | Solid  | N5511-04 | Percent Solids | Cool 4 deg C | PSEG05   | G11                         | PL-04-110722-EPH-2 | 11/07/2022   | Chemtech -SO |
| 11/10/2022 | Solid  | N5511-05 | Percent Solids | Cool 4 deg C | PSEG05   | G11                         | PL-05-110722       | 11/07/2022   | Chemtech -SO |
| 11/10/2022 | Solid  | N5511-06 | Percent Solids | Cool 4 deg C | PSEG05   | G11                         | PL-05-110722-EPH-2 | 11/07/2022   | Chemtech -SO |
| 11/17/2022 | Solid  | N5513-01 | Percent Solids | Cool 4 deg C | XRDS01   | G11                         | WC-D2(7-9)         | 11/07/2022   | Chemtech -SO |

Date/Time 11/07/22 15:40  
 Raw Sample Received by: J.P. (WOC)  
 Raw Sample Relinquished by: J.P. (WOC)

Date/Time 11/07/22 17:30  
 Raw Sample Received by: J.P. (WOC)  
 Raw Sample Relinquished by: J.P. (WOC)