



Analytical Summary Report

Analysis Method: 9045D

Analyst By : JIGNESH

Parameter: pH

Supervisor Review By : Iwona

Run Number: LB122859

Slope : 99.2

BalanceID: WC SC-4

pH Meter ID : WC PH METER-1

Calibration Standards	Chemtech Log#
PH 4 BUFFER SOLUTION	W2905
BUFFER PH 7.00 GREEN 1PINT PK6	W2906
PH 10.01 BUFFER,COLOR CD 475ML	W2888
buffer solution pH 7 yellow	W2887
Buffer Solution, PH2 (500ml)	W2806
pH 12.00 Buffer	W2940

True Value of ICV = 7.00 Control Limits[+/- 0.1].

True Value of CCV1 = 2.00 Control Limits[+/- 0.1].

True Value of CCV2 = 12.00 Control Limits[+/- 0.1].

Seq	LabID	DF	Matrix	Weight (gm)	Volume (ml)	Temperature (°C)	Result (pH)	Anal Date	Anal Time
1	CAL1	1	Water	NA	NA	20.7	4.01	11/11/2022	17:15
2	CAL2	1	Water	NA	NA	20.7	7.00	11/11/2022	17:16
3	CAL3	1	Water	NA	NA	20.7	10.03	11/11/2022	17:18
4	ICV	1	Water	NA	NA	20.8	6.98	11/11/2022	17:20
5	CCV1	1	Water	NA	NA	20.8	2.01	11/11/2022	17:22
6	N5598-01	1	Solid	20.02	20	21.6	8.46	11/11/2022	17:32
7	N5598-01DUP	1	Solid	20.03	20	21.7	8.47	11/11/2022	17:33
8	CCV2	1	Water	NA	NA	20.7	12.03	11/11/2022	17:52

W 122859

WORKLIST(Hardcopy Internal Chain)

WorkList Name : ph n5598

WorkList ID : 164957

Department : Wet-Chemistry

Date : 11-11-2022 16:54:58

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
11/11/2022	Solid	N5598-01	pH	Cool 4 deg C	ICES02	G11	FRAC-TANK-0760533	11/11/2022	9045D

Date/Time

Raw Sample Received by:

Raw Sample Relinquished by:

11/11/22 17:10

JP/WC?

BTADryLab

Date/Time

Raw Sample Received by:

Raw Sample Relinquished by:

11/11/22

18:30

BTADryLab

JP/WC?