



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: RUBINA

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB122913

BalanceID: WC-SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	N5613-01	WC-COMP-1	1	100.02	0.00	11/16/2022	10:40
2	N5613-01DUP	WC-COMP-1DUP	1	100.07	0.00	11/16/2022	10:48
3	N5617-01	72-12013	1	100.05	0.00	11/16/2022	10:55
4	N5619-01	OR-02-111422	1	100.04	0.00	11/16/2022	11:03
5	N5638-01	JC-3-111522	1	100.02	0.00	11/16/2022	11:10

WORKLIST(Hardcopy Internal Chain)

6122913

WorkList Name : pf11-15

WorkList ID : 165033

Department : Wet-Chemistry

Date : 11-15-2022 08:30:45

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
11/10/2022	Solid	N5613-01	Paint Filter	Cool 4 deg C	EART12	G11	WC-COMP-1	11/10/2022	9095B
11/14/2022	Solid	N5617-01	Paint Filter	Cool 4 deg C	PSEG03	K11	72-12013	11/14/2022	9095B
11/14/2022	Solid	N5619-01	Paint Filter	Cool 4 deg C	PSEG05	K11	OR-02-111422	11/14/2022	9095B
11/15/2022	Solid	N5638-01	Paint Filter	Cool 4 deg C	PSEG05	K11	JC-3-111522	11/15/2022	9095B

Date/Time 11/16/2022 10:30
 Raw Sample Received by: Rm Cwc
 Raw Sample Relinquished by: Rm Cwc

Date/Time 11/16/2022 11:30
 Raw Sample Received by: Rm Cwc
 Raw Sample Relinquished by: Rm Cwc