



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: RUBINA

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB122939

BalanceID: WC-SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	N5660-01	CL-02-11622	1	100.01	0.00	11/18/2022	12:25
2	N5686-01	OK-2-111722	1	100.04	0.00	11/18/2022	12:32
3	N5691-01	ETGI-358	1	100.07	0.00	11/18/2022	12:40
4	N5695-01	HD-1-111722	1	100.03	0.00	11/18/2022	12:47
5	N5696-01	EO-1-111722	1	100.00	0.00	11/18/2022	12:55
6	N5697-01	SU-03-111722	1	100.05	0.00	11/18/2022	13:02
7	N5697-01DUP	SU-03-111722DUP	1	100.04	0.00	11/18/2022	13:10

WORKLIST(Hardcopy Internal Chain)

66122939

WorkList Name : pf11-17

WorkList ID : 165113

Department : Wet-Chemistry

Date : 11-17-2022 08:29:33

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
11/17/2022	Solid	N5691-01	Paint Filter	Cool 4 deg C	PSEG03	K11	ETGI-358	11/17/2022	9095B
11/16/2022	Solid	N5660-01	Paint Filter	Cool 4 deg C	PSEG05	K11	CL-02-11622	11/16/2022	9095B
11/17/2022	Solid	N5686-01	Paint Filter	Cool 4 deg C	PSEG05	K11	OK-2-111722	11/17/2022	9095B
11/17/2022	Solid	N5695-01	Paint Filter	Cool 4 deg C	PSEG05	K11	HD-1-111722	11/17/2022	9095B
11/17/2022	Solid	N5696-01	Paint Filter	Cool 4 deg C	PSEG05	M11	EO-1-111722	11/17/2022	9095B
11/17/2022	Solid	N5697-01	Paint Filter	Cool 4 deg C	PSEG05	K11	SU-03-111722	11/17/2022	9095B

Date/Time 11/18/2022 12:10
 Raw Sample Received by: RM CWC
 Raw Sample Relinquished by: RM CWC

Date/Time 11/18/2022 13:20
 Raw Sample Received by: RM CWC
 Raw Sample Relinquished by: RM CWC