



## Analytical Summary Report

Analysis Method: 9095B

Reviewed By: RUBINA

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB123011

BalanceID: WE-SC-4

| Seq | LabID       | ClientID         | Dilution | Weight(g) | Inst.Conc<br>(ml/100g) | Anal Date  | Anal Time |
|-----|-------------|------------------|----------|-----------|------------------------|------------|-----------|
| 1   | N5745-01    | PAT-01-112122    | 1        | 100.00    | 0.00                   | 11/23/2022 | 08:45     |
| 2   | N5745-01DUP | PAT-01-112122DUP | 1        | 100.01    | 0.00                   | 11/23/2022 | 08:52     |
| 3   | N5745-03    | PAT-04-112122    | 1        | 100.04    | 0.00                   | 11/23/2022 | 09:00     |
| 4   | N5754-01    | PSC-124019       | 1        | 100.02    | 0.00                   | 11/23/2022 | 09:08     |
| 5   | N5758-01    | MH-13            | 1        | 100.02    | 0.00                   | 11/23/2022 | 09:15     |
| 6   | N5758-02    | MH-13            | 1        | 100.04    | 0.00                   | 11/23/2022 | 09:23     |
| 7   | N5762-05    | TP-1             | 1        | 100.04    | 0.00                   | 11/23/2022 | 09:30     |
| 8   | N5762-06    | TP-1             | 1        | 100.06    | 0.00                   | 11/23/2022 | 09:37     |
| 9   | N5762-08    | TP-2             | 1        | 100.04    | 0.00                   | 11/23/2022 | 09:45     |
| 10  | N5762-09    | TP-2             | 1        | 100.06    | 0.00                   | 11/23/2022 | 09:52     |
| 11  | N5765-01    | TP-L             | 1        | 100.02    | 0.00                   | 11/23/2022 | 10:00     |
| 12  | N5765-02    | TP-L             | 1        | 100.07    | 0.00                   | 11/23/2022 | 10:07     |
| 13  | N5765-04    | MH-14            | 1        | 100.03    | 0.00                   | 11/23/2022 | 10:15     |
| 14  | N5765-05    | MH-14            | 1        | 100.05    | 0.00                   | 11/23/2022 | 10:22     |

66123011

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : pf11-23

WorkList ID : 165291

Department : Wet-Chemistry

Date : 11-23-2022 08:27:44

| Due Date   | Matrix | Sample   | Test         | Preservative | Customer | Raw Sample Storage Location | Customer Sample | Collect Date | Method |
|------------|--------|----------|--------------|--------------|----------|-----------------------------|-----------------|--------------|--------|
| 11/21/2022 | Solid  | N5745-01 | Paint Filter | Cool 4 deg C | PSEG03   | K11                         | PAT-01-112122   | 11/21/2022   | 9095B  |
| 11/21/2022 | Solid  | N5745-03 | Paint Filter | Cool 4 deg C | PSEG03   | K11                         | PAT-04-112122   | 11/21/2022   | 9095B  |
| 11/21/2022 | Solid  | N5754-01 | Paint Filter | Cool 4 deg C | PSEG03   | K11                         | PSC-124019      | 11/21/2022   | 9095B  |
| 11/21/2022 | Solid  | N5758-01 | Paint Filter | Cool 4 deg C | PSEG03   | K11                         | MH-13           | 11/21/2022   | 9095B  |
| 11/21/2022 | Solid  | N5758-02 | Paint Filter | Cool 4 deg C | PSEG03   | K11                         | MH-13           | 11/21/2022   | 9095B  |
| 11/22/2022 | Solid  | N5762-05 | Paint Filter | Cool 4 deg C | PSEG03   | M11                         | TP-1            | 11/22/2022   | 9095B  |
| 11/22/2022 | Solid  | N5762-06 | Paint Filter | Cool 4 deg C | PSEG03   | M11                         | TP-1            | 11/22/2022   | 9095B  |
| 11/22/2022 | Solid  | N5762-08 | Paint Filter | Cool 4 deg C | PSEG03   | M11                         | TP-2            | 11/22/2022   | 9095B  |
| 11/22/2022 | Solid  | N5762-09 | Paint Filter | Cool 4 deg C | PSEG03   | M11                         | TP-2            | 11/22/2022   | 9095B  |
| 11/22/2022 | Solid  | N5765-01 | Paint Filter | Cool 4 deg C | PSEG03   | K11                         | TP-L            | 11/22/2022   | 9095B  |
| 11/22/2022 | Solid  | N5765-02 | Paint Filter | Cool 4 deg C | PSEG03   | K11                         | TP-L            | 11/22/2022   | 9095B  |
| 11/22/2022 | Solid  | N5765-04 | Paint Filter | Cool 4 deg C | PSEG03   | K11                         | MH-14           | 11/22/2022   | 9095B  |
| 11/22/2022 | Solid  | N5765-05 | Paint Filter | Cool 4 deg C | PSEG03   | K11                         | MH-14           | 11/22/2022   | 9095B  |

Date/Time 11/23/2022 08:35  
 Raw Sample Received by: RM CWC  
 Raw Sample Relinquished by: JH CWC

Date/Time 11/23/2022 10:35  
 Raw Sample Received by: JH CWC  
 Raw Sample Relinquished by: RM CWC