



Analytical Summary Report

Analysis Method: 9095B
Parameter: Paint Filter
Run Number: LB123205

Reviewed By: RUBINA
Supervisor Review By: Iwona
BalanceID: WE-SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	N5947-02	NYE-SOIL-1208	1	100.00	0.00	12/12/2022	09:00
2	N5947-02DUP	NYE-SOIL-1208DUP	1	100.00	0.00	12/12/2022	09:08
3	N5963-01	72-1195-08	1	100.04	0.00	12/12/2022	09:15
4	N5963-04	RBR200046-03	1	100.02	0.00	12/12/2022	09:22
5	N5963-07	RBR200014-RB21197	1	100.02	0.00	12/12/2022	09:30
6	N5964-01	SU-518-COMP-01	1	100.05	0.00	12/12/2022	09:38
7	N5964-02	SU-518-COMP-01	1	100.03	0.00	12/12/2022	09:45
8	N5964-03	SU-518-COMP-02	1	100.06	0.00	12/12/2022	09:52
9	N5964-04	SU-518-COMP-02	1	100.02	0.00	12/12/2022	10:00
10	N5964-05	SU-518-COMP-03	1	100.03	0.00	12/12/2022	10:07
11	N5964-06	SU-518-COMP-03	1	100.06	0.00	12/12/2022	10:15
12	N5964-07	SU-518-COMP-04	1	100.02	0.00	12/12/2022	10:23
13	N5964-08	SU-518-COMP-04	1	100.04	0.00	12/12/2022	10:30
14	N5964-09	SU-518-COMP-05	1	100.04	0.00	12/12/2022	10:38
15	N5964-10	SU-518-COMP-05	1	100.02	0.00	12/12/2022	10:45
16	N5965-01	TP-P	1	100.05	0.00	12/12/2022	10:52
17	N5965-02	TP-P	1	100.07	0.00	12/12/2022	11:00
18	N5985-01	OR-02-120922	1	100.07	0.00	12/12/2022	11:07
19	N5988-02	72-11938	1	100.02	0.00	12/12/2022	11:15
20	N5997-01	2802-COMP	1	100.05	0.00	12/12/2022	11:22
21	N5997-03	2803-COMP	1	100.04	0.00	12/12/2022	11:30
22	N5999-01	MH-20	1	100.05	0.00	12/12/2022	11:37
23	N5999-02	MH-20	1	100.06	0.00	12/12/2022	11:45
24	N5999-02DUP	MH-20DUP	1	100.02	0.00	12/12/2022	11:52

WORKLIST(Hardcopy Internal Chain)

66123205

WorkList Name : pf12-12

WorkList ID : 165678

Department : Wet-Chemistry

Date : 12-12-2022 08:38:39

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
12/08/2022	Solid	N5947-02	Paint Filter	Cool 4 deg C	PSEG03	M12	NYE-SOIL-1208	12/08/2022	9095B
12/08/2022	Solid	N5963-01	Paint Filter	Cool 4 deg C	PSEG03	M12	72-1195-08	12/08/2022	9095B
12/08/2022	Solid	N5963-04	Paint Filter	Cool 4 deg C	PSEG03	M12	RBR200046-03	12/08/2022	9095B
12/08/2022	Solid	N5963-07	Paint Filter	Cool 4 deg C	PSEG03	M12	RBR200014-RB21197	12/08/2022	9095B
12/08/2022	Solid	N5964-01	Paint Filter	Cool 4 deg C	PSEG03	M12	SU-518-COMP-01	12/08/2022	9095B
12/08/2022	Solid	N5964-02	Paint Filter	Cool 4 deg C	PSEG03	M12	SU-518-COMP-01	12/08/2022	9095B
12/08/2022	Solid	N5964-03	Paint Filter	Cool 4 deg C	PSEG03	M12	SU-518-COMP-02	12/08/2022	9095B
12/08/2022	Solid	N5964-04	Paint Filter	Cool 4 deg C	PSEG03	M12	SU-518-COMP-02	12/08/2022	9095B
12/08/2022	Solid	N5964-05	Paint Filter	Cool 4 deg C	PSEG03	M12	SU-518-COMP-03	12/08/2022	9095B
12/08/2022	Solid	N5964-06	Paint Filter	Cool 4 deg C	PSEG03	M12	SU-518-COMP-03	12/08/2022	9095B
12/08/2022	Solid	N5964-07	Paint Filter	Cool 4 deg C	PSEG03	M12	SU-518-COMP-04	12/08/2022	9095B
12/08/2022	Solid	N5964-08	Paint Filter	Cool 4 deg C	PSEG03	M12	SU-518-COMP-04	12/08/2022	9095B
12/08/2022	Solid	N5964-09	Paint Filter	Cool 4 deg C	PSEG03	M12	SU-518-COMP-05	12/08/2022	9095B
12/08/2022	Solid	N5964-10	Paint Filter	Cool 4 deg C	PSEG03	M12	SU-518-COMP-05	12/08/2022	9095B
12/08/2022	Solid	N5965-01	Paint Filter	Cool 4 deg C	PSEG03	M12	TP-P	12/08/2022	9095B
12/08/2022	Solid	N5965-02	Paint Filter	Cool 4 deg C	PSEG03	M12	TP-P	12/08/2022	9095B
12/09/2022	Solid	N5985-01	Paint Filter	Cool 4 deg C	PSEG05	M13	OR-02-120922	12/09/2022	9095B
12/09/2022	Solid	N5988-02	Paint Filter	Cool 4 deg C	PSEG03	M13	72-11938	12/09/2022	9095B
12/09/2022	Solid	N5997-01	Paint Filter	Cool 4 deg C	PSEG03	M13	2802-COMP	12/09/2022	9095B
12/09/2022	Solid	N5997-03	Paint Filter	Cool 4 deg C	PSEG03	M13	2803-COMP	12/09/2022	9095B
12/09/2022	Solid	N5999-01	Paint Filter	Cool 4 deg C	PSEG03	M13	MH-20	12/09/2022	9095B

Date/Time 12/12/2022 08:50
 Raw Sample Received by: RM CWC
 Raw Sample Relinquished by: 70(CWC)

Date/Time 12/12/2022 17:10
 Raw Sample Received by: 70(CWC)
 Raw Sample Relinquished by: RM CWC

WORKLIST(Hardcopy Internal Chain)

6123205

WorkList Name : pf12-12

WorkList ID : 165678

Department : Wet-Chemistry

Date : 12-12-2022 08:38:39

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
12/09/2022	Solid	N5999-02	Paint Filter	Cool 4 deg C	PSEG03	M13	MH-20	12/09/2022	9095B

Date/Time 12/12/2022 08:50
 Raw Sample Received by: RM CWC
 Raw Sample Relinquished by: AD(CWC)

Date/Time 12/12/2022 12:10
 Raw Sample Received by: AD(CWC)
 Raw Sample Relinquished by: RM CWC