



Analytical Summary Report

Analysis Method: 9095B
Parameter: Paint Filter
Run Number: LB123267

Reviewed By: RUBINA
Supervisor Review By: Iwona
BalanceID: WC-SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	N6046-01	HR-01-121322	1	100.02	0.00	12/14/2022	11:30
2	N6046-03	HR-02-121322	1	100.04	0.00	12/14/2022	11:38
3	N6048-01	MH-22	1	100.02	0.00	12/14/2022	11:45
4	N6048-02	MH-22	1	100.03	0.00	12/14/2022	11:52
5	N6048-04	TP-R	1	100.06	0.00	12/14/2022	12:00
6	N6048-05	TP-R	1	100.05	0.00	12/14/2022	12:08
7	N6048-05DUP	TP-RDUP	1	100.04	0.00	12/14/2022	12:15

WORKLIST(Hardcopy Internal Chain)

66123267

WorkList Name : pf12-14

WorkList ID : 165782

Department : Wet-Chemistry

Date : 12-14-2022 09:07:59

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
12/13/2022	Solid	N6046-01	Paint Filter	Cool 4 deg C	PSEG05	M22	HR-01-121322	12/13/2022	9095B
12/13/2022	Solid	N6046-03	Paint Filter	Cool 4 deg C	PSEG05	M22	HR-02-121322	12/13/2022	9095B
12/13/2022	Solid	N6048-01	Paint Filter	Cool 4 deg C	PSEG03	M22	MH-22	12/13/2022	9095B
12/13/2022	Solid	N6048-02	Paint Filter	Cool 4 deg C	PSEG03	M22	MH-22	12/13/2022	9095B
12/13/2022	Solid	N6048-04	Paint Filter	Cool 4 deg C	PSEG03	M22	TP-R	12/13/2022	9095B
12/13/2022	Solid	N6048-05	Paint Filter	Cool 4 deg C	PSEG03	M22	TP-R	12/13/2022	9095B

Date/Time 12/14/2022 11:20
 Raw Sample Received by: RM Cwe2
 Raw Sample Relinquished by: RM Cwe2

Date/Time 12/14/2022 12:30
 Raw Sample Received by: RM Cwe2
 Raw Sample Relinquished by: RM Cwe2