



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 12/16/2022

OVENTEMP IN Celsius(°C): 107
Time IN: 16:25
In Date: 12/15/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:35
Out Date: 12/16/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB123297

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
N6044-01	EXGG1	1	0.91	8.88	9.79	9.25	93.9	
N6044-02	EXGG2	2	0.96	8.88	9.84	8.72	87.4	
N6044-03	EXGG3	3	0.96	8.85	9.81	8.91	89.8	
N6044-04	EXGG4	4	1.15	8.41	9.56	8.72	90.0	
N6044-05	EXGG5	5	0.93	8.63	9.56	8.75	90.6	
N6044-06	EXGG6	6	0.93	8.63	9.56	8.69	89.9	
N6044-07	EXGG7	7	0.91	9.07	9.98	9.24	91.8	
N6044-08	EXGG8	8	0.92	8.74	9.66	8.46	86.3	
N6044-09	EXGG9	9	0.92	8.96	9.88	8.81	88.1	
N6044-10	EXGH0	10	0.93	8.89	9.82	8.7	87.4	
N6044-11	EXGH1	11	0.98	8.68	9.66	8.71	89.1	
N6044-12	EXGH2	12	0.91	8.89	9.8	9.33	94.7	
N6044-13	EXGH3	13	0.93	8.65	9.58	7.96	81.3	
N6044-14	EXGH4	14	0.92	8.67	9.59	8.22	84.2	
N6044-15	EXGH5	15	1.18	8.79	9.97	8.98	88.7	
N6044-16	EXGH7	16	0.92	9.02	9.94	8.62	85.4	
N6044-17	EXGH8	17	0.95	8.87	9.82	8.5	85.1	
N6044-18	EXGH8MS	18	0.95	8.87	9.82	8.5	85.1	
N6044-19	EXGH8MSD	19	0.95	8.87	9.82	8.5	85.1	
N6044-20	EXGH9	20	0.93	8.85	9.78	8.4	84.4	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$