



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 12/20/2022

OVENTEMP IN Celsius(°C): 107
Time IN: 16:40
In Date: 12/19/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:25
Out Date: 12/20/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB123340

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
N6104-01	EXGJ2	1	1.15	8.79	9.94	8.77	86.7	
N6104-02	EXGJ3	2	1.12	8.57	9.69	8.78	89.4	
N6104-03	EXGJ4	3	1.16	8.48	9.64	8.53	86.9	
N6104-04	EXGM5	4	1.18	8.66	9.84	8.95	89.7	
N6104-05	EXGM6	5	1.12	8.85	9.97	9.34	92.9	
N6104-06	EXGM7	6	1.12	8.72	9.84	8.55	85.2	
N6104-07	EXGM8	7	1.19	8.59	9.78	8.5	85.1	
N6104-08	EXGM9	8	1.15	8.47	9.62	8.49	86.7	
N6104-09	EXGN0	9	1.16	8.81	9.97	8.83	87.1	
N6104-10	EXGN1	10	1.17	8.76	9.93	8.74	86.4	
N6104-11	EXGN2	11	1.16	8.73	9.89	8.34	82.2	
N6104-12	EXGN3	12	1.16	8.80	9.96	8.97	88.8	
N6104-13	EXGN3MS	13	1.16	8.80	9.96	8.97	88.8	
N6104-14	EXGN3MSD	14	1.16	8.80	9.96	8.97	88.8	
N6104-15	EXGN4	15	1.12	8.67	9.79	8.58	86.0	
N6104-16	EXGN5	16	1.1	8.59	9.69	8.96	91.5	
N6104-17	EXGN6	17	1.19	8.69	9.88	8.96	89.4	
N6104-18	EXGN7	18	1.15	8.82	9.97	8.77	86.4	
N6104-19	EXGN8	19	1.16	8.64	9.8	8.38	83.6	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$