



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 12/22/2022

OVENTEMP IN Celsius(°C): 107
Time IN: 14:05
In Date: 12/21/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:10
Out Date: 12/22/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB123367

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
N6140-01	EYEE2	1	1.15	8.67	9.82	8.15	80.7	
N6140-02	EYEE3	2	1.16	8.81	9.97	7.89	76.4	
N6140-03	EYEE4	3	1.15	8.82	9.97	7.95	77.1	
N6140-04	EYEE5	4	1.19	8.50	9.69	7.75	77.2	
N6140-05	EYEE6	5	1.11	8.84	9.95	8.3	81.3	
N6140-06	EYEE7	6	1.12	8.45	9.57	7.33	73.5	
N6140-07	EYEE8	7	1.16	8.70	9.86	7.68	74.9	
N6140-08	EYEE9	8	1.16	8.72	9.88	7.74	75.5	
N6140-09	EYEF0	9	1.14	8.82	9.96	8.96	88.7	
N6140-10	EYEF1	10	1.19	8.34	9.53	7.68	77.8	
N6140-11	EYEF2	11	1.12	8.61	9.73	7.77	77.2	
N6140-12	EYEF3	12	1.19	8.78	9.97	8.89	87.7	
N6140-13	EYEF4	13	1.14	8.58	9.72	7.78	77.4	
N6140-14	EYEF5	14	1.19	8.53	9.72	8.11	81.1	
N6140-15	EYEF6	15	1.16	8.76	9.92	8.53	84.1	
N6140-16	EYEF7	16	1.16	8.78	9.94	7.94	77.2	
N6140-17	EYEF8	17	1.18	8.56	9.74	7.85	77.9	
N6140-18	EYEF9	18	1.19	8.78	9.97	8.33	81.3	
N6140-19	EYEG0	19	1.14	8.82	9.96	7.76	75.1	
N6140-20	EYEG1	20	1.18	8.77	9.95	8.38	82.1	
N6140-21	EYEG1D	21	1.18	8.77	9.95	8.38	82.1	
N6140-22	EYEG1S	22	1.18	8.77	9.95	8.38	82.1	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$