



Analytical Summary Report

Analysis Method: 9095B
Parameter: Paint Filter
Run Number: LB123389

Reviewed By: RUBINA
Supervisor Review By: Iwona
BalanceID: WC-SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	N6151-05	FS-01- (0-2)	1	100.02	0.00	12/22/2022	11:15
2	N6151-06	FS-01- (0-2)	1	100.05	0.00	12/22/2022	11:22
3	N6151-07	FS-02- (0-2)	1	100.07	0.00	12/22/2022	11:30
4	N6163-01	TR-06-122022	1	100.08	0.00	12/22/2022	11:37
5	N6178-01	COMP-1	1	100.03	0.00	12/22/2022	11:45
6	N6178-03	COMP-2	1	100.05	0.00	12/22/2022	11:52
7	N6178-03DUP	COMP-2DUP	1	100.06	0.00	12/22/2022	12:00

WORKLIST(Hardcopy Internal Chain)

16123389

WorkList Name : pf12-21

WorkList ID : 165998

Department : Wet-Chemistry

Date : 12-21-2022 09:09:48

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
12/20/2022	Solid	N6151-05	Paint Filter	Cool 4 deg C	PSEG03	N12	FS-01-(0-2)	12/20/2022	9095B
12/20/2022	Solid	N6151-06	Paint Filter	Cool 4 deg C	PSEG03	N12	FS-01-(0-2)	12/20/2022	9095B
12/20/2022	Solid	N6151-07	Paint Filter	Cool 4 deg C	PSEG03	N12	FS-02-(0-2)	12/20/2022	9095B
12/21/2022	Solid	N6178-01	Paint Filter	Cool 4 deg C	PSEG03	N12	COMP-1	12/21/2022	9095B
12/21/2022	Solid	N6178-03	Paint Filter	Cool 4 deg C	PSEG03	N12	COMP-2	12/21/2022	9095B
12/20/2022	Solid	N6163-01	Paint Filter	Cool 4 deg C	PSEG05	M12	TR-06-122022	12/20/2022	9095B

Date/Time 12/22/2022 11:10
 Raw Sample Received by: RM CWC
 Raw Sample Relinquished by: JWC

Date/Time 12/22/2022 12:15
 Raw Sample Received by: JWC
 Raw Sample Relinquished by: RM CWC