



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 1/6/2023

OVENTEMP IN Celsius(°C): 107
Time IN: 17:10
In Date: 01/05/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:20
Out Date: 01/06/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB123545

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
O1007-01	TREMONT-DRUM-23-PPE	1	1.00	1.00	2.00	2.00	100.0	PLASTIC
O1007-02	TREMONT-DRUM-24-POLY	2	1.00	1.00	2.00	2.00	100.0	PLASTIC
O1030-01	TP-5	3	1.15	8.72	9.87	8.92	89.1	
O1030-03	TP-5-EPH-2	4	1.15	8.72	9.87	8.92	89.1	
O1033-01	VNJ-228	5	1.11	8.75	9.86	8.7	86.7	
O1033-02	VNJ-228	6	1.16	8.70	9.86	8.53	84.7	
O1042-01	WESTEND-SILICA-A	11	1.00	1.00	2.00	2.00	100.0	silica gel
O1042-02	WESTEND-SILICA-B	12	1.00	1.00	2.00	2.00	100.0	silica gel
O1042-03	KEARNYGEN-SILICA	13	1.00	1.00	2.00	2.00	100.0	silica gel
O1042-04	HARRISON-SILICA	14	1.00	1.00	2.00	2.00	100.0	silica gel
O1042-05	HYATT-SILICA	15	1.00	1.00	2.00	2.00	100.0	silica gel
O1042-06	HARRISONLNP-SILICA	16	1.00	1.00	2.00	2.00	100.0	silica gel
O1042-07	MARKETST-SILICA	17	1.00	1.00	2.00	2.00	100.0	silica gel
O1043-01	TP-203	7	1.15	8.54	9.69	8.39	84.8	
O1043-03	TP-203-EPH-2	8	1.15	8.80	9.95	9.36	93.3	
O1043-04	TP-202	9	1.19	8.59	9.78	8.45	84.5	
O1043-06	TP-202-EPH-2	10	1.13	8.58	9.71	8.55	86.5	
O1048-01	CL-01-010523	18	1.14	8.43	9.57	8.75	90.3	
O1048-02	CL-01-010523-EPH-2	19	1.14	8.43	9.57	8.75	90.3	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$