



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 1/10/2023

OVENTEMP IN Celsius(°C): 107
Time IN: 17:30
In Date: 01/09/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:25
Out Date: 01/10/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB123588

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
O1056-01	T-1	1	1.11	8.67	9.78	8.7	87.5	
O1056-02	T-2	2	1.16	8.77	9.93	8.58	84.6	
O1056-03	T-3	3	1.15	8.49	9.64	8.09	81.7	
O1056-04	T-4	4	1.19	8.78	9.97	8.46	82.8	
O1056-05	T-5	5	1.12	8.39	9.51	8.07	82.8	
O1056-06	T-6	6	1.16	8.82	9.98	9.02	89.1	
O1057-01	COMPOSITE	7	1.14	8.71	9.85	8.8	87.9	
O1057-02	VOC-1	8	1.15	8.81	9.96	9.55	95.3	
O1057-03	VOC-2	9	1.16	8.41	9.57	8.45	86.7	
O1057-04	VOC-3	10	1.18	8.75	9.93	9.53	95.4	
O1057-05	VOC-4	11	1.15	8.81	9.96	8.97	88.8	
O1057-06	VOC-5	12	1.14	8.83	9.97	9.02	89.2	
O1062-01	S-9A-1	13	1.11	8.73	9.84	8.38	83.3	
O1062-02	S-9B-1	14	1.15	8.80	9.95	8.21	80.2	
O1062-03	S-9C-1	15	1.19	8.78	9.97	8.4	82.1	
O1062-04	S-9D-1	16	1.16	8.81	9.97	8.86	87.4	
O1062-05	S-9R-1	17	1.14	8.38	9.52	8.12	83.3	
O1063-02	S-14-F01	38	1.00	1.00	2.00	2.00	100.0	OIL SAMPLE,
O1064-01	S4-01	18	1.15	8.67	9.82	8.45	84.2	
O1064-02	S4-02	19	1.19	8.79	9.98	9.13	90.3	
O1064-03	S4-03	20	1.17	8.51	9.68	8.56	86.8	
O1064-04	S-13-01	21	1.11	8.56	9.67	9.00	92.2	
O1064-05	S-13-02	22	1.14	8.57	9.71	8.66	87.7	
O1064-06	S-14-01	23	1.16	8.42	9.58	8.32	85.0	
O1064-07	S-14-02	24	1.13	8.71	9.84	8.71	87.0	
O1064-08	S-14-03	25	1.14	8.80	9.94	8.85	87.6	
O1069-01	TP-7	26	1.18	8.79	9.97	9.11	90.2	
O1069-03	TP-7-EPH-2	27	1.18	8.79	9.97	9.11	90.2	



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 1/10/2023

OVENTEMP IN Celsius(°C): 107
Time IN: 17:30
In Date: 01/09/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:25
Out Date: 01/10/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB123588

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
O1072-01	H-5-MIDDLE (4-8)	39	0.91	8.76	9.67	9.32	96.0	
O1073-01	1524	52	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
O1073-02	1525	53	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
O1073-03	1526	54	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
O1076-01	BU-03-010923	55	1.14	8.84	9.98	9.38	93.2	
O1078-05	SVOC-GPC-BLANK	28	1.00	1.00	2.00	2.00	100.0	
O1078-06	PEST-GPC-BLANK	29	1.00	1.00	2.00	2.00	100.0	
O1078-07	PEST-GPC-BLANK-SPIKE	30	1.00	1.00	2.00	2.00	100.0	
O1078-08	PCB-GPC-BLANK	31	1.00	1.00	2.00	2.00	100.0	
O1078-09	PCB-GPC-BLANK-SPIKE	32	1.00	1.00	2.00	2.00	100.0	
O1078-10	SVOC-GPC2-BLANK	33	1.00	1.00	2.00	2.00	100.0	
O1078-11	PEST-GPC2-BLANK	34	1.00	1.00	2.00	2.00	100.0	
O1078-12	PEST-GPC2-BLANK-SPIKE	35	1.00	1.00	2.00	2.00	100.0	
O1078-13	PCB-GCP2-BLANK	36	1.00	1.00	2.00	2.00	100.0	
O1078-14	PCB-GCP2-BLANK-SPIKE	37	1.00	1.00	2.00	2.00	100.0	
O1080-01	B-1- (10-12)	40	1.15	8.81	9.96	9.09	90.1	
O1080-02	B-1- (40-42)	41	1.15	8.81	9.96	8.9	88.0	
O1080-03	B-2- (35-37)	42	1.16	8.78	9.94	8.61	84.9	
O1080-04	B-3- (10-12)	43	1.12	8.78	9.9	8.78	87.2	
O1080-05	B-3- (15-17)	44	1.12	8.86	9.98	9.28	92.1	
O1080-06	B-3- (40-42)	45	1.15	8.68	9.83	8.21	81.3	
O1081-01	31963	56	1.11	8.39	9.5	9.42	99.0	
O1081-02	31964	57	1.13	8.57	9.7	9.65	99.4	
O1081-03	31965	58	1.13	8.67	9.8	9.75	99.4	
O1082-01	585-OIL	59	1.00	1.00	2.00	2.00	100.0	OIL SAMPLE,
O1083-01	OK-01-010923	60	1.12	8.46	9.58	8.94	92.4	
O1083-02	OK-01-010923-EPH-2	61	1.14	8.76	9.9	9.12	91.1	
O1084-01	MH-2	46	1.13	8.67	9.8	9.05	91.3	



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 1/10/2023

OVENTEMP IN Celsius(°C): 107
Time IN: 17:30
In Date: 01/09/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:25
Out Date: 01/10/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB123588

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
O1084-03	MH-2-EPH-2	47	1.16	8.54	9.7	8.96	91.3	
O1085-01	40191	48	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
O1085-02	40192	49	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
O1085-03	40193	50	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
O1085-04	40194	51	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
O1089-01	PL-1-010923	62	1.13	8.45	9.58	8.95	92.5	
O1089-02	PL-1-010923-EPH-2	63	1.13	8.60	9.73	9.06	92.2	
O1089-03	PL-2-010923	64	1.16	8.73	9.89	9.06	90.5	
O1089-04	PL-2-010923-EPH-2	65	1.16	8.61	9.77	8.88	89.7	
O1089-05	PL-3-010923	66	1.12	8.69	9.81	9.11	91.9	
O1089-06	PL-3-010923-EPH-2	67	1.13	8.56	9.69	8.76	89.1	
O1090-01	SU-3-010923	68	1.13	8.83	9.96	8.92	88.2	
O1090-02	SU-3-010923-EPH-2	69	1.13	8.77	9.9	8.73	86.7	
O1091-01	BBC	70	1.13	8.52	9.65	9.42	97.3	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$