



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 1/17/2023

OVENTEMP IN Celsius(°C): 107
Time IN: 17:10
In Date: 01/13/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:30
Out Date: 01/14/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB123688

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
O1153-01	EXGN9	1	1.15	8.81	9.96	8.36	81.8	
O1153-02	EXGP0	2	1.16	8.78	9.94	8.52	83.8	
O1153-03	EXGP1	3	1.16	8.44	9.6	8.26	84.1	
O1153-04	EXGP2	4	1.15	8.80	9.95	8.87	87.7	
O1153-05	EXGP2MS	5	1.15	8.80	9.95	8.87	87.7	
O1153-06	EXGP2MSD	6	1.15	8.80	9.95	8.87	87.7	
O1153-07	EXGP3	7	1.16	8.46	9.62	8.1	82.0	
O1153-08	EXGP4	8	1.19	8.41	9.6	7.95	80.4	
O1153-09	EXGP5	9	1.16	8.76	9.92	7.98	77.9	
O1153-10	EXGP6	10	1.16	8.74	9.9	8.29	81.6	
O1153-11	EXGP8	11	1.11	8.78	9.89	8.68	86.2	
O1153-12	EXGR9	12	1.16	8.81	9.97	8.2	79.9	
O1153-13	EXGS0	13	1.13	8.69	9.82	8.35	83.1	
O1153-14	EXGS1	14	1.18	8.48	9.66	8.26	83.5	
O1153-15	EXGS2	15	1.15	8.81	9.96	8.46	83.0	
O1153-16	EXGS3	16	1.13	8.49	9.62	8.03	81.3	
O1153-17	EXGS4	17	1.14	8.78	9.92	7.75	75.3	
O1153-18	EXGS5	18	1.14	8.83	9.97	8.37	81.9	
O1153-19	EXGS6	19	1.19	8.36	9.55	8.00	81.5	
O1153-20	EXGS7	20	1.18	8.79	9.97	8.46	82.8	
O1153-21	EXGS8	21	1.16	8.68	9.84	8.18	80.9	
O1153-22	EXGS9	22	1.13	8.59	9.72	8.08	80.9	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$