



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 1/25/2023

OVENTEMP IN Celsius(°C): 107
Time IN: 15:15
In Date: 01/24/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:20
Out Date: 01/25/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB123780

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
O1275-01	EXGY4	1	1.15	8.82	9.97	8.12	79.0	
O1275-02	EXGY5	2	1.19	8.78	9.97	8.11	78.8	
O1275-03	EXGY6	3	1.15	8.78	9.93	8.48	83.5	
O1275-04	EXGY7	4	1.15	8.79	9.94	9.08	90.2	
O1275-05	EXGY8	5	1.17	8.49	9.66	8.47	86.0	
O1275-06	EXGY9	6	1.11	8.77	9.88	8.7	86.5	
O1275-07	EXGZ0	7	1.15	8.83	9.98	8.63	84.7	
O1275-08	EXGZ1	8	1.11	8.58	9.69	7.61	75.8	
O1275-09	EXGZ2	9	1.12	8.54	9.66	8.02	80.8	
O1275-10	EXGZ3	10	1.19	8.56	9.75	8.01	79.7	
O1275-11	EXGZ4	11	1.19	8.74	9.93	8.24	80.7	
O1275-12	EXGZ5	12	1.19	8.68	9.87	7.91	77.4	
O1275-13	EXGZ6	13	1.15	8.81	9.96	7.7	74.3	
O1275-14	EXGZ6MS	14	1.15	8.81	9.96	7.7	74.3	
O1275-15	EXGZ6MSD	15	1.15	8.81	9.96	7.7	74.3	
O1275-16	EXGZ7	16	1.15	8.81	9.96	7.36	70.5	
O1275-17	EXGZ9	17	1.12	8.45	9.57	8.79	90.8	
O1275-18	EXH00	18	1.18	8.80	9.98	9.36	93.0	
O1275-19	EXH01	19	1.15	8.78	9.93	8.53	84.1	
O1275-20	EXH02	20	1.12	8.81	9.93	8.21	80.5	
O1275-21	EXH03	21	1.17	8.82	9.99	8.12	78.8	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$