



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 1/25/2023

OVENTEMP IN Celsius(°C): 107
Time IN: 17:00
In Date: 01/24/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:25
Out Date: 01/25/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB123783

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
O1271-01	SU-3-012423	14	1.14	8.46	9.6	8.59	88.1	
O1271-02	SU-3-012423-EPH-2	15	1.19	8.79	9.98	8.93	88.1	
O1279-01	CL-1-012423	16	1.13	8.64	9.77	8.71	87.7	
O1279-02	CL-1-012423-EPH-2	17	1.14	8.39	9.53	8.57	88.6	
O1282-01	RV-05 (0.5-1.0)	1	1.12	8.62	9.74	8.95	90.8	
O1282-02	RV-05 (2.0-2.5)	2	1.15	8.75	9.9	9.4	94.3	
O1282-03	RV-05 (3.5-4.0)	3	1.18	8.76	9.94	9.66	96.8	
O1282-04	RV-05 (5.0-5.5)	4	1.19	8.62	9.81	9.00	90.6	
O1282-05	RV-05 (6.5-7.0)	5	1.17	8.44	9.61	8.92	91.8	
O1282-06	RV-05 (8.0-8.5)	6	1.16	8.50	9.66	8.98	92.0	
O1282-07	RV-06 (9.5-10.0)	7	1.15	8.40	9.55	8.66	89.4	
O1282-08	RV-09 (9.5-10.0)	8	1.17	8.03	9.2	8.8	95.0	
O1282-09	RV-10 (9.0-9.5)	9	1.19	8.75	9.94	9.73	97.6	
O1283-01	TP-H	10	1.13	8.68	9.81	8.98	90.4	
O1283-03	TP-H-EPH-2	11	1.11	8.73	9.84	8.99	90.3	
O1283-04	MH-10	12	1.11	8.55	9.66	8.64	88.1	
O1283-06	MH-10-EPH-2	13	1.18	8.56	9.74	9.04	91.8	
O1287-01	B5 (12-18)	18	1.19	8.63	9.82	9.06	91.2	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$