

Sample ID	Result	Std. Dev.	RSD	Mode	ALT
CCV1	10.4737	0.0484	0.46	TOC	
CCB1	0.4074	0.0744	18.26	TOC	
LB123789BLW	0.1973	0.0595	30.16	TOC	
LB123789BSW.....	10.1433...	0.0694..	0.68...	TOC	..
01280-02	2.4516	0.1664	6.79	TOC	
01280-02MS	11.3957	0.2508	2.20	TOC	
01280-02MSD.....	11.7166...	0.2197..	1.87...	TOC	..
01280-04	3.3672	0.1804	5.36	TOC	
01280-06	2.5838	0.0947	3.66	TOC	
01308-01.....	2.1188...	0.1671..	7.88...	TOC	..
01308-03	1.6422	0.1673	10.19	TOC	
01308-05	1.7774	0.1854	10.43	TOC	
CCV2.....	9.9240...	0.0886..	0.89...	TOC	..
CCB2	0.2372	0.0569	23.99	TOC	
01308-07	5.8616	0.3998	6.82	TOC	
01308-09.....	3.5449...	0.0501..	1.41...	TOC	..
01308-11	1.8484	0.0927	5.02	TOC	
01308-13	5.4002	0.2196	4.07	TOC	
LB123789BLW2.....	0.1999...	0.0586..	29.30...	TOC	..
LB123789BSW2	9.8964	0.1574	1.59	TOC	
01308-15	1.7422	0.1031	5.92	TOC	
01308-15MS.....	10.8876...	0.1776..	1.63...	TOC	..
01308-15MSD	11.2558	0.1601	1.42	TOC	
01308-17	2.6759	0.1488	5.56	TOC	
CCV3.....	10.0548...	0.0567..	0.56...	TOC	..
CCB3	0.2055	0.0435	21.17	TOC	
01308-19	1.1997	0.1544	12.87	TOC	
01308-21.....	1.0373...	0.1407..	13.57...	TOC	..
CCV4	9.9750	0.0623	0.62	TOC	
CCB4	0.2111	0.0194	9.17	TOC	
.....		..			

Method ID		Sample Type	Vial Timestamp			Message
TOC 0 - 20 ppmC		Sample	11	2023/01/26	10:13	
TOC 0 - 20 ppmC		Sample	12	2023/01/26	10:36	
TOC 0 - 20 ppmC		Sample	13	2023/01/26	10:58	
TOC 0 - 20 ppmC	...	Sample	.. 14..	2023/01/26	11:28	..
TOC 0 - 20 ppmC		Sample	15	2023/01/26	12:17	
TOC 0 - 20 ppmC		Sample	16	2023/01/26	12:44	
TOC 0 - 20 ppmC	...	Sample	.. 16..	2023/01/26	13:11	..
TOC 0 - 20 ppmC		Sample	17	2023/01/26	13:37	
TOC 0 - 20 ppmC		Sample	18	2023/01/26	14:02	
TOC 0 - 20 ppmC	...	Sample	.. 19..	2023/01/26	14:27	..
TOC 0 - 20 ppmC		Sample	20	2023/01/26	14:52	
TOC 0 - 20 ppmC		Sample	21	2023/01/26	15:16	
TOC 0 - 20 ppmC	...	Sample	.. 11..	2023/01/26	15:43	..
TOC 0 - 20 ppmC		Sample	32	2023/01/26	16:28	
TOC 0 - 20 ppmC		Sample	22	2023/01/26	16:55	
TOC 0 - 20 ppmC	...	Sample	.. 23..	2023/01/26	17:20	..
TOC 0 - 20 ppmC		Sample	24	2023/01/26	17:44	
TOC 0 - 20 ppmC		Sample	25	2023/01/26	18:11	
TOC 0 - 20 ppmC	...	Sample	.. 13..	2023/01/26	18:57	..
TOC 0 - 20 ppmC		Sample	14	2023/01/26	19:23	
TOC 0 - 20 ppmC		Sample	26	2023/01/26	19:48	
TOC 0 - 20 ppmC	...	Sample	.. 27..	2023/01/26	20:14	..
TOC 0 - 20 ppmC		Sample	27	2023/01/26	20:41	
TOC 0 - 20 ppmC		Sample	28	2023/01/26	21:06	
TOC 0 - 20 ppmC	...	Sample	.. 31..	2023/01/26	21:32	..
TOC 0 - 20 ppmC		Sample	12	2023/01/26	22:18	Low Sample Detected
TOC 0 - 20 ppmC		Sample	29	2023/01/26	22:42	
TOC 0 - 20 ppmC	...	Sample	.. 30..	2023/01/26	23:06	..
TOC 0 - 20 ppmC		Sample	31	2023/01/27	00:20	
TOC 0 - 20 ppmC		Sample	12	2023/01/27	01:07	Low Sample Detected
...			..	..		..

```
=====
Sample ID:   CCV1                      Mode:      TOC
Method:      TOC 0 - 20 ppmC           Filename:   01260922
Cal. Curve:  TOC WATER 0-20PPM        Timestamp: 2023/01/26 10:13
Operator ID: IZ MA                     Sample Type: Sample
=====
```

Rep #	ppm C	ug C	Raw Data	Beginning Baseline	Ending Baseline	Integration Time
1	10.4532	5.2266	454465	1.622	1.822	192
2	10.4657	5.2328	455010	1.621	1.820	186
3	10.5434	5.2717	458388	1.642	1.842	195
4	10.4326	5.2163	453573	1.642	1.841	200

```
-----
<<<Statistics>>>   Mean:  10.4737   Std Dev:  0.0484   RSD: 0.46
=====
```

```
=====
Sample ID:   CCB1                      Mode:      TOC
Method:      TOC 0 - 20 ppmC           Filename:   01260922
Cal. Curve:  TOC WATER 0-20PPM        Timestamp: 2023/01/26 10:36
Operator ID: IZ MA                     Sample Type: Sample
=====
```

Rep #	ppm C	ug C	Raw Data	Beginning Baseline	Ending Baseline	Integration Time
1	0.4885	0.2443	21238	1.460	1.657	111
2	0.4042	0.2021	17574	1.466	1.666	106
3	0.4275	0.2137	18585	1.423	1.622	106
4	0.3094	0.1547	13449	1.406	1.603	104

```
-----
<<<Statistics>>>   Mean:   0.4074   Std Dev:  0.0744   RSD: 18.26
=====
```

```
=====
Sample ID:   LB123789BLW              Mode:      TOC
Method:      TOC 0 - 20 ppmC           Filename:   01260922
Cal. Curve:  TOC WATER 0-20PPM        Timestamp: 2023/01/26 10:58
Operator ID: IZ MA                     Sample Type: Sample
=====
```

Rep #	ppm C	ug C	Raw Data	Beginning Baseline	Ending Baseline	Integration Time
1	0.2777	0.1388	12071	1.045	1.243	102
2	0.1370	0.0685	5955	1.083	1.281	99
3	0.1747	0.0874	7596	1.058	1.257	100
4	0.1997	0.0999	8682	1.034	1.234	99

```
-----
<<<Statistics>>>   Mean:   0.1973   Std Dev:  0.0595   RSD: 30.16
=====
```

```
=====
Sample ID:   LB123789BSW              Mode:      TOC
Method:      TOC 0 - 20 ppmC           Filename:   01260922
Cal. Curve:  TOC WATER 0-20PPM        Timestamp: 2023/01/26 11:28
Operator ID: IZ MA                     Sample Type: Sample
=====
```

Rep #	ppm C	ug C	Raw Data	Beginning Baseline	Ending Baseline	Integration Time
1	10.1930	5.0965	443153	0.944	1.144	215
2	10.0729	5.0365	437935	0.942	1.141	198
3	10.0952	5.0476	438901	0.932	1.129	219
4	10.2120	5.1060	443982	0.873	1.072	215

```
-----
<<<Statistics>>>   Mean:  10.1433   Std Dev:  0.0694   RSD: 0.68
=====
```

```
=====
Sample ID:   01280-02                  Mode:      TOC
=====
```

Method: TOC 0 - 20 ppmC
Cal. Curve: TOC WATER 0-20PPM
Operator ID: IZ MA

Filename: 01260922
Timestamp: 2023/01/26 12:17
Sample Type: Sample

Rep #	ppm C	ug C	Raw Data	Beginning Baseline	Ending Baseline	Integration Time
1	2.6088	1.3044	113423	0.716	0.914	153
2	2.5460	1.2730	110692	0.776	0.975	152
3	2.4202	1.2101	105223	0.838	1.038	148
4	2.2314	1.1157	97015	0.851	1.047	142

<<<Statistics>>> Mean: 2.4516 Std Dev: 0.1664 RSD: 6.79

Sample ID: 01280-02MS
Method: TOC 0 - 20 ppmC
Cal. Curve: TOC WATER 0-20PPM
Operator ID: IZ MA

Mode: TOC
Filename: 01260922
Timestamp: 2023/01/26 12:44
Sample Type: Sample

Rep #	ppm C	ug C	Raw Data	Beginning Baseline	Ending Baseline	Integration Time
1	11.7032	5.8516	508814	0.751	0.950	175
2	11.3138	5.6569	491884	0.803	1.002	160
3	11.1068	5.5534	482884	0.785	0.985	164
4	11.4590	5.7295	498194	0.775	0.974	176

<<<Statistics>>> Mean: 11.3957 Std Dev: 0.2508 RSD: 2.20

Sample ID: 01280-02MSD
Method: TOC 0 - 20 ppmC
Cal. Curve: TOC WATER 0-20PPM
Operator ID: IZ MA

Mode: TOC
Filename: 01260922
Timestamp: 2023/01/26 13:11
Sample Type: Sample

Rep #	ppm C	ug C	Raw Data	Beginning Baseline	Ending Baseline	Integration Time
1	11.8283	5.9141	514251	0.721	0.920	160
2	11.4099	5.7049	496060	0.734	0.933	165
3	11.9121	5.9560	517893	0.742	0.942	164
4	11.7161	5.8580	509371	0.728	0.923	168

<<<Statistics>>> Mean: 11.7166 Std Dev: 0.2197 RSD: 1.87

Sample ID: 01280-04
Method: TOC 0 - 20 ppmC
Cal. Curve: TOC WATER 0-20PPM
Operator ID: IZ MA

Mode: TOC
Filename: 01260922
Timestamp: 2023/01/26 13:37
Sample Type: Sample

Rep #	ppm C	ug C	Raw Data	Beginning Baseline	Ending Baseline	Integration Time
1	3.6365	1.8182	158101	0.607	0.805	158
2	3.3006	1.6503	143500	0.720	0.918	150
3	3.2743	1.6371	142354	0.726	0.923	150
4	3.2574	1.6287	141619	0.694	0.893	150

<<<Statistics>>> Mean: 3.3672 Std Dev: 0.1804 RSD: 5.36

Sample ID: 01280-06
Method: TOC 0 - 20 ppmC
Cal. Curve: TOC WATER 0-20PPM
Operator ID: IZ MA

Mode: TOC
Filename: 01260922
Timestamp: 2023/01/26 14:02
Sample Type: Sample

Rep #	ppm C	ug C	Raw Data	Beginning Baseline	Ending Baseline	Integration Time
1	2.6815	1.3407	116580	0.639	0.835	148
2	2.5956	1.2978	112847	0.689	0.887	147
3	2.6039	1.3019	113208	0.734	0.931	147
4	2.4542	1.2271	106700	0.761	0.961	139

<<<Statistics>>> Mean: 2.5838 Std Dev: 0.0947 RSD: 3.66

Sample ID: 01308-01 Mode: TOC
Method: TOC 0 - 20 ppmC Filename: 01260922
Cal. Curve: TOC WATER 0-20PPM Timestamp: 2023/01/26 14:27
Operator ID: IZ MA Sample Type: Sample

Rep #	ppm C	ug C	Raw Data	Beginning Baseline	Ending Baseline	Integration Time
1	2.3478	1.1739	102072	0.695	0.893	144
2	2.1060	1.0530	91563	0.777	0.976	142
3	1.9485	0.9742	84712	0.841	1.041	140
4	2.0728	1.0364	90119	0.876	1.075	141

<<<Statistics>>> Mean: 2.1188 Std Dev: 0.1671 RSD: 7.88

Sample ID: 01308-03 Mode: TOC
Method: TOC 0 - 20 ppmC Filename: 01260922
Cal. Curve: TOC WATER 0-20PPM Timestamp: 2023/01/26 14:52
Operator ID: IZ MA Sample Type: Sample

Rep #	ppm C	ug C	Raw Data	Beginning Baseline	Ending Baseline	Integration Time
1	1.8912	0.9456	82221	0.763	0.961	137
2	1.5864	0.7932	68969	0.824	1.023	133
3	1.5355	0.7678	66759	0.842	1.040	132
4	1.5555	0.7778	67628	0.826	1.026	135

<<<Statistics>>> Mean: 1.6422 Std Dev: 0.1673 RSD: 10.19

Sample ID: 01308-05 Mode: TOC
Method: TOC 0 - 20 ppmC Filename: 01260922
Cal. Curve: TOC WATER 0-20PPM Timestamp: 2023/01/26 15:16
Operator ID: IZ MA Sample Type: Sample

Rep #	ppm C	ug C	Raw Data	Beginning Baseline	Ending Baseline	Integration Time
1	1.9936	0.9968	86673	0.842	1.042	137
2	1.8110	0.9055	78738	0.915	1.114	132
3	1.5428	0.7714	67074	0.960	1.158	129
4	1.7624	0.8812	76623	0.923	1.122	135

<<<Statistics>>> Mean: 1.7774 Std Dev: 0.1854 RSD: 10.43

Sample ID: CCV2 Mode: TOC
Method: TOC 0 - 20 ppmC Filename: 01260922
Cal. Curve: TOC WATER 0-20PPM Timestamp: 2023/01/26 15:43
Operator ID: IZ MA Sample Type: Sample

Rep #	ppm C	ug C	Raw Data	Beginning Baseline	Ending Baseline	Integration Time
1	9.8628	4.9314	428800	0.803	1.003	164

2	9.8608	4.9304	428714	0.896	1.096	153
3	10.0498	5.0249	436927	0.887	1.085	166
4	9.9226	4.9613	431399	0.934	1.131	161
<<<Statistics>>> Mean: 9.9240 Std Dev: 0.0886 RSD: 0.89						
Sample ID: CCB2				Mode: TOC		
Method: TOC 0 - 20 ppmC				Filename: 01260922		
Cal. Curve: TOC WATER 0-20PPM				Timestamp: 2023/01/26 16:28		
Operator ID: IZ MA				Sample Type: Sample		
Rep #	ppm C	ug C	Raw Data	Beginning Baseline	Ending Baseline	Integration Time
1	0.2772	0.1386	12051	0.796	0.996	105
2	0.1886	0.0943	8199	0.836	1.035	102
3	0.1881	0.0941	8179	0.854	1.053	101
4	0.2950	0.1475	12824	0.821	1.020	104
<<<Statistics>>> Mean: 0.2372 Std Dev: 0.0569 RSD: 23.99						
Sample ID: 01308-07				Mode: TOC		
Method: TOC 0 - 20 ppmC				Filename: 01260922		
Cal. Curve: TOC WATER 0-20PPM				Timestamp: 2023/01/26 16:55		
Operator ID: IZ MA				Sample Type: Sample		
Rep #	ppm C	ug C	Raw Data	Beginning Baseline	Ending Baseline	Integration Time
1	6.4589	3.2294	280809	0.935	1.135	170
2	5.7069	2.8535	248117	1.004	1.203	159
3	5.6205	2.8102	244359	1.023	1.223	158
4	5.6599	2.8300	246072	1.006	1.205	159
<<<Statistics>>> Mean: 5.8616 Std Dev: 0.3998 RSD: 6.82						
Sample ID: 01308-09				Mode: TOC		
Method: TOC 0 - 20 ppmC				Filename: 01260922		
Cal. Curve: TOC WATER 0-20PPM				Timestamp: 2023/01/26 17:20		
Operator ID: IZ MA				Sample Type: Sample		
Rep #	ppm C	ug C	Raw Data	Beginning Baseline	Ending Baseline	Integration Time
1	3.6042	1.8021	156699	0.934	1.134	144
2	3.4975	1.7487	152057	0.923	1.123	147
3	3.5681	1.7840	155127	0.904	1.097	149
4	3.5098	1.7549	152592	0.921	1.120	146
<<<Statistics>>> Mean: 3.5449 Std Dev: 0.0501 RSD: 1.41						
Sample ID: 01308-11				Mode: TOC		
Method: TOC 0 - 20 ppmC				Filename: 01260922		
Cal. Curve: TOC WATER 0-20PPM				Timestamp: 2023/01/26 17:44		
Operator ID: IZ MA				Sample Type: Sample		
Rep #	ppm C	ug C	Raw Data	Beginning Baseline	Ending Baseline	Integration Time
1	1.9849	0.9924	86296	0.925	1.122	132
2	1.7836	0.8918	77543	0.935	1.132	131
3	1.7984	0.8992	78188	0.960	1.157	131
4	1.8268	0.9134	79421	0.979	1.177	131

```
<<<Statistics>>>      Mean:      1.7422      Std Dev:      0.1031      RSD: 5.92
```

Sample ID: 01308-15MS Mode: TOC
Method: TOC 0 - 20 ppmC Filename: 01260922
Cal. Curve: TOC WATER 0-20PPM Timestamp: 2023/01/26 20:14
Operator ID: IZ MA Sample Type: Sample

Rep #	ppm C	ug C	Raw Data	Beginning Baseline	Ending Baseline	Integration Time
1	11.1079	5.5539	482930	1.118	1.317	175
2	10.8032	5.4016	469682	1.210	1.406	160
3	10.6978	5.3489	465103	1.215	1.415	161
4	10.9417	5.4709	475706	1.213	1.411	161

<<<Statistics>>> Mean: 10.8876 Std Dev: 0.1776 RSD: 1.63

Sample ID: 01308-15MSD Mode: TOC
Method: TOC 0 - 20 ppmC Filename: 01260922
Cal. Curve: TOC WATER 0-20PPM Timestamp: 2023/01/26 20:41
Operator ID: IZ MA Sample Type: Sample

Rep #	ppm C	ug C	Raw Data	Beginning Baseline	Ending Baseline	Integration Time
1	11.4858	5.7429	499362	1.133	1.333	172
2	11.2014	5.6007	486997	1.205	1.402	166
3	11.1151	5.5575	483242	1.237	1.436	163
4	11.2211	5.6106	487854	1.240	1.438	161

<<<Statistics>>> Mean: 11.2558 Std Dev: 0.1601 RSD: 1.42

Sample ID: 01308-17 Mode: TOC
Method: TOC 0 - 20 ppmC Filename: 01260922
Cal. Curve: TOC WATER 0-20PPM Timestamp: 2023/01/26 21:06
Operator ID: IZ MA Sample Type: Sample

Rep #	ppm C	ug C	Raw Data	Beginning Baseline	Ending Baseline	Integration Time
1	2.8958	1.4479	125899	1.076	1.276	140
2	2.6283	1.3142	114270	1.117	1.315	135
3	2.5682	1.2841	111656	1.128	1.328	134
4	2.6114	1.3057	113535	1.119	1.316	139

<<<Statistics>>> Mean: 2.6759 Std Dev: 0.1488 RSD: 5.56

Sample ID: CCV3 Mode: TOC
Method: TOC 0 - 20 ppmC Filename: 01260922
Cal. Curve: TOC WATER 0-20PPM Timestamp: 2023/01/26 21:32
Operator ID: IZ MA Sample Type: Sample

Rep #	ppm C	ug C	Raw Data	Beginning Baseline	Ending Baseline	Integration Time
1	10.0782	5.0391	438162	1.106	1.305	162
2	10.1047	5.0524	439316	1.155	1.354	164
3	10.0626	5.0313	437487	1.180	1.379	154
4	9.9738	4.9869	433626	1.201	1.400	154

<<<Statistics>>> Mean: 10.0548 Std Dev: 0.0567 RSD: 0.56

Sample ID: CCB3 Mode: TOC
Method: TOC 0 - 20 ppmC Filename: 01260922
Cal. Curve: TOC WATER 0-20PPM Timestamp: 2023/01/26 22:18

Operator ID: IZ MA Sample Type: Sample

Rep #	ppm C	ug C	Raw Data	Beginning Baseline	Ending Baseline	Integration Time
1	0.1684	0.0842	7322	1.085	1.113	120
2	0.2684	0.1342	11671	1.052	1.105	120
3	0.1902	0.0951	8269	1.093	1.112	120
4	0.1950	0.0975	8477	1.088	1.112	120

Last Message: Low Sample Detected

<<<Statistics>>> Mean: 0.2055 Std Dev: 0.0435 RSD: 21.17
=====

Sample ID: 01308-19

Mode: TOC

Method: TOC 0 - 20 ppmC

Filename: 01260922

Cal. Curve: TOC WATER 0-20PPM

Timestamp: 2023/01/26 22:42

Operator ID: IZ MA

Sample Type: Sample

Rep #	ppm C	ug C	Raw Data	Beginning Baseline	Ending Baseline	Integration Time
1	1.4125	0.7062	61409	1.078	1.274	123
2	1.1889	0.5945	51691	1.121	1.320	125
3	1.1518	0.5759	50077	1.134	1.331	126
4	1.0455	0.5227	45453	1.168	1.366	121

<<<Statistics>>> Mean: 1.1997 Std Dev: 0.1544 RSD: 12.87
=====

Sample ID: 01308-21

Mode: TOC

Method: TOC 0 - 20 ppmC

Filename: 01260922

Cal. Curve: TOC WATER 0-20PPM

Timestamp: 2023/01/26 23:06

Operator ID: IZ MA

Sample Type: Sample

Rep #	ppm C	ug C	Raw Data	Beginning Baseline	Ending Baseline	Integration Time
1	1.2461	0.6230	54174	1.107	1.306	126
2	0.9950	0.4975	43257	1.134	1.333	123
3	0.9453	0.4727	41100	1.158	1.356	125
4	0.9626	0.4813	41848	1.176	1.372	126

<<<Statistics>>> Mean: 1.0373 Std Dev: 0.1407 RSD: 13.57
=====

Sample ID: CCV4

Mode: TOC

Method: TOC 0 - 20 ppmC

Filename: 01260922

Cal. Curve: TOC WATER 0-20PPM

Timestamp: 2023/01/27 00:20

Operator ID: IZ MA

Sample Type: Sample

Rep #	ppm C	ug C	Raw Data	Beginning Baseline	Ending Baseline	Integration Time
1	10.0326	5.0163	436182	1.164	1.362	168
2	10.0205	5.0103	435656	1.195	1.393	158
3	9.9018	4.9509	430495	1.194	1.392	163
4	9.9451	4.9726	432377	1.182	1.382	155

<<<Statistics>>> Mean: 9.9750 Std Dev: 0.0623 RSD: 0.62
=====

Sample ID: CCB4

Mode: TOC

Method: TOC 0 - 20 ppmC

Filename: 01260922

Cal. Curve: TOC WATER 0-20PPM

Timestamp: 2023/01/27 01:07

Operator ID: IZ MA

Sample Type: Sample

Rep #	ppm C	ug C	Raw Data	Beginning	Ending	Integration
-------	-------	------	----------	-----------	--------	-------------

				Baseline	Baseline	Time
1	0.2368	0.1184	10294	1.107	1.147	120
2	0.1939	0.0969	8429	1.133	1.189	120
3	0.2151	0.1076	9353	1.131	1.151	120
4	0.1988	0.0994	8644	1.138	1.187	120

Last Message: Low Sample Detected

<<<Statistics>>> Mean: 0.2111 Std Dev: 0.0194 RSD: 9.17
=====

Sample ID	Result	Std. Dev.	RSD	Mode	ALT
0.0PPM	12656	4375	34.57	TOC	
0.5PPM	25627	6271	24.47	TOC	
1.0PPM	48950	3630	7.42	TOC	
2.0PPM.....	94452...	5974..	6.32...	TOC	..
5.0PPM	235780	3567	1.51	TOC	
10.0PPM	450480	4608	1.02	TOC	
20.0PPM.....	874934...	15444..	1.77...	TOC	..
ICV1	10.4757	0.1465	1.40	TOC	
ICB1	0.3431	0.0262	7.64	TOC	
IC-20.....	0.2487...	0.0423..	16.99...	TOC	..

Method ID	Sample Type	Vial		Timestamp	Message
TOC 0 - 20 ppmC	TOC Standard	1	2023/01/03	13:02	
TOC 0 - 20 ppmC	TOC Standard	2	2023/01/03	13:25	
TOC 0 - 20 ppmC	TOC Standard	3	2023/01/03	14:39	
TOC 0 - 20 ppmC	...TOC Standard	.. 4..	2023/01/03	15:03	..
TOC 0 - 20 ppmC	TOC Standard	5	2023/01/03	15:31	
TOC 0 - 20 ppmC	TOC Standard	6	2023/01/03	15:59	
TOC 0 - 20 ppmC	...TOC Standard	.. 7..	2023/01/03	16:28	..
TOC 0 - 20 ppmC	Sample	8	2023/01/03	16:57	
TOC 0 - 20 ppmC	Sample	9	2023/01/03	17:19	
TOC 0 - 20 ppmC	...Sample	.. 10..	2023/01/03	17:42	..

```
=====
Sample ID:   0.0PPM                      Mode:      TOC
Method:      TOC 0 - 20 ppmC             Filename:   01031241
Cal. Curve:  TOC WATER 0-20PPM          Timestamp: 2023/01/03 13:02
Operator ID: IZ AP                       Sample Type: TOC Standard
=====
```

Rep #	ppm C	ug C	Raw Data	Beginning Baseline	Ending Baseline	Integration Time
1			12151	0.978	1.178	104
2			10509	0.984	1.182	102
3			18935	0.958	1.157	102
4			9031	0.913	1.109	103

```
-----
<<<Statistics>>>   Mean:    12656   Std Dev:    4375   RSD: 34.57
=====
```

```
=====
Sample ID:   0.5PPM                      Mode:      TOC
Method:      TOC 0 - 20 ppmC             Filename:   01031241
Cal. Curve:  TOC WATER 0-20PPM          Timestamp: 2023/01/03 13:25
Operator ID: IZ AP                       Sample Type: TOC Standard
=====
```

Rep #	ppm C	ug C	Raw Data	Beginning Baseline	Ending Baseline	Integration Time
1			34726	0.734	0.930	118
2			20679	0.795	0.993	112
3			24570	0.784	0.981	114
4			22532	0.762	0.961	114

```
-----
<<<Statistics>>>   Mean:    25627   Std Dev:    6271   RSD: 24.47
=====
```

```
=====
Sample ID:   1.0PPM                      Mode:      TOC
Method:      TOC 0 - 20 ppmC             Filename:   01031241
Cal. Curve:  TOC WATER 0-20PPM          Timestamp: 2023/01/03 14:39
Operator ID: IZ AP                       Sample Type: TOC Standard
=====
```

Rep #	ppm C	ug C	Raw Data	Beginning Baseline	Ending Baseline	Integration Time
1			52000	0.472	0.671	128
2			44159	0.544	0.743	118
3			48121	0.501	0.699	120
4			51518	0.471	0.671	121

```
-----
<<<Statistics>>>   Mean:    48950   Std Dev:    3630   RSD: 7.42
=====
```

```
=====
Sample ID:   2.0PPM                      Mode:      TOC
Method:      TOC 0 - 20 ppmC             Filename:   01031241
Cal. Curve:  TOC WATER 0-20PPM          Timestamp: 2023/01/03 15:03
Operator ID: IZ AP                       Sample Type: TOC Standard
=====
```

Rep #	ppm C	ug C	Raw Data	Beginning Baseline	Ending Baseline	Integration Time
1			101603	0.389	0.589	144
2			94439	0.408	0.608	125
3			94785	0.393	0.592	135
4			86981	0.421	0.617	124

```
-----
<<<Statistics>>>   Mean:    94452   Std Dev:    5974   RSD: 6.32
=====
```

```
=====
Sample ID:   5.0PPM                      Mode:      TOC
=====
```

Sample ID:	ICB1	Mode:	TOC
Method:	TOC 0 - 20 ppmC	Filename:	01031241
Cal. Curve:	TOC WATER 0-20PPM	Timestamp:	2023/01/03 17:19
Operator ID:	IZ AP	Sample Type:	Sample

```
<<<Statistics>>>    Mean:    0.3431    Std Dev:    0.0262    RSD: 7.64
```

```
Mode:          TOC
Filename:      01031241
Timestamp:     2023/01/03 17:42
Sample Type:   Sample
```

```
<<<Statistics>>>      Mean:      0.2487      Std Dev:      0.0423      RSD: 16.99
```

Cal. Curve ID: TOC WATER 0-20PPM
 Created: 2023/01/03 16:29
 Calibration Factor (m): 8.695e+04
 Y Intercept (b): 9863
 r-squared: 0.99968

Standard ID	Y Raw Data	X Expected ug C	Measured ug C	Message <i>re</i>	Date & Time
0.0PPM	12656	0.000	0.032	—	2023/01/03 13:02
0.5PPM	25627	0.250	0.181	-27.6	2023/01/03 13:25
1.0PPM	48949	0.500	0.450	-10.0	2023/01/03 14:39
2.0PPM	94452	1.000	0.973	-2.7	2023/01/03 15:03
5.0PPM	235780	2.500	2.598	3.9	2023/01/03 15:31
10.0PPM	450480	5.000	5.067	1.3	2023/01/03 15:59
20.0PPM	874934	10.000	9.949	-0.5	2023/01/03 16:28

12
 1/3/23