



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: RUBINA

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB123926

BalanceID: WC-SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	O1409-01	38414	1	100.02	0.00	02/03/2023	13:07
2	O1409-01DUP	38414DUP	1	100.02	0.00	02/03/2023	13:15
3	O1410-01	72-12013	1	100.05	0.00	02/03/2023	13:22
4	O1410-03	VNJ-225	1	100.03	0.00	02/03/2023	13:30
5	O1413-01	TR-5-020223	1	100.04	0.00	02/03/2023	13:38
6	O1418-03	JPP-16-020223	1	100.06	0.00	02/03/2023	13:45
7	O1418-07	JPP-18A-020223	1	100.06	0.00	02/03/2023	13:52
8	O1418-11	JPP-20-020223	1	100.07	0.00	02/03/2023	14:00
9	O1418-15	JPP-22-020223	1	100.05	0.00	02/03/2023	14:08

WORKLIST(Hardcopy Internal Chain)

WorkList Name : pf2-3

WorkList ID : 167098

Department : Wet-Chemistry

Date : 02-03-2023 08:48:42

16123926

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
02/02/2023	Solid	O1409-01	Paint Filter	Cool 4 deg C	PSEG03	E52	38414	02/02/2023	9095B
02/02/2023	Solid	O1410-01	Paint Filter	Cool 4 deg C	PSEG03	E52	72-12013	02/02/2023	9095B
02/02/2023	Solid	O1410-03	Paint Filter	Cool 4 deg C	PSEG03	E52	VNJ-225	02/02/2023	9095B
02/02/2023	Solid	O1413-01	Paint Filter	Cool 4 deg C	PSEG05	E52	TR-5-020223	02/02/2023	9095B
02/02/2023	Solid	O1418-03	Paint Filter	Cool 4 deg C	RUTW01	E52	JPP-16-020223	02/02/2023	9095B
02/02/2023	Solid	O1418-07	Paint Filter	Cool 4 deg C	RUTW01	E52	JPP-18A-020223	02/02/2023	9095B
02/02/2023	Solid	O1418-11	Paint Filter	Cool 4 deg C	RUTW01	E52	JPP-20-020223	02/02/2023	9095B
02/02/2023	Solid	O1418-15	Paint Filter	Cool 4 deg C	RUTW01	E52	JPP-22-020223	02/02/2023	9095B

Date/Time 02/03/2023 12:56
 Raw Sample Received by: RM (wcc)
 Raw Sample Relinquished by: CF Sar

Date/Time 02/03/2023 14:25
 Raw Sample Received by: CF Sar
 Raw Sample Relinquished by: RM (wcc)