



PERCENT SOLID

Supervisor: Iwona

Analyst: mohan

Date: 2/9/2023

OVENTEMP IN Celsius(°C): 108

Time IN: 03:15

In Date: 02/08/2023

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 105

Time OUT: 09:15

Out Date: 02/09/2023

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB123985

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
O1455-05	SVOC-GPC-BLANK	1	1.00	1.00	2.00	2.00	100.0	
O1455-06	PEST-GPC-BLANK	2	1.00	1.00	2.00	2.00	100.0	
O1455-07	PEST-GPC-BLANK-SPIKE	3	1.00	1.00	2.00	2.00	100.0	
O1455-08	PCB-GPC-BLANK	4	1.00	1.00	2.00	2.00	100.0	
O1455-09	PCB-GPC-BLANK-SPIKE	5	1.00	1.00	2.00	2.00	100.0	
O1455-10	SVOC-GPC2-BLANK	6	1.00	1.00	2.00	2.00	100.0	
O1455-11	PEST-GPC2-BLANK	7	1.00	1.00	2.00	2.00	100.0	
O1455-12	PEST-GPC2-BLANK-SPIKE	8	1.00	1.00	2.00	2.00	100.0	
O1455-13	PCB-GCP2-BLANK	9	1.00	1.00	2.00	2.00	100.0	
O1455-14	PCB-GCP2-BLANK-SPIKE	10	1.00	1.00	2.00	2.00	100.0	
O1472-01	001	11	1.00	1.00	2.00	2.00	100.0	
O1472-02	002	12	1.00	1.00	2.00	2.00	100.0	
O1472-03	003	13	1.00	1.00	2.00	2.00	100.0	
O1472-04	004	14	1.00	1.00	2.00	2.00	100.0	
O1472-05	005	15	1.00	1.00	2.00	2.00	100.0	
O1473-01	001	16	1.00	1.00	2.00	2.00	100.0	
O1473-02	002	17	1.00	1.00	2.00	2.00	100.0	
O1473-03	003	18	1.00	1.00	2.00	2.00	100.0	
O1473-04	004	19	1.00	1.00	2.00	2.00	100.0	
O1473-05	005	20	1.00	1.00	2.00	2.00	100.0	
O1473-06	006	21	1.00	1.00	2.00	2.00	100.0	
O1474-01	001	22	1.00	1.00	2.00	2.00	100.0	
O1474-02	002	23	1.00	1.00	2.00	2.00	100.0	
O1474-03	003	24	1.00	1.00	2.00	2.00	100.0	
O1474-04	004	25	1.00	1.00	2.00	2.00	100.0	
O1475-01	001	26	1.00	1.00	2.00	2.00	100.0	
O1475-02	002	27	1.00	1.00	2.00	2.00	100.0	
O1476-01	WASTE	28	1.00	1.00	2.00	2.00	100.0	



PERCENT SOLID

Supervisor: Iwona
Analyst: mohan
Date: 2/9/2023

OVENTEMP IN Celsius(°C): 108
Time IN: 03:15
In Date: 02/08/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 105
Time OUT: 09:15
Out Date: 02/09/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB123985

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
O1476-02	VOC	29	1.13	8.85	9.98	9.25	91.8	
O1476-03	1	30	1.14	8.82	9.96	9.27	92.2	
O1476-04	2	31	1.15	8.70	9.85	9.12	91.6	
O1476-05	3	32	1.13	8.75	9.88	9.08	90.9	
O1476-06	4	33	1.14	8.76	9.9	9.08	90.6	
O1476-07	5	34	1.14	8.81	9.95	9.22	91.7	
O1477-01	TR-6-020723	35	1.15	8.72	9.87	8.74	87.0	
O1477-02	TR-6-020723-EPH-2	36	1.13	8.78	9.91	9.25	92.5	
O1478-01	SU-04-02072023	37	1.14	8.74	9.88	9.25	92.8	
O1478-02	SU-04-02072023-EPH-2	38	1.15	8.76	9.91	9.28	92.8	
O1481-01	JPP-39-020723	39	1.13	8.85	9.98	9.14	90.5	
O1481-03	JPP-39-020723	40	1.13	8.85	9.98	9.18	91.0	
O1481-05	JPP-42-020723	41	1.14	8.70	9.84	8.94	89.7	
O1481-07	JPP-42-020723	42	1.15	8.76	9.91	8.99	89.5	
O1481-09	JPP-46-020723	43	1.13	8.77	9.9	9.34	93.6	
O1481-11	JPP-46-020723	44	1.12	8.83	9.95	9.44	94.2	
O1481-13	JPP-48-020723	45	1.14	8.83	9.97	9.19	91.2	
O1481-15	JPP-48-020723	46	1.15	8.77	9.92	9.08	90.4	
O1482-01	DECON-PPE-SOLID	47	1.00	1.00	2.00	2.00	100.0	
O1483-01	TOPSOIL	48	1.13	8.77	9.9	8.26	81.3	
O1483-02	TOPSOIL-EPH-2	49	1.13	8.79	9.92	8.27	81.2	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$