



PERCENT SOLID

Supervisor: Iwona
Analyst: Sohil
Date: 2/16/2023

OVENTEMP IN Celsius(°C): 108
Time IN: 12:44
In Date: 02/13/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 108
Time OUT: 10:20
Out Date: 02/14/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB124048

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
O1523-01	MH25B3	1	1.14	8.82	9.96	9.74	97.5	
O1523-02	MH25B4	2	1.13	1.98	3.11	3.11	100.0	
O1523-03	MH25B5	3	1.12	8.71	9.83	9.54	96.7	
O1523-04	MH25B6	4	1.12	1.69	2.81	2.69	92.9	
O1523-05	MH25B7	5	1.13	1.45	2.58	2.46	91.7	
O1523-06	MH25B8	6	1.13	2.29	3.42	3.3	94.8	
O1523-07	MH25B9	7	1.14	0.54	1.68	1.64	92.6	
O1523-08	MH25C0	8	1.13	8.84	9.97	9.56	95.4	
O1523-09	MH25C1	9	1.12	2.60	3.72	3.58	94.6	
O1523-10	MH25C2	10	1.14	0.69	1.83	1.78	92.8	
O1523-11	MH25C3	11	1.12	1.88	3.00	2.46	71.3	
O1523-12	MH25C4	12	1.13	3.38	4.51	4.51	100.0	
O1523-13	MH25C4D	13	1.15	8.72	9.87	9.87	100.0	
O1523-14	MH25C4S	14	1.15	8.72	9.87	9.87	100.0	
O1523-15	MH25C5	15	1.15	1.47	2.62	2.52	93.2	
O1523-16	MH25C6	16	1.14	1.71	2.85	2.79	96.5	
O1523-17	MH25C7	17	1.15	8.21	9.36	9.1	96.8	
O1523-18	MH25C8	18	1.14	1.41	2.55	2.5	96.5	
O1523-19	MH25C9	19	1.15	1.37	2.52	2.4	91.2	
O1523-20	MH25D0	20	1.13	1.62	2.75	2.63	92.6	
O1523-21	MH25D1	21	1.14	0.95	2.09	2.06	96.8	
O1523-22	MH25D2	22	1.14	7.94	9.08	8.85	97.1	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$