



PERCENT SOLID

Supervisor: Iwona  
Analyst: Al-Terek  
Date: 2/22/2023

OVENTEMP IN Celsius(°C): 108  
Time IN: 12:30  
In Date: 02/16/2023  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 106  
Time OUT: 09:30  
Out Date: 02/17/2023  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: %SOLIDS-OVEN

QC:LB124122

| Lab ID   | Client SampleID          | Dish # | Dish Wt(g) (A) | Sample Wt(g) | Dish + Sample Wt(g) (B) | Dish+Dry Sample Wt(g) (C) | % Solid | Comments |
|----------|--------------------------|--------|----------------|--------------|-------------------------|---------------------------|---------|----------|
| O1534-01 | C0B39                    | 1      | 1.11           | 8.83         | 9.94                    | 8.11                      | 79.3    |          |
| O1561-02 | BUR-1527                 | 2      | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |          |
| O1575-01 | NWB-1887                 | 3      | 1.16           | 8.81         | 9.97                    | 9.72                      | 97.2    |          |
| O1576-01 | RE137-BAGFILTER-20220215 | 4      | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |          |
| O1579-01 | 186                      | 5      | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |          |
| O1581-01 | MH-A                     | 6      | 1.14           | 8.66         | 9.8                     | 8.42                      | 84.1    |          |
| O1581-03 | MH-A-EPH-2               | 7      | 1.13           | 8.82         | 9.95                    | 8.72                      | 86.1    |          |
| O1581-04 | MH-C                     | 8      | 1.14           | 8.84         | 9.98                    | 8.62                      | 84.6    |          |
| O1581-06 | MH-C-EPH-2               | 9      | 1.12           | 8.77         | 9.89                    | 8.58                      | 85.1    |          |
| O1582-01 | LEONIA-TRENCH-LINE       | 10     | 1.13           | 8.78         | 9.91                    | 9.33                      | 93.4    |          |
| O1582-03 | LEONIA-TRENCH-LINE-EPH-2 | 11     | 1.13           | 8.78         | 9.91                    | 9.33                      | 93.4    |          |
| O1582-04 | LEONIA-BARRIER           | 12     | 1.13           | 8.78         | 9.91                    | 9.33                      | 93.4    |          |
| O1583-01 | KMH303C-1-1              | 13     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |          |
| O1583-02 | KMH303C-1-2              | 14     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |          |
| O1584-01 | IRV2023-9A               | 15     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |          |
| O1584-02 | IRV2023-9B               | 16     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |          |
| O1585-01 | EDA810Q-1-1              | 17     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |          |
| O1585-02 | EDA810Q-1-2              | 18     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |          |
| O1586-01 | COMP-1                   | 19     | 1.13           | 8.76         | 9.89                    | 8.9                       | 88.7    |          |
| O1586-03 | COMP-2                   | 20     | 1.11           | 8.86         | 9.97                    | 8.16                      | 79.6    |          |
| O1586-05 | COMP-3                   | 21     | 1.12           | 8.84         | 9.96                    | 8.52                      | 83.7    |          |
| O1586-07 | COMP-4                   | 22     | 1.13           | 8.84         | 9.97                    | 8.99                      | 88.9    |          |
| O1586-09 | COMP-5                   | 23     | 1.12           | 8.82         | 9.94                    | 9.06                      | 90.0    |          |
| O1587-01 | OK-02-02162023           | 24     | 1.12           | 8.82         | 9.94                    | 9.14                      | 90.9    |          |
| O1587-02 | OK-02-02162023-EPH-2     | 25     | 1.12           | 8.82         | 9.94                    | 9.14                      | 90.9    |          |
| O1589-01 | MIXED-DEMO               | 26     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |          |
| O1590-01 | BC260967LOZ-1-1          | 27     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |          |



PERCENT SOLID

Supervisor: Iwona  
Analyst: Al-Terek  
Date: 2/22/2023

OVENTEMP IN Celsius(°C): 108  
Time IN: 12:30  
In Date: 02/16/2023  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 106  
Time OUT: 09:30  
Out Date: 02/17/2023  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: %SOLIDS-OVEN

QC:LB124122

| Lab ID   | Client SampleID | Dish # | Dish Wt(g) (A) | Sample Wt(g) | Dish + Sample Wt(g) (B) | Dish+Dry Sample Wt(g) (C) | % Solid | Comments |
|----------|-----------------|--------|----------------|--------------|-------------------------|---------------------------|---------|----------|
| O1590-02 | BC260967LOZ-1-2 | 28     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |          |
| O1590-03 | BC271315LOZ-1-1 | 29     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |          |
| O1590-04 | BC271315LOZ-1-2 | 30     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |          |
| O1590-05 | BC271242LOZ-1-1 | 31     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |          |
| O1590-06 | BC271242LOZ-1-2 | 32     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |          |
| O1592-01 | BC260952-1-1    | 33     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |          |
| O1592-02 | BC260952-1-2    | 34     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |          |
| O1592-03 | BC226467-1-1    | 35     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |          |
| O1592-04 | BC226467-1-2    | 36     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |          |
| O1592-05 | BC254741-1-1    | 37     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |          |
| O1592-06 | BC254741-1-2    | 38     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |          |
| O1592-07 | HEF499K-1-1     | 39     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |          |
| O1592-08 | HEF499K-1-2     | 40     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |          |
| O1592-09 | HEF500T-1-1     | 41     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |          |
| O1592-10 | HEF500T-1-2     | 42     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |          |
| O1592-11 | KMA772A-1-1     | 43     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |          |
| O1592-12 | KMA772A-1-2     | 44     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |          |
| O1592-13 | BC260897-1-1    | 45     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |          |
| O1592-14 | BC260897-1-2    | 46     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |          |
| O1593-01 | B-13-SB01       | 47     | 1.13           | 8.69         | 9.82                    | 8.71                      | 87.2    |          |
| O1593-02 | B-13-SB03       | 48     | 1.11           | 8.81         | 9.92                    | 8.67                      | 85.8    |          |
| O1593-03 | B-26-SB01       | 49     | 1.12           | 8.86         | 9.98                    | 8.66                      | 85.1    |          |
| O1593-04 | B-26-SB03       | 50     | 1.12           | 8.68         | 9.8                     | 8.55                      | 85.6    |          |
| O1593-05 | SED-2           | 51     | 1.11           | 8.87         | 9.98                    | 5.29                      | 47.1    |          |
| O1593-08 | SED-3           | 52     | 1.12           | 8.83         | 9.95                    | 5.21                      | 46.3    |          |
| O1595-01 | S-322-1         | 53     | 1.12           | 8.82         | 9.94                    | 9.77                      | 98.1    |          |
| O1595-02 | S-322-2         | 54     | 1.14           | 8.67         | 9.81                    | 9.11                      | 91.9    |          |
| O1595-03 | S-322-3         | 55     | 1.12           | 8.79         | 9.91                    | 9.18                      | 91.7    |          |



PERCENT SOLID

Supervisor: Iwona  
Analyst: Al-Terek  
Date: 2/22/2023

OVENTEMP IN Celsius(°C): 108  
Time IN: 12:30  
In Date: 02/16/2023  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 106  
Time OUT: 09:30  
Out Date: 02/17/2023  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: %SOLIDS-OVEN

QC:LB124122

| Lab ID   | Client SampleID | Dish # | Dish Wt(g) (A) | Sample Wt(g) | Dish + Sample Wt(g) (B) | Dish+Dry Sample Wt(g) (C) | % Solid | Comments |
|----------|-----------------|--------|----------------|--------------|-------------------------|---------------------------|---------|----------|
| O1595-04 | S-655-1         | 56     | 1.11           | 8.77         | 9.88                    | 9.41                      | 94.6    |          |
| O1595-05 | S-655-2         | 57     | 1.12           | 8.79         | 9.91                    | 9.08                      | 90.6    |          |
| O1595-06 | S-655-3         | 58     | 1.1            | 8.83         | 9.93                    | 9.06                      | 90.1    |          |

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

## WORKLIST(Hardcopy Internal Chain) CB124122

WorkList Name : 021723\_%S

WorkList ID : 167467

Department : Wet-Chemistry

Date : 02-17-2023 09:48:02

| Due Date   | Matrix | Sample   | Test                      | Preservative | Customer | Raw Sample Storage Location | Customer Sample       | Collect Date | Method       |
|------------|--------|----------|---------------------------|--------------|----------|-----------------------------|-----------------------|--------------|--------------|
| 02/18/2023 | Solid  | Q1512-01 | <del>Percent Solids</del> | Cool 4 deg C | USEP04   | A11                         | C0B34                 | 02/08/2023   | Chemtech -SO |
| 02/19/2023 | Solid  | Q4512-06 | <del>Percent Solids</del> | Cool 4 deg C | USEP04   | A11                         | VHBLK002              | 02/09/2023   | Chemtech -SO |
| 02/20/2023 | Solid  | Q4512-07 | <del>Percent Solids</del> | Cool 4 deg C | USEP04   | A11                         | C0B39                 | 02/10/2023   | Chemtech -SO |
| 02/20/2023 | Solid  | Q1534-01 | <del>Percent Solids</del> | Cool 4 deg C | USEP04   | A12                         | C0B39                 | 02/10/2023   | Chemtech -SO |
| 02/13/2023 | Solid  | Q4536-05 | <del>Percent Solids</del> | Cool 4 deg C | CHEM02   | G22                         | SVOC-GPC-BLANK        | 02/03/2023   | Chemtech -SO |
| 02/13/2023 | Solid  | Q4536-06 | <del>Percent Solids</del> | Cool 4 deg C | CHEM02   | G22                         | PEST-GPC-BLANK        | 02/03/2023   | Chemtech -SO |
| 02/13/2023 | Solid  | Q4536-07 | <del>Percent Solids</del> | Cool 4 deg C | CHEM02   | G22                         | PEST-GPC-BLANK-SPIKE  | 02/03/2023   | Chemtech -SO |
| 02/13/2023 | Solid  | Q1536-08 | <del>Percent Solids</del> | Cool 4 deg C | CHEM02   | G22                         | PCB-GPC-BLANK         | 02/03/2023   | Chemtech -SO |
| 02/13/2023 | Solid  | Q4536-09 | <del>Percent Solids</del> | Cool 4 deg C | CHEM02   | G22                         | PCB-GPC-BLANK-SPIKE   | 02/03/2023   | Chemtech -SO |
| 02/13/2023 | Solid  | Q1536-10 | <del>Percent Solids</del> | Cool 4 deg C | CHEM02   | G22                         | SVOC-GPC2-BLANK       | 02/03/2023   | Chemtech -SO |
| 02/13/2023 | Solid  | Q1536-11 | <del>Percent Solids</del> | Cool 4 deg C | CHEM02   | G22                         | PEST-GPC2-BLANK       | 02/03/2023   | Chemtech -SO |
| 02/13/2023 | Solid  | Q4536-12 | <del>Percent Solids</del> | Cool 4 deg C | CHEM02   | G22                         | PEST-GPC2-BLANK-SPIKE | 02/03/2023   | Chemtech -SO |
| 02/13/2023 | Solid  | Q4536-13 | <del>Percent Solids</del> | Cool 4 deg C | CHEM02   | G22                         | PCB-GCP2-BLANK        | 02/03/2023   | Chemtech -SO |
| 02/13/2023 | Solid  | Q4536-14 | <del>Percent Solids</del> | Cool 4 deg C | CHEM02   | G22                         | PCB-GCP2-BLANK-SPIKE  | 02/03/2023   | Chemtech -SO |
| 02/18/2023 | Solid  | Q1540-01 | <del>Percent Solids</del> | Cool 4 deg C | CLOU03   | G22                         | PCB-020723-01         | 02/08/2023   | Chemtech -SO |
| 02/18/2023 | Solid  | Q4540-02 | <del>Percent Solids</del> | Cool 4 deg C | CLOU03   | G22                         | PCB-020723-02         | 02/08/2023   | Chemtech -SO |
| 02/18/2023 | Solid  | Q4540-03 | <del>Percent Solids</del> | Cool 4 deg C | CLOU03   | G22                         | PCB-020723-03         | 02/08/2023   | Chemtech -SO |
| 02/18/2023 | Solid  | Q1540-04 | <del>Percent Solids</del> | Cool 4 deg C | CLOU03   | G22                         | PCB-020723-04         | 02/08/2023   | Chemtech -SO |
| 02/18/2023 | Solid  | Q4540-05 | <del>Percent Solids</del> | Cool 4 deg C | CLOU03   | G22                         | PCB-020723-05         | 02/08/2023   | Chemtech -SO |
| 02/17/2023 | Solid  | Q4540-06 | <del>Percent Solids</del> | Cool 4 deg C | CLOU03   | G22                         | PCB-020723-06         | 02/07/2023   | Chemtech -SO |
| 02/17/2023 | Solid  | Q4540-07 | <del>Percent Solids</del> | Cool 4 deg C | CLOU03   | G22                         | PCB-020723-07         | 02/07/2023   | Chemtech -SO |

Date/Time

2/16/23

12:30pm

Raw Sample Received by:

RM

Date/Time

2/17/23

9:30am

Raw Sample Relinquished by:

CP Sam

Raw Sample Received by:

CP Sam

Raw Sample Relinquished by:

RM

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : 021723\_%S

WorkList ID : 167467

Department : Wet-Chemistry

Date : 02-17-2023 09:48:02

| Due Date   | Matrix | Sample   | Test           | Preservative     | Customer | Raw Sample Storage Location | Customer Sample          | Collect Date | Method       |
|------------|--------|----------|----------------|------------------|----------|-----------------------------|--------------------------|--------------|--------------|
| 02/17/2023 | Solid  | Q4540-08 | Percent Solids | Cool 4 deg C     | CLOU03   | G22                         | PCB-020723-08            | 02/07/2023   | Chemtech -SO |
| 02/19/2023 | Solid  | O1540-09 | Percent Solids | Cool 4 deg C     | CLOU03   | G22                         | PCB-020723-09            | 02/09/2023   | Chemtech -SO |
| 02/19/2023 | Solid  | O1540-10 | Percent Solids | Cool 4 deg C     | CLOU03   | G22                         | PCB-020723-10            | 02/09/2023   | Chemtech -SO |
| 02/19/2023 | Solid  | Q1540-11 | Percent Solids | Cool 4 deg C     | CLOU03   | G22                         | PCB-020723-11            | 02/09/2023   | Chemtech -SO |
| 02/22/2023 | Solid  | O1561-02 | Percent Solids | P X Cool 4 deg C | PSEG03   | G32                         | BUR-1527                 | 02/15/2023   | Chemtech -SO |
| 02/21/2023 | Solid  | O1575-01 | Percent Solids | P X Cool 4 deg C | PSEG03   | G41                         | NWB-1887                 | 02/16/2023   | Chemtech -SO |
| 02/25/2023 | Solid  | O1576-01 | Percent Solids | P X Cool 4 deg C | TETR06   | G41                         | RE137-BAGFILTER-20220215 | 02/15/2023   | Chemtech -SO |
| 02/23/2023 | Solid  | O1579-01 | Percent Solids | P X Cool 4 deg C | PSEG03   | G41                         | 186                      | 02/16/2023   | Chemtech -SO |
| 02/21/2023 | Solid  | O1581-01 | Percent Solids | P X Cool 4 deg C | PSEG03   | G41                         | MH-A                     | 02/16/2023   | Chemtech -SO |
| 02/21/2023 | Solid  | O1581-03 | Percent Solids | P X Cool 4 deg C | PSEG03   | G41                         | MH-A-EPH-2               | 02/16/2023   | Chemtech -SO |
| 02/21/2023 | Solid  | O1581-04 | Percent Solids | P X Cool 4 deg C | PSEG03   | G41                         | MH-C                     | 02/16/2023   | Chemtech -SO |
| 02/21/2023 | Solid  | O1581-06 | Percent Solids | P X Cool 4 deg C | PSEG03   | G41                         | MH-C-EPH-2               | 02/16/2023   | Chemtech -SO |
| 02/21/2023 | Solid  | O1582-01 | Percent Solids | P X Cool 4 deg C | PSEG03   | G41                         | LEONIA-TRENCH-LINE       | 02/16/2023   | Chemtech -SO |
| 02/21/2023 | Solid  | O1582-03 | Percent Solids | P X Cool 4 deg C | PSEG03   | G41                         | LEONIA-TRENCH-LINE-EPH-2 | 02/16/2023   | Chemtech -SO |
| 02/21/2023 | Solid  | O1582-04 | Percent Solids | P X Cool 4 deg C | PSEG03   | G41                         | LEONIA-BARRIER           | 02/16/2023   | Chemtech -SO |
| 02/17/2023 | Solid  | O1583-01 | Percent Solids | P X Cool 4 deg C | PSEG03   | G41                         | KMH303C-1-1              | 02/16/2023   | Chemtech -SO |
| 02/17/2023 | Solid  | O1583-02 | Percent Solids | P X Cool 4 deg C | PSEG03   | G41                         | KMH303C-1-2              | 02/16/2023   | Chemtech -SO |
| 02/17/2023 | Solid  | O1584-01 | Percent Solids | P X Cool 4 deg C | PSEG03   | G41                         | IRV2023-9A               | 02/16/2023   | Chemtech -SO |
| 02/17/2023 | Solid  | O1584-02 | Percent Solids | P X Cool 4 deg C | PSEG03   | G41                         | IRV2023-9B               | 02/16/2023   | Chemtech -SO |
| 02/17/2023 | Solid  | O1585-01 | Percent Solids | P X Cool 4 deg C | PSEG03   | G41                         | EDA810Q-1-1              | 02/14/2023   | Chemtech -SO |
| 02/17/2023 | Solid  | O1585-02 | Percent Solids | P X Cool 4 deg C | PSEG03   | G41                         | EDA810Q-1-2              | 02/14/2023   | Chemtech -SO |

Date/Time 2/16/23 12:30pm

Raw Sample Received by: RM

Raw Sample Relinquished by: SP SM

Date/Time 2/17/23

Raw Sample Received by: SP SM

Raw Sample Relinquished by: RM

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : 021723\_%S

WorkList ID : 167467

Department : Wet-Chemistry

Date : 02-17-2023 09:48:02

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Raw Sample Storage Location | Customer Sample      | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|-----------------------------|----------------------|--------------|--------------|
| 02/21/2023 | Solid  | O1586-01 | Percent Solids | Cool 4 deg C | SKAN06   | G41                         | COMP-1               | 02/16/2023   | Chemtech -SO |
| 02/21/2023 | Solid  | O1586-03 | Percent Solids | Cool 4 deg C | SKAN06   | G41                         | COMP-2               | 02/16/2023   | Chemtech -SO |
| 02/21/2023 | Solid  | O1586-05 | Percent Solids | Cool 4 deg C | SKAN06   | G41                         | COMP-3               | 02/16/2023   | Chemtech -SO |
| 02/21/2023 | Solid  | O1586-07 | Percent Solids | Cool 4 deg C | SKAN06   | G41                         | COMP-4               | 02/16/2023   | Chemtech -SO |
| 02/21/2023 | Solid  | O1586-09 | Percent Solids | Cool 4 deg C | SKAN06   | G41                         | COMP-5               | 02/16/2023   | Chemtech -SO |
| 02/21/2023 | Solid  | O1587-01 | Percent Solids | Cool 4 deg C | PSEG05   | G41                         | OK-02-02162023       | 02/16/2023   | Chemtech -SO |
| 02/21/2023 | Solid  | O1587-02 | Percent Solids | Cool 4 deg C | PSEG05   | G41                         | OK-02-02162023-EPH-2 | 02/16/2023   | Chemtech -SO |
| 02/23/2023 | Solid  | O1589-01 | Percent Solids | Cool 4 deg C | EART12   | G42                         | MIXED-DEMO           | 02/16/2023   | Chemtech -SO |
| 02/17/2023 | Solid  | O1590-01 | Percent Solids | Cool 4 deg C | PSEG03   | G42                         | BC260967LOZ-1-1      | 02/16/2023   | Chemtech -SO |
| 02/17/2023 | Solid  | O1590-02 | Percent Solids | Cool 4 deg C | PSEG03   | G42                         | BC260967LOZ-1-2      | 02/16/2023   | Chemtech -SO |
| 02/17/2023 | Solid  | O1590-03 | Percent Solids | Cool 4 deg C | PSEG03   | G42                         | BC271315LOZ-1-1      | 02/16/2023   | Chemtech -SO |
| 02/17/2023 | Solid  | O1590-04 | Percent Solids | Cool 4 deg C | PSEG03   | G42                         | BC271315LOZ-1-2      | 02/16/2023   | Chemtech -SO |
| 02/17/2023 | Solid  | O1590-05 | Percent Solids | Cool 4 deg C | PSEG03   | G42                         | BC271242LOZ-1-1      | 02/16/2023   | Chemtech -SO |
| 02/17/2023 | Solid  | O1590-06 | Percent Solids | Cool 4 deg C | PSEG03   | G42                         | BC271242LOZ-1-2      | 02/16/2023   | Chemtech -SO |
| 02/17/2023 | Solid  | O1592-01 | Percent Solids | Cool 4 deg C | PSEG03   | G42                         | BC260952-1-1         | 02/16/2023   | Chemtech -SO |
| 02/17/2023 | Solid  | O1592-02 | Percent Solids | Cool 4 deg C | PSEG03   | G42                         | BC260952-1-2         | 02/16/2023   | Chemtech -SO |
| 02/17/2023 | Solid  | O1592-03 | Percent Solids | Cool 4 deg C | PSEG03   | G42                         | BC226467-1-1         | 02/16/2023   | Chemtech -SO |
| 02/17/2023 | Solid  | O1592-04 | Percent Solids | Cool 4 deg C | PSEG03   | G42                         | BC226467-1-2         | 02/16/2023   | Chemtech -SO |
| 02/17/2023 | Solid  | O1592-05 | Percent Solids | Cool 4 deg C | PSEG03   | G42                         | BC254741-1-1         | 02/16/2023   | Chemtech -SO |
| 02/17/2023 | Solid  | O1592-06 | Percent Solids | Cool 4 deg C | PSEG03   | G42                         | BC254741-1-2         | 02/16/2023   | Chemtech -SO |
| 02/17/2023 | Solid  | O1592-07 | Percent Solids | Cool 4 deg C | PSEG03   | G42                         | HEF499K-1-1          | 02/16/2023   | Chemtech -SO |

Date/Time

2/16/23

12:30

Raw Sample Received by:

RM

Raw Sample Relinquished by:

CP SM

Date/Time

2/17/23

9:30 AM

Raw Sample Received by:

CP SM

Raw Sample Relinquished by:

RM

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : 021723\_%S      WorkList ID : 167467      Department : Wet-Chemistry      Date : 02-17-2023 09:48:02

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Raw Sample Storage Location | Customer Sample | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|-----------------------------|-----------------|--------------|--------------|
| 02/17/2023 | Solid  | O1592-08 | Percent Solids | Cool 4 deg C | PSEG03   | G42                         | HEF499K-1-2     | 02/16/2023   | Chemtech -SO |
| 02/17/2023 | Solid  | O1592-09 | Percent Solids | Cool 4 deg C | PSEG03   | G42                         | HEF500T-1-1     | 02/16/2023   | Chemtech -SO |
| 02/17/2023 | Solid  | O1592-10 | Percent Solids | Cool 4 deg C | PSEG03   | G42                         | HEF500T-1-2     | 02/16/2023   | Chemtech -SO |
| 02/17/2023 | Solid  | O1592-11 | Percent Solids | Cool 4 deg C | PSEG03   | G42                         | KMA772A-1-1     | 02/16/2023   | Chemtech -SO |
| 02/17/2023 | Solid  | O1592-12 | Percent Solids | Cool 4 deg C | PSEG03   | G42                         | KMA772A-1-2     | 02/16/2023   | Chemtech -SO |
| 02/17/2023 | Solid  | O1592-13 | Percent Solids | Cool 4 deg C | PSEG03   | G42                         | BC260897-1-1    | 02/16/2023   | Chemtech -SO |
| 02/17/2023 | Solid  | O1592-14 | Percent Solids | Cool 4 deg C | PSEG03   | G42                         | BC260897-1-2    | 02/16/2023   | Chemtech -SO |
| 02/26/2023 | Solid  | O1593-01 | Percent Solids | Cool 4 deg C | PORT06   | K52                         | B-13-SB01       | 02/16/2023   | Chemtech -SO |
| 02/26/2023 | Solid  | O1593-02 | Percent Solids | Cool 4 deg C | PORT06   | K52                         | B-13-SB03       | 02/16/2023   | Chemtech -SO |
| 02/26/2023 | Solid  | O1593-03 | Percent Solids | Cool 4 deg C | PORT06   | K52                         | B-26-SB01       | 02/16/2023   | Chemtech -SO |
| 02/26/2023 | Solid  | O1593-04 | Percent Solids | Cool 4 deg C | PORT06   | K52                         | B-26-SB03       | 02/16/2023   | Chemtech -SO |
| 02/26/2023 | Solid  | O1593-05 | Percent Solids | Cool 4 deg C | PORT06   | K52                         | SED-2           | 02/16/2023   | Chemtech -SO |
| 02/26/2023 | Solid  | O1593-08 | Percent Solids | Cool 4 deg C | PORT06   | K52                         | SED-3           | 02/16/2023   | Chemtech -SO |
| 02/25/2023 | Solid  | O1595-01 | Percent Solids | Cool 4 deg C | EARTH03  | G42                         | S-322-1         | 02/15/2023   | Chemtech -SO |
| 02/25/2023 | Solid  | O1595-02 | Percent Solids | Cool 4 deg C | EARTH03  | G42                         | S-322-2         | 02/15/2023   | Chemtech -SO |
| 02/25/2023 | Solid  | O1595-03 | Percent Solids | Cool 4 deg C | EARTH03  | G42                         | S-322-3         | 02/15/2023   | Chemtech -SO |
| 02/25/2023 | Solid  | O1595-04 | Percent Solids | Cool 4 deg C | EARTH03  | G42                         | S-655-1         | 02/15/2023   | Chemtech -SO |
| 02/25/2023 | Solid  | O1595-05 | Percent Solids | Cool 4 deg C | EARTH03  | G42                         | S-655-2         | 02/15/2023   | Chemtech -SO |
| 02/25/2023 | Solid  | O1595-06 | Percent Solids | Cool 4 deg C | EARTH03  | G42                         | S-655-3         | 02/15/2023   | Chemtech -SO |

Date/Time 2/16/23 12:30 pm  
 Raw Sample Received by: RM  
 Raw Sample Relinquished by: CP Sng

Date/Time 2/17/23 9:30 am  
 Raw Sample Received by: CP Sng  
 Raw Sample Relinquished by: RM