



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB124188

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	O1606-01	VNJ-210	1	100.04	0.00	02/22/2023	10:00
2	O1606-01DUP	VNJ-210DUP	1	100.04	0.00	02/22/2023	10:08
3	O1606-02	VNJ-210	1	100.06	0.00	02/22/2023	10:15
4	O1608-01	TR-04-02172023	1	100.02	0.00	02/22/2023	10:22
5	O1636-01	OR-02-022123	1	100.05	0.00	02/22/2023	10:30
6	O1639-01	TR-05-02212023	1	100.04	0.00	02/22/2023	10:38

WORKLIST(Hardcopy Internal Chain)

66124188

WorkList Name : pf-2-20

WorkList ID : 167490

Department : Wet-Chemistry

Date : 02-20-2023 08:01:04

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
02/17/2023	Solid	O1606-01	Paint Filter	Cool 4 deg C	PSEG03	G51	VNJ-210	02/17/2023	9095B
02/17/2023	Solid	O1606-02	Paint Filter	Cool 4 deg C	PSEG03	G51	VNJ-210	02/17/2023	9095B
02/17/2023	Solid	O1608-01	Paint Filter	Cool 4 deg C	PSEG05	G51	TR-04-02172023	02/17/2023	9095B
02/21/2023	Solid	O1636-01	Paint Filter	Cool 4 deg C	PSEG05	D61	OR-02-022123	02/21/2023	9095B
02/21/2023	Solid	O1639-01	Paint Filter	Cool 4 deg C	PSEG05	D61	TR-05-02212023	02/21/2023	9095B

Date/Time 02/22/2023 09:45
 Raw Sample Received by: RM CWC
 Raw Sample Relinquished by: SP(CWC)

Date/Time 02/22/2023 10:50
 Raw Sample Received by: SP(CWC)
 Raw Sample Relinquished by: RM CWC