



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 2/23/2023

OVENTEMP IN Celsius(°C): 106
Time IN: 15:40
In Date: 02/22/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:00
Out Date: 02/23/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: WET OVEN#1

QC:LB124194

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
O1624-01	DBAF1	1	1.00	1.00	2.00	2.00	100.0	P.E.SAMPLE
O1624-02	MDBZT0	2	1.13	8.83	9.96	8.69	85.6	
O1624-03	MDBZT0D	3	1.13	8.83	9.96	8.69	85.6	
O1624-04	MDBZT0S	4	1.13	8.83	9.96	8.69	85.6	
O1624-05	MDBZT1	5	1.13	8.41	9.54	8.46	87.2	
O1624-06	MDBZT4	6	1.11	8.47	9.58	8.66	89.1	
O1624-07	MDBZT5	7	1.15	8.83	9.98	9.44	93.9	
O1624-08	MDBZT6	8	1.13	8.73	9.86	8.44	83.7	
O1624-09	MDBZT7	9	1.16	8.81	9.97	7.37	70.5	
O1624-10	MDBZT8	10	1.13	8.81	9.94	7.73	74.9	
O1624-11	MDBZT9	11	1.16	8.39	9.55	8.17	83.6	
O1624-12	MDBZU0	12	1.18	8.78	9.96	8.00	77.7	
O1624-13	MDBZU1	13	1.13	8.70	9.83	8.57	85.5	
O1624-14	MDBZU2	14	1.14	8.77	9.91	7.79	75.8	
O1624-15	MDBZU3	15	1.13	8.42	9.55	7.99	81.5	
O1624-16	MDBZU4	16	1.17	8.53	9.7	8.55	86.5	
O1624-17	MDBZU5	17	1.18	8.79	9.97	8.99	88.9	
O1624-18	MDBZU6	18	1.13	8.72	9.85	7.68	75.1	
O1624-19	MDBZW3	19	1.17	8.81	9.98	9.24	91.6	
O1624-20	MDBZW4	20	1.11	8.77	9.88	8.96	89.5	
O1624-21	MDBZW5	21	1.14	8.62	9.76	8.46	84.9	
O1624-22	MDBZW7	22	1.16	8.74	9.9	8.36	82.4	
O1624-23	MDBZW8	23	1.13	8.55	9.68	8.47	85.8	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$