



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 2/23/2023

OVENTEMP IN Celsius(°C): 106
Time IN: 15:40
In Date: 02/22/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:00
Out Date: 02/23/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB124195

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
O1648-01	DBAF5	1	1.00	1.00	2.00	2.00	100.0	P.E.SAMPLE
O1648-02	DBZT0	2	1.13	8.83	9.96	8.69	85.6	
O1648-03	DBZT0MS	3	1.13	8.83	9.96	8.69	85.6	
O1648-04	DBZT0MSD	4	1.13	8.83	9.96	8.69	85.6	
O1648-05	DBZT1	5	1.13	8.41	9.54	8.46	87.2	
O1648-06	DBZT4	6	1.11	8.47	9.58	8.66	89.1	
O1648-07	DBZT5	7	1.15	8.83	9.98	9.44	93.9	
O1648-08	DBZT6	8	1.13	8.73	9.86	8.44	83.7	
O1648-09	DBZT7	9	1.16	8.81	9.97	7.37	70.5	
O1648-10	DBZT8	10	1.13	8.81	9.94	7.73	74.9	
O1648-11	DBZT9	11	1.16	8.39	9.55	8.17	83.6	
O1648-12	DBZU0	12	1.18	8.78	9.96	8.00	77.7	
O1648-13	DBZU1	13	1.13	8.70	9.83	8.57	85.5	
O1648-14	DBZU2	14	1.14	8.77	9.91	7.79	75.8	
O1648-15	DBZU3	15	1.13	8.42	9.55	7.99	81.5	
O1648-16	DBZU4	16	1.17	8.53	9.7	8.55	86.5	
O1648-17	DBZU5	17	1.18	8.79	9.97	8.99	88.9	
O1648-18	DBZU6	18	1.13	8.72	9.85	7.68	75.1	
O1648-19	DBZU7	19	1.15	8.81	9.96	9.17	91.0	
O1648-20	DBZU8	20	1.19	8.75	9.94	7.94	77.1	
O1648-21	DBZU9	21	1.16	8.64	9.8	8.77	88.1	
O1648-22	DBZW8	22	1.13	8.55	9.68	8.47	85.8	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$