



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 3/1/2023

OVENTEMP IN Celsius(°C): 107
Time IN: 14:05
In Date: 02/28/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:25
Out Date: 03/01/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB124292

| Lab ID | Client SampleID | Dish # | Dish Wt(g) (A) | Sample Wt(g) | Dish + Sample Wt(g) (B) | Dish+Dry Sample Wt(g) (C) | % Solid | Comments |
|----------|-----------------|--------|----------------|--------------|-------------------------|---------------------------|---------|----------|
| O1715-01 | GBR16 | 1 | 1.13 | 8.43 | 9.56 | 9.52 | 99.5 | |
| O1715-02 | GBR17 | 2 | 1.14 | 8.50 | 9.64 | 9.6 | 99.5 | |
| O1715-03 | GBR18 | 3 | 1.18 | 8.54 | 9.72 | 9.69 | 99.6 | |
| O1715-04 | GBR19 | 4 | 1.13 | 8.59 | 9.72 | 9.69 | 99.7 | |
| O1715-05 | GBR20 | 5 | 1.18 | 8.56 | 9.74 | 9.66 | 99.1 | |
| O1715-06 | GBR21 | 6 | 1.12 | 8.72 | 9.84 | 9.75 | 99.0 | |
| O1715-07 | GBR22 | 7 | 1.18 | 8.46 | 9.64 | 9.48 | 98.1 | |
| O1715-08 | GBR23 | 8 | 1.18 | 8.39 | 9.57 | 9.45 | 98.6 | |
| O1715-09 | GBR24 | 9 | 1.18 | 8.69 | 9.87 | 9.77 | 98.8 | |
| O1715-10 | GBR24D | 10 | 1.18 | 8.69 | 9.87 | 9.77 | 98.8 | |
| O1715-11 | GBR24S | 11 | 1.18 | 8.69 | 9.87 | 9.77 | 98.8 | |
| O1715-12 | GBR25 | 12 | 1.18 | 8.66 | 9.84 | 9.73 | 98.7 | |
| O1715-13 | GBR26 | 13 | 1.11 | 8.43 | 9.54 | 9.44 | 98.8 | |
| O1715-14 | GBR27 | 14 | 1.12 | 8.46 | 9.58 | 9.48 | 98.8 | |
| O1715-15 | GBR28 | 15 | 1.19 | 8.55 | 9.74 | 9.66 | 99.1 | |
| O1715-16 | GBR29 | 16 | 1.11 | 8.42 | 9.53 | 9.44 | 98.9 | |
| O1715-17 | GBR30 | 17 | 1.18 | 8.59 | 9.77 | 9.68 | 99.0 | |
| O1715-18 | GBR31 | 18 | 1.16 | 8.50 | 9.66 | 9.63 | 99.6 | |
| O1715-19 | GBR32 | 19 | 1.13 | 8.44 | 9.57 | 9.5 | 99.2 | |
| O1715-20 | GBR33 | 20 | 1.13 | 8.45 | 9.58 | 9.5 | 99.1 | |
| O1715-21 | GBR34 | 21 | 1.18 | 8.34 | 9.52 | 9.43 | 98.9 | |

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$