



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 3/1/2023

OVENTEMP IN Celsius(°C): 107
Time IN: 14:20
In Date: 02/28/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:30
Out Date: 03/01/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB124293

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
O1716-01	GBR35	1	1.17	8.42	9.59	9.51	99.0	
O1716-02	GBR36	2	1.17	8.41	9.58	9.48	98.8	
O1716-03	GBR37	3	1.15	8.67	9.82	9.72	98.8	
O1716-04	GBR38	4	1.17	8.42	9.59	9.53	99.3	
O1716-05	GBR39	5	1.19	8.59	9.78	9.71	99.2	
O1716-06	GBR40	6	1.17	8.71	9.88	9.79	99.0	
O1716-07	GBR41	7	1.15	8.61	9.76	9.68	99.1	
O1716-08	GBR42	8	1.16	8.58	9.74	9.66	99.1	
O1716-09	GBR43	9	1.18	8.66	9.84	9.76	99.1	
O1716-10	GBR44	10	1.17	8.44	9.61	9.51	98.8	
O1716-11	GBR45	11	1.16	8.45	9.61	9.51	98.8	
O1716-12	GBR46	12	1.18	8.65	9.83	9.73	98.8	
O1716-13	GBR47	13	1.18	8.63	9.81	9.74	99.2	
O1716-14	GBR47D	14	1.13	8.68	9.81	9.74	99.2	
O1716-15	GBR47S	15	1.18	8.63	9.81	9.74	99.2	
O1716-16	GBR48	16	1.17	8.54	9.71	9.66	99.4	
O1716-17	GBR49	17	1.18	8.52	9.7	9.63	99.2	
O1716-18	GBR50	18	1.19	8.52	9.71	9.61	98.8	
O1716-19	GBR51	19	1.17	8.48	9.65	9.56	98.9	
O1716-20	GBR52	20	1.17	8.51	9.68	9.55	98.5	
O1716-21	GBR53	21	1.19	8.33	9.52	9.32	97.6	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$