



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 3/1/2023

OVENTEMP IN Celsius(°C): 107
Time IN: 14:25
In Date: 02/28/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:40
Out Date: 03/01/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB124297

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
O1717-01	GBR54	1	1.12	8.45	9.57	9.44	98.5	
O1717-02	GBR55	2	1.17	8.48	9.65	9.56	98.9	
O1717-03	GBR56	3	1.17	8.48	9.65	9.51	98.3	
O1717-04	GBR57	4	1.17	8.50	9.67	9.57	98.8	
O1717-05	GBR58	5	1.16	8.78	9.94	9.85	99.0	
O1717-06	GBR59	6	1.18	8.53	9.71	9.68	99.6	
O1717-07	GBR60	7	1.17	8.56	9.73	9.65	99.1	
O1717-08	GBR61	8	1.18	8.58	9.76	9.64	98.6	
O1717-09	GBR62	9	1.17	8.35	9.52	9.33	97.7	
O1717-10	GBR63	10	1.14	8.40	9.54	9.44	98.8	
O1717-11	GBR64	11	1.17	8.45	9.62	9.55	99.2	
O1717-12	GBR65	12	1.17	8.72	9.89	9.77	98.6	
O1717-13	GBR65D	13	1.17	8.72	9.89	9.77	98.6	
O1717-14	GBR65S	14	1.17	8.72	9.89	9.77	98.6	
O1717-15	GBR66	15	1.16	8.59	9.75	9.66	99.0	
O1717-16	GBR67	16	1.15	8.37	9.52	9.38	98.3	
O1717-17	GBR68	17	1.16	8.39	9.55	9.44	98.7	
O1717-18	GBR69	18	1.16	8.40	9.56	9.47	98.9	
O1717-19	GBR70	19	1.15	8.60	9.75	9.66	99.0	
O1717-20	GBR71	20	1.17	8.41	9.58	9.49	98.9	
O1717-21	GBR72	21	1.18	8.51	9.69	9.55	98.4	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$