



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 3/1/2023

OVENTEMP IN Celsius(°C): 107
Time IN: 14:35
In Date: 02/28/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:49
Out Date: 03/01/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB124298

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
O1718-01	GBR73	1	1.19	8.36	9.55	9.46	98.9	
O1718-02	GBR74	2	1.18	8.34	9.52	9.4	98.6	
O1718-03	GBR75	3	1.18	8.41	9.59	9.46	98.5	
O1718-04	GBR76	4	1.17	8.69	9.86	9.7	98.2	
O1718-05	GBR77	5	1.19	8.50	9.69	9.55	98.4	
O1718-06	GBR78	6	1.18	8.42	9.6	9.48	98.6	
O1718-07	GBR79	7	1.17	8.47	9.64	9.53	98.7	
O1718-08	GBR80	8	1.18	8.46	9.64	9.54	98.8	
O1718-09	GBR81	9	1.17	8.49	9.66	9.59	99.2	
O1718-10	GBR82	10	1.15	8.61	9.76	9.6	98.1	
O1718-11	GBR83	11	1.16	8.58	9.74	9.58	98.1	
O1718-12	GBR84	12	1.16	8.39	9.55	9.48	99.2	
O1718-13	GBR84D	13	1.16	8.39	9.55	9.48	99.2	
O1718-14	GBR84S	14	1.16	8.39	9.55	9.48	99.2	
O1718-15	GBR85	15	1.19	8.45	9.64	9.56	99.1	
O1718-16	GBR86	16	1.19	8.41	9.6	9.55	99.4	
O1718-17	GBR87	17	1.16	8.36	9.52	9.37	98.2	
O1718-18	GBR88	18	1.18	8.35	9.53	9.33	97.6	
O1718-19	GBR89	19	1.16	8.36	9.52	9.34	97.8	
O1718-20	GBR90	20	1.16	8.38	9.54	9.32	97.4	
O1718-21	GBR91	21	1.16	8.50	9.66	9.61	99.4	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$