



Analytical Summary Report

Analysis Method: 9095B
Parameter: Paint Filter
Run Number: LB124355

Reviewed By: Rubina
Supervisor Review By: Iwona
BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	O1742-01	RBR251669	1	100.05	0.00	03/02/2023	15:55
2	O1742-01DUP	RBR251669DUP	1	100.06	0.00	03/02/2023	16:02
3	O1744-01	72-11939	1	100.07	0.00	03/02/2023	16:10
4	O1760-01	RBR200058	1	100.05	0.00	03/02/2023	16:17
5	O1760-03	72-11998	1	100.02	0.00	03/02/2023	16:25
6	O1767-03	CE-45-030123	1	100.05	0.00	03/02/2023	16:32
7	O1767-07	CE-54-030123	1	100.06	0.00	03/02/2023	16:40
8	O1767-11	CE-63-030123	1	100.02	0.00	03/02/2023	16:48
9	O1767-15	CE-33-030123	1	100.04	0.00	03/02/2023	16:55

WORKLIST(Hardcopy Internal Chain)

6124355

WorkList Name : pf3-01

WorkList ID : 167764

Department : Wet-Chemistry

Date : 03-01-2023 08:24:55

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
03/01/2023	Solid	O1742-01	Paint Filter	Cool 4 deg C	PSEG03	E21	RBR251669	03/01/2023	9095B
03/01/2023	Solid	O1744-01	Paint Filter	Cool 4 deg C	PSEG03	E21	72-11939	03/01/2023	9095B
03/01/2023	Solid	O1760-01	Paint Filter	Cool 4 deg C	PSEG03	E21	RBR200058	03/01/2023	9095B
03/01/2023	Solid	O1760-03	Paint Filter	Cool 4 deg C	PSEG03	E21	72-11998	03/01/2023	9095B
03/01/2023	Solid	O1767-03	Paint Filter	Cool 4 deg C	RUTW01	E22	CE-45-030123	03/01/2023	9095B
03/01/2023	Solid	O1767-07	Paint Filter	Cool 4 deg C	RUTW01	E22	CE-54-030123	03/01/2023	9095B
03/01/2023	Solid	O1767-11	Paint Filter	Cool 4 deg C	RUTW01	E22	CE-63-030123	03/01/2023	9095B
03/01/2023	Solid	O1767-15	Paint Filter	Cool 4 deg C	RUTW01	E22	CE-33-030123	03/01/2023	9095B

Date/Time 03/02/2023 15:50

Raw Sample Received by: RM J. C. [Signature]

Raw Sample Relinquished by: J. C. [Signature]

Date/Time 03/02/2023 17:10
Raw Sample Received by: J. C. [Signature]
Raw Sample Relinquished by: RM [Signature]