



## Analytical Summary Report

**Analysis Method:** 9095B  
**Parameter:** Paint Filter  
**Run Number:** LB124529

**Reviewed By:** Rubina  
**Supervisor Review By:** Iwona  
**BalanceID:** WC SC-4

| Seq | LabID       | ClientID             | Dilution | Weight(g) | Inst.Conc<br>(ml/100g) | Anal Date  | Anal Time |
|-----|-------------|----------------------|----------|-----------|------------------------|------------|-----------|
| 1   | O1908-01    | HILLBOR-DRUMS-0314   | 1        | 100.02    | 0.00                   | 03/16/2023 | 14:55     |
| 2   | O1908-01DUP | HILLBOR-DRUMS-0314DU | 1        | 100.02    | 0.00                   | 03/16/2023 | 15:02     |
| 3   | O1908-02    | HILLBOR-DRUMS-0314   | 1        | 100.80    | 0.00                   | 03/16/2023 | 15:10     |
| 4   | O1919-01    | SU-02-03142023       | 1        | 100.02    | 0.00                   | 03/16/2023 | 15:18     |
| 5   | O1924-01    | RB21136              | 1        | 100.05    | 0.00                   | 03/16/2023 | 15:25     |
| 6   | O1924-03    | CHRT26700            | 1        | 100.04    | 0.00                   | 03/16/2023 | 15:32     |
| 7   | O1924-05    | CHRT27051            | 1        | 100.06    | 0.00                   | 03/16/2023 | 15:40     |
| 8   | O1928-01    | 031423-1             | 1        | 100.04    | 0.00                   | 03/16/2023 | 15:48     |
| 9   | O1928-02    | 031423-1             | 1        | 100.06    | 0.00                   | 03/16/2023 | 15:55     |
| 10  | O1932-03    | CE-86B-031423        | 1        | 100.07    | 0.00                   | 03/16/2023 | 16:02     |
| 11  | O1932-07    | CE-81-031423         | 1        | 100.02    | 0.00                   | 03/16/2023 | 16:10     |
| 12  | O1932-11    | CE-43-031423         | 1        | 100.05    | 0.00                   | 03/16/2023 | 16:17     |
| 13  | O1932-15    | JPP-6A-031423        | 1        | 100.04    | 0.00                   | 03/16/2023 | 16:25     |
| 14  | O1932-19    | JPP-6C-031423        | 1        | 100.04    | 0.00                   | 03/16/2023 | 16:32     |
| 15  | O1936-01    | OR-03-03152023       | 1        | 100.07    | 0.00                   | 03/16/2023 | 16:40     |
| 16  | O1939-04    | 20071                | 1        | 100.02    | 0.00                   | 03/16/2023 | 16:47     |

# WORKLIST(Hardcopy Internal Chain)

6124529

WorkList Name : pf-3-15

WorkList ID : 168152

Department : Wet-Chemistry

Date : 03-15-2023 08:23:08

| Due Date   | Matrix | Sample   | Test         | Preservative | Customer | Raw Sample Storage Location | Customer Sample    | Collect Date | Method |
|------------|--------|----------|--------------|--------------|----------|-----------------------------|--------------------|--------------|--------|
| 03/14/2023 | Solid  | O1932-03 | Paint Filter | Cool 4 deg C | RUTW01   | J11                         | CE-86B-031423      | 03/14/2023   | 9095B  |
| 03/14/2023 | Solid  | O1932-07 | Paint Filter | Cool 4 deg C | RUTW01   | J11                         | CE-81-031423       | 03/14/2023   | 9095B  |
| 03/14/2023 | Solid  | O1932-11 | Paint Filter | Cool 4 deg C | RUTW01   | J11                         | CE-43-031423       | 03/14/2023   | 9095B  |
| 03/14/2023 | Solid  | O1932-15 | Paint Filter | Cool 4 deg C | RUTW01   | J11                         | JPP-6A-031423      | 03/14/2023   | 9095B  |
| 03/14/2023 | Solid  | O1932-19 | Paint Filter | Cool 4 deg C | RUTW01   | J11                         | JPP-6C-031423      | 03/14/2023   | 9095B  |
| 03/14/2023 | Solid  | O1908-01 | Paint Filter | Cool 4 deg C | PSEG03   | J11                         | HILLBOR-DRUMS-0314 | 03/14/2023   | 9095B  |
| 03/14/2023 | Solid  | O1908-02 | Paint Filter | Cool 4 deg C | PSEG03   | J11                         | HILLBOR-DRUMS-0314 | 03/14/2023   | 9095B  |
| 03/15/2023 | Solid  | O1924-01 | Paint Filter | Cool 4 deg C | PSEG03   | J11                         | RB21136            | 03/15/2023   | 9095B  |
| 03/15/2023 | Solid  | O1924-03 | Paint Filter | Cool 4 deg C | PSEG03   | J11                         | CHRT26700          | 03/15/2023   | 9095B  |
| 03/15/2023 | Solid  | O1924-05 | Paint Filter | Cool 4 deg C | PSEG03   | J11                         | CHRT27051          | 03/15/2023   | 9095B  |
| 03/14/2023 | Solid  | O1928-01 | Paint Filter | Cool 4 deg C | PSEG03   | J11                         | 031423-1           | 03/14/2023   | 9095B  |
| 03/14/2023 | Solid  | O1928-02 | Paint Filter | Cool 4 deg C | PSEG03   | J11                         | 031423-1           | 03/14/2023   | 9095B  |
| 03/15/2023 | Solid  | O1939-04 | Paint Filter | Cool 4 deg C | PSEG03   | J11                         | 20071              | 03/15/2023   | 9095B  |
| 03/14/2023 | Solid  | O1919-01 | Paint Filter | Cool 4 deg C | PSEG05   | J11                         | SU-02-03142023     | 03/14/2023   | 9095B  |
| 03/15/2023 | Solid  | O1936-01 | Paint Filter | Cool 4 deg C | PSEG05   | J11                         | OR-03-03152023     | 03/15/2023   | 9095B  |

Date/Time 03/16/2023 14:45  
 Raw Sample Received by: RM CWC  
 Raw Sample Relinquished by: JWC

Date/Time 03/16/2023 17:00  
 Raw Sample Received by: JWC  
 Raw Sample Relinquished by: RM CWC