



## Analytical Summary Report

**Analysis Method:** 9095B  
**Parameter:** Paint Filter  
**Run Number:** LB124584

**Reviewed By:** Rubina  
**Supervisor Review By:** Iwona  
**BalanceID:** WC SC-4

| Seq | LabID       | ClientID             | Dilution | Weight(g) | Inst.Conc<br>(ml/100g) | Anal Date  | Anal Time |
|-----|-------------|----------------------|----------|-----------|------------------------|------------|-----------|
| 1   | O1975-01    | CHAMBER-B-72-WEST    | 1        | 100.05    | 0.00                   | 03/20/2023 | 15:50     |
| 2   | O1975-01DUP | CHAMBER-B-72-WESTDUP | 1        | 100.06    | 0.00                   | 03/20/2023 | 15:57     |
| 3   | O1975-04    | CHAMBER-C-72-WEST    | 1        | 100.02    | 0.00                   | 03/20/2023 | 16:05     |
| 4   | O2001-01    | IRV-1                | 1        | 100.04    | 0.00                   | 03/20/2023 | 16:12     |
| 5   | O2001-02    | IRV-1                | 1        | 100.06    | 0.00                   | 03/20/2023 | 16:20     |
| 6   | O2001-04    | IRV-2                | 1        | 100.06    | 0.00                   | 03/20/2023 | 16:27     |
| 7   | O2001-05    | IRV-2                | 1        | 100.02    | 0.00                   | 03/20/2023 | 16:35     |
| 8   | O2001-07    | IRV-3                | 1        | 100.07    | 0.00                   | 03/20/2023 | 16:42     |
| 9   | O2001-08    | IRV-3                | 1        | 100.07    | 0.00                   | 03/20/2023 | 16:50     |
| 10  | O2002-01    | 031023-3             | 1        | 100.04    | 0.00                   | 03/20/2023 | 16:57     |
| 11  | O2002-02    | 031023-3             | 1        | 100.05    | 0.00                   | 03/20/2023 | 17:05     |

# WORKLIST(Hardcopy Internal Chain)

61245824

WorkList Name : pf-3-20

WorkList ID : 168294

Department : Wet-Chemistry

Date : 03-20-2023 08:29:45

| Due Date   | Matrix | Sample   | Test         | Preservative | Customer | Raw Sample Storage Location | Customer Sample   | Collect Date | Method |
|------------|--------|----------|--------------|--------------|----------|-----------------------------|-------------------|--------------|--------|
| 03/16/2023 | Solid  | O1975-01 | Paint Filter | Cool 4 deg C | H2MA01   | J11                         | CHAMBER-B-72-WEST | 03/16/2023   | 9095B  |
| 03/16/2023 | Solid  | O1975-04 | Paint Filter | Cool 4 deg C | H2MA01   | J11                         | CHAMBER-C-72-WEST | 03/16/2023   | 9095B  |
| 03/17/2023 | Solid  | O2001-01 | Paint Filter | Cool 4 deg C | PSEG03   | J11                         | IRV-1             | 03/17/2023   | 9095B  |
| 03/17/2023 | Solid  | O2001-02 | Paint Filter | Cool 4 deg C | PSEG03   | J11                         | IRV-1             | 03/17/2023   | 9095B  |
| 03/17/2023 | Solid  | O2001-04 | Paint Filter | Cool 4 deg C | PSEG03   | J11                         | IRV-2             | 03/17/2023   | 9095B  |
| 03/17/2023 | Solid  | O2001-05 | Paint Filter | Cool 4 deg C | PSEG03   | J11                         | IRV-2             | 03/17/2023   | 9095B  |
| 03/17/2023 | Solid  | O2001-07 | Paint Filter | Cool 4 deg C | PSEG03   | J11                         | IRV-2             | 03/17/2023   | 9095B  |
| 03/17/2023 | Solid  | O2001-08 | Paint Filter | Cool 4 deg C | PSEG03   | J11                         | IRV-3             | 03/17/2023   | 9095B  |
| 03/16/2023 | Solid  | O2002-01 | Paint Filter | Cool 4 deg C | PSEG03   | J11                         | 031023-3          | 03/17/2023   | 9095B  |
| 03/16/2023 | Solid  | O2002-02 | Paint Filter | Cool 4 deg C | PSEG03   | J11                         | 031023-3          | 03/16/2023   | 9095B  |

Date/Time 03/20/2023 15:45  
 Raw Sample Received by: RM Cues  
 Raw Sample Relinquished by: JDC

Date/Time 03/20/2023 17:15  
 Raw Sample Received by: JDC  
 Raw Sample Relinquished by: RM Cues