



PERCENT SOLID

Supervisor: Iwona

Analyst: JIGNESH

Date: 3/27/2023

OVENTEMP IN Celsius(°C): 107

Time IN: 17:00

In Date: 03/24/2023

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:11

Out Date: 03/25/2023

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB124669

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
O2052-01	AUD-1846	1	1.18	8.45	9.63	8.08	81.7	
O2052-02	AUD-1525	2	1.12	8.53	9.65	9.39	97.0	
O2064-01	BU-03-032323	3	1.13	8.76	9.89	8.85	88.1	
O2065-01	1248	4	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
O2065-02	1161	5	1.11	8.57	9.68	8.13	81.9	
O2073-01	TRE-1715	6	1.19	8.66	9.85	9.5	96.0	
O2073-02	TRE-1713	7	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
O2082-01	ETGI-276	8	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
O2082-02	VNJ-224	9	1.12	8.85	9.97	8.74	86.1	
O2082-03	VNJ-224-EPH-2	10	1.15	8.50	9.65	8.08	81.5	
O2083-01	RT-3990	11	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
O2084-01	WASTE-DRUM-SOIL	12	1.13	8.85	9.98	9.02	89.2	
O2098-05	SVOC-GPC-BLANK	13	1.00	1.00	2.00	2.00	100.0	
O2098-06	PEST-GPC-BLANK	14	1.00	1.00	2.00	2.00	100.0	
O2098-07	PEST-GPC-BLANK-SPIKE	15	1.00	1.00	2.00	2.00	100.0	
O2098-08	PCB-GPC-BLANK	16	1.00	1.00	2.00	2.00	100.0	
O2098-09	PCB-GPC-BLANK-SPIKE	17	1.00	1.00	2.00	2.00	100.0	
O2098-10	SVOC-GPC2-BLANK	18	1.00	1.00	2.00	2.00	100.0	
O2098-11	PEST-GPC2-BLANK	19	1.00	1.00	2.00	2.00	100.0	
O2098-12	PEST-GPC2-BLANK-SPIKE	20	1.00	1.00	2.00	2.00	100.0	
O2098-13	PCB-GCP2-BLANK	21	1.00	1.00	2.00	2.00	100.0	
O2098-14	PCB-GCP2-BLANK-SPIKE	22	1.00	1.00	2.00	2.00	100.0	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$