



Analytical Summary Report

Analysis Method: 9045D

Analyst By : JIGNESH

Parameter: pH

Supervisor Review By : Iwona

Run Number: LB124680

Slope : 99.1

BalanceID: WC SC-4

pH Meter ID : WC PH METER-1

Calibration Standards	Chemtech Log#
PH 4 BUFFER SOLUTION	W2980
BUFFER PH 7.00 GREEN 1PINT PK6	W2981
PH 10.01 BUFFER,COLOR CD 475ML	W2888
buffer solution pH 7 yellow	W2887
Buffer Solution, PH2 (500ml)	W3005
pH 12.00 Buffer	W2940

True Value of ICV = 7.00 Control Limits[+/- 0.1].

True Value of CCV1 = 2.00 Control Limits[+/- 0.1].

True Value of CCV2 = 12.00 Control Limits[+/- 0.1].

Seq	LabID	DF	Matrix	Weight (gm)	Volume (ml)	Temperature (°C)	Result (pH)	Anal Date	Anal Time
1	CAL1	1	Water	NA	NA	20.7	4.01	03/24/2023	16:10
2	CAL2	1	Water	NA	NA	20.7	7.00	03/24/2023	16:11
3	CAL3	1	Water	NA	NA	20.7	10.03	03/24/2023	16:13
4	ICV	1	Water	NA	NA	20.7	6.98	03/24/2023	16:15
5	CCV1	1	Water	NA	NA	20.7	2.01	03/24/2023	16:20
6	O2064-01	1	Solid	20.02	20	21.7	7.33	03/24/2023	17:00
7	O2064-01DUP	1	Solid	20.03	20	21.8	7.34	03/24/2023	17:02
8	CCV2	1	Water	NA	NA	20.6	12.03	03/24/2023	17:05

WORKLIST(Hardcopy Internal Chain)

124680

WorkList Name : ph s o2064

WorkList ID : 168491

Department : Wet-Chemistry

Date : 03-24-2023 15:51:22

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
03/23/2023	Solid	O2064-01	pH			Cool 4 deg C	PSEG05 M11	BU-03-032323	03/23/2023 9045D

Date/Time

Raw Sample Received by:

Raw Sample Relinquished by:

03/24/23 16:00

JD (WOC)

JD CSM

Date/Time

Raw Sample Received by:

Raw Sample Relinquished by:

03/24/23

17:30

JD CSM

JD (WOC)