



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB124775

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	O2117-01	NB-8-032823	1	100.00	0.00	03/31/2023	14:10
2	O2117-01DUP	NB-8-032823DUP	1	100.04	0.00	03/31/2023	14:17
3	O2133-01	HD-02-033023	1	100.02	0.00	03/31/2023	14:25
4	O2136-01	SU-03-033023	1	100.02	0.00	03/31/2023	14:32
5	O2154-01	CONCRETE-SECTION-CUR	1	100.06	0.00	03/31/2023	14:40

WORKLIST(Hardcopy Internal Chain)

66124775

WorkList Name : pf-3-30

WorkList ID : 168619

Department : Wet-Chemistry

Date : 03-30-2023 10:21:41

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
03/28/2023	Solid	O2117-01	Paint Filter	Cool 4 deg C	PSEG05	K11	NB-8-032823	03/28/2023	9095B
03/30/2023	Solid	O2133-01	Paint Filter	Cool 4 deg C	PSEG05	M11	HD-02-033023	03/30/2023	9095B
03/30/2023	Solid	O2136-01	Paint Filter	Cool 4 deg C	PSEG05	M12	SU-03-033023	03/30/2023	9095B
03/31/2023	Solid	O2154-01	Paint Filter	Cool 4 deg C	PSEG03	M11	CONCRETE-SECTION-CURB	03/31/2023	9095B

Date/Time 03/31/2023 14:00
 Raw Sample Received by: RM CWC
 Raw Sample Relinquished by: TR(CWC)

Date/Time 03/31/2023 14:55
 Raw Sample Received by: TR(CWC)
 Raw Sample Relinquished by: RM CWC