



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: RUBINA

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB124874

BalanceID: WC SC 4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	O2191-02	72-11982	1	100.06	0.00	04/07/2023	10:10
2	O2191-02DUP	72-11982DUP	1	100.05	0.00	04/07/2023	10:17
3	O2206-01	72-11929	1	100.02	0.00	04/07/2023	10:25
4	O2208-01	RO-124035	1	100.04	0.00	04/07/2023	10:32
5	O2209-01	PSC-124055	1	100.05	0.00	04/07/2023	10:40
6	O2230-01	OK-01-040623	1	100.03	0.00	04/07/2023	10:48

WORKLIST(Hardcopy Internal Chain)

16124874

WorkList Name : pf-4-6

WorkList ID : 168803

Department : Wet-Chemistry

Date : 04-06-2023 08:21:59

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
04/05/2023	Solid	O2191-02	Paint Filter	Cool 4 deg C	PSEG03	M11	72-11982	04/05/2023	9095B
04/10/2023	Solid	O2206-01	Paint Filter	Cool 4 deg C	PSEG03	M11	72-11929	04/12/2023	9095B
04/05/2023	Solid	O2208-01	Paint Filter	Cool 4 deg C	PSEG03	M23	RO-124035	04/05/2023	9095B
04/05/2023	Solid	O2209-01	Paint Filter	Cool 4 deg C	PSEG03	M11	PSC-124055	04/05/2023	9095B
04/06/2023	Solid	O2230-01	Paint Filter	Cool 4 deg C	PSEG05	M11	OK-01-040623	04/06/2023	9095B

Date/Time 04/07/2023 10:00
 Raw Sample Received by: RM (w.c.)
 Raw Sample Relinquished by: JRC (w.c.)

Date/Time 04/07/2023 11:00
 Raw Sample Received by: JRC (w.c.)
 Raw Sample Relinquished by: RM (w.c.)