



PERCENT SOLID

Supervisor: Iwona

Analyst: JIGNESH

Date: 4/17/2023

OVENTEMP IN Celsius(°C): 107

Time IN: 16:00

In Date: 04/16/2023

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:00

Out Date: 04/17/2023

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB124981

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
O2352-01	BUR-1254	1	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
O2352-02	BUR-1255	2	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
O2352-03	BUR-1256	3	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
O2352-04	BUR-1257	4	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
O2352-05	BUR-1258	5	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
O2352-06	BUR-1259	6	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
O2356-01	MC11C9	7	1.00	1.00	2.00	2.00	100.0	
O2356-02	MC11D0	8	1.00	1.00	2.00	2.00	100.0	
O2356-03	MC11D1	9	1.00	1.00	2.00	2.00	100.0	
O2357-01	P2-S1-230413	10	1.14	8.58	9.72	7.35	72.4	
O2357-02	P2-S2-230413	11	1.15	8.82	9.97	7.6	73.1	
O2362-01	HW-STONE-1-0414	12	1.00	1.00	2.00	2.00	100.0	STONE SAMPLE,100% SOLIDS
O2362-02	HW-STONE-1-0414-EPH-2	13	1.00	1.00	2.00	2.00	100.0	STONE SAMPLE,100% SOLIDS
O2362-03	HW-STONE-2-0414	14	1.00	1.00	2.00	2.00	100.0	STONE SAMPLE,100% SOLIDS
O2362-04	HW-STONE-2-0414-EPH-2	15	1.00	1.00	2.00	2.00	100.0	STONE SAMPLE,100% SOLIDS
O2363-05	SVOC-GPC-BLANK	16	1.00	1.00	2.00	2.00	100.0	
O2363-06	PEST-GPC-BLANK	17	1.00	1.00	2.00	2.00	100.0	
O2363-07	PEST-GPC-BLANK-SPIKE	18	1.00	1.00	2.00	2.00	100.0	
O2363-08	PCB-GPC-BLANK	19	1.00	1.00	2.00	2.00	100.0	
O2363-09	PCB-GPC-BLANK-SPIKE	20	1.00	1.00	2.00	2.00	100.0	
O2363-10	SVOC-GPC2-BLANK	21	1.00	1.00	2.00	2.00	100.0	
O2363-11	PEST-GPC2-BLANK	22	1.00	1.00	2.00	2.00	100.0	
O2363-12	PEST-GPC2-BLANK-SPIKE	23	1.00	1.00	2.00	2.00	100.0	
O2363-13	PCB-GCP2-BLANK	24	1.00	1.00	2.00	2.00	100.0	
O2363-14	PCB-GCP2-BLANK-SPIKE	25	1.00	1.00	2.00	2.00	100.0	
O2365-01	COMP-1	26	1.00	1.00	2.00	2.00	100.0	debris
O2365-02	COMP-2	27	1.00	1.00	2.00	2.00	100.0	debris
O2365-03	COMP-3	28	1.13	8.70	9.83	8.47	84.4	



PERCENT SOLID

Supervisor: Iwona
Analyst: JIGNESH
Date: 4/17/2023

OVENTEMP IN Celsius(°C): 107
Time IN: 16:00
In Date: 04/16/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:00
Out Date: 04/17/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB124981

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
O2366-01	20230274-21-1	29	1.12	8.65	9.77	5.21	47.3	SLUDGE SAMPLE
O2366-02	20230279-22-1	30	1.15	8.82	9.97	5.51	49.4	SLUDGE SAMPLE
O2366-03	20230291-25-1	31	1.16	8.79	9.95	4.79	41.3	SLUDGE SAMPLE
O2366-04	20230299-27-1	32	1.1	8.71	9.81	4.34	37.2	SLUDGE SAMPLE
O2366-05	20230307-29-1	33	1.16	8.81	9.97	4.93	42.8	SLUDGE SAMPLE
O2366-06	20230330-COMP-8	34	1.15	8.76	9.91	7.44	71.8	SLUDGE SAMPLE
O2366-07	20230335-COMP-13	35	1.16	8.82	9.98	6.25	57.7	SLUDGE SAMPLE
O2366-08	20230339-COMP-17	36	1.19	8.73	9.92	5.38	48.0	SLUDGE SAMPLE
O2366-09	20230341-COMP-19	37	1.19	8.72	9.91	4.42	37.0	SLUDGE SAMPLE
O2366-10	20230342-COMP-20	38	1.19	8.64	9.83	4.74	41.1	SLUDGE SAMPLE
O2366-11	20230348-COMP-26	39	1.11	8.66	9.77	5.7	53.0	SLUDGE SAMPLE
O2369-01	SU-04-041423	40	1.14	8.59	9.73	9.43	96.5	
O2369-02	SU-04-041423-EPH-2	41	1.14	8.59	9.73	9.43	96.5	
O2370-01	HR-04-041423	42	1.13	8.44	9.57	9.38	97.7	
O2370-02	HR-04-041423-EPH-2	43	1.13	8.44	9.57	9.38	97.7	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$