



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: RUBINA

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB124989

BalanceID: WC SC 4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	O2301-02	WASTE	1	100.03	0.00	04/17/2023	08:40
2	O2301-02DUP	WASTEDUP	1	100.02	0.00	04/17/2023	08:48
3	O2348-01	TR-05-041323	1	100.04	0.00	04/17/2023	08:55
4	O2349-01	NB-07-041323	1	100.02	0.00	04/17/2023	09:02
5	O2362-01	HW-STONE-1-0414	1	100.04	0.00	04/17/2023	09:10
6	O2362-03	HW-STONE-2-0414	1	100.05	0.00	04/17/2023	09:17
7	O2369-01	SU-04-041423	1	100.03	0.00	04/17/2023	09:25
8	O2370-01	HR-04-041423	1	100.03	0.00	04/17/2023	09:32

WORKLIST(Hardcopy Internal Chain)

16124989

WorkList Name : pf4-17

WorkList ID : 169090

Department : Wet-Chemistry

Date : 04-17-2023 08:23:43

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
04/11/2023	Solid	• O2301-02	Paint Filter	Cool 4 deg C	RMJE02	O11	WASTE	04/11/2023	9095B
04/13/2023	Solid	• O2348-01	Paint Filter	Cool 4 deg C	PSEG05	M11	TR-05-041323	04/13/2023	9095B
04/13/2023	Solid	• O2349-01	Paint Filter	Cool 4 deg C	PSEG05	M11	NB-07-041323	04/13/2023	9095B
04/14/2023	Solid	O2362-01	Paint Filter	Cool 4 deg C	PSEG03	M11	HW-STONE-1-0414	04/14/2023	9095B
04/14/2023	Solid	O2362-03	Paint Filter	Cool 4 deg C	PSEG03	M11	HW-STONE-2-0414	04/14/2023	9095B
04/14/2023	Solid	O2369-01	Paint Filter	Cool 4 deg C	PSEG05	M11	SU-04-041423	04/14/2023	9095B
04/14/2023	Solid	O2370-01	Paint Filter	Cool 4 deg C	PSEG05	M11	HR-04-041423	04/14/2023	9095B

Date/Time 04/17/2023 08:30
 Raw Sample Received by: RM cwc
 Raw Sample Relinquished by: JMC

Date/Time 04/17/2023 09:45
 Raw Sample Received by: JMC
 Raw Sample Relinquished by: RM cwc