



Analytical Summary Report

Analysis Method: 9095B
Parameter: Paint Filter
Run Number: LB125046

Reviewed By: Rubina
Supervisor Review By: Iwona
BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	O2386-03	SPA-1WC-23-04	1	100.02	0.00	04/19/2023	13:00
2	O2386-03DUP	SPA-1WC-23-04DUP	1	100.03	0.00	04/19/2023	13:07
3	O2386-07	SPA-2WC-23-04	1	100.04	0.00	04/19/2023	13:15
4	O2386-11	SPA-3WC-23-04	1	100.02	0.00	04/19/2023	13:22
5	O2386-15	SPA-4WC-23-04	1	100.03	0.00	04/19/2023	13:30
6	O2386-19	SPA-5WC-23-04	1	100.02	0.00	04/19/2023	13:38
7	O2389-03	SPB-1WC-23-04-17	1	100.04	0.00	04/19/2023	13:45
8	O2389-07	SPB-2WC-23-04-17	1	100.05	0.00	04/19/2023	13:52
9	O2389-11	SPB-3WC-23-04-17	1	100.02	0.00	04/19/2023	14:00
10	O2389-15	SPB-4WC-23-04-17	1	100.03	0.00	04/19/2023	14:07
11	O2389-19	SPB-5WC-23-04-17	1	100.03	0.00	04/19/2023	14:15
12	O2389-23	SPB-6WC-23-04-17	1	100.04	0.00	04/19/2023	14:22
13	O2389-27	SPB-7WC-23-04-17	1	100.05	0.00	04/19/2023	14:30
14	O2389-31	SPB-8WC-23-04-17	1	100.04	0.00	04/19/2023	14:38
15	O2390-03	SPC-1WC-23-04-17	1	100.02	0.00	04/19/2023	14:45
16	O2390-07	SPC-2WC-23-04-17	1	100.06	0.00	04/19/2023	14:52
17	O2390-11	SPC-3WC-23-04-17	1	100.00	0.00	04/19/2023	15:00
18	O2393-01	VNJ-229	1	100.02	0.00	04/19/2023	15:07
19	O2404-01	OK-2-041823	1	100.06	0.00	04/19/2023	15:15

WORKLIST(Hardcopy Internal Chain)

WorkList Name : pf-4-18

WorkList ID : 169133

Department : Wet-Chemistry

Date : 04-18-2023 08:24:38

66125046

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
04/17/2023	Solid	O2386-03	Paint Filter	Cool 4 deg C	ENVO01	M11	SPA-1WC-23-04	04/17/2023	9095B
04/17/2023	Solid	O2386-07	Paint Filter	Cool 4 deg C	ENVO01	M11	SPA-2WC-23-04	04/17/2023	9095B
04/17/2023	Solid	O2386-11	Paint Filter	Cool 4 deg C	ENVO01	M11	SPA-3WC-23-04	04/17/2023	9095B
04/17/2023	Solid	O2386-15	Paint Filter	Cool 4 deg C	ENVO01	M11	SPA-4WC-23-04	04/17/2023	9095B
04/17/2023	Solid	O2386-19	Paint Filter	Cool 4 deg C	ENVO01	M11	SPA-5WC-23-04	04/17/2023	9095B
04/17/2023	Solid	O2389-03	Paint Filter	Cool 4 deg C	ENVO01	M11	SPB-1WC-23-04-17	04/17/2023	9095B
04/17/2023	Solid	O2380-31	Paint Filter	Cool 4 deg C	ENVO01	M11	SPB-8WC-23-04-17	04/17/2023	9095B
04/17/2023	Solid	O2390-03	Paint Filter	Cool 4 deg C	ENVO01	M11	SPC-1WC-23-04-17	04/17/2023	9095B
04/17/2023	Solid	O2390-07	Paint Filter	Cool 4 deg C	ENVO01	M11	SPC-2WC-23-04-17	04/17/2023	9095B
04/17/2023	Solid	O2390-11	Paint Filter	Cool 4 deg C	ENVO01	M11	SPC-3WC-23-04-17	04/17/2023	9095B
04/17/2023	Solid	O2389-07	Paint Filter	Cool 4 deg C	ENVO01	M11	SPB-2WC-23-04-17	04/17/2023	9095B
04/17/2023	Solid	O2389-11	Paint Filter	Cool 4 deg C	ENVO01	M11	SPB-3WC-23-04-17	04/17/2023	9095B
04/17/2023	Solid	O2389-15	Paint Filter	Cool 4 deg C	ENVO01	M11	SPB-4WC-23-04-17	04/17/2023	9095B
04/17/2023	Solid	O2389-19	Paint Filter	Cool 4 deg C	ENVO01	M11	SPB-5WC-23-04-17	04/17/2023	9095B
04/17/2023	Solid	O2389-23	Paint Filter	Cool 4 deg C	ENVO01	M11	SPB-6WC-23-04-17	04/17/2023	9095B
04/17/2023	Solid	O2389-27	Paint Filter	Cool 4 deg C	ENVO01	M11	SPB-7WC-23-04-17	04/17/2023	9095B
04/18/2023	Solid	O2393-01	Paint Filter	Cool 4 deg C	PSEG03	M11	VNJ-229	04/18/2023	9095B
04/18/2023	Solid	O2404-01	Paint Filter	Cool 4 deg C	PSEG05	M11	OK-2-041823	04/18/2023	9095B

Date/Time 04/19/2023 12:50
 Raw Sample Received by: RM cwc
 Raw Sample Relinquished by: JPC

Date/Time 04/19/2023 15:30
 Raw Sample Received by: JPC
 Raw Sample Relinquished by: RM cwc