



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB125066

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	O2423-03	SPD-1WC-23-04-18	1	100.02	0.00	04/20/2023	14:45
2	O2423-03DUP	SPD-1WC-23-04-18DUP	1	100.02	0.00	04/20/2023	14:52
3	O2423-07	SPD-2WC-23-04-18	1	100.04	0.00	04/20/2023	15:00
4	O2423-11	SPE-1WC-23-04-18	1	100.04	0.00	04/20/2023	15:07
5	O2423-15	SPE-2WC-23-04-18	1	100.02	0.00	04/20/2023	15:15
6	O2426-01	EO-3-041923	1	100.04	0.00	04/20/2023	15:22

WORKLIST(Hardcopy Internal Chain)

26125066

WorkList Name : pf-4-20

WorkList ID : 169223

Department : Wet-Chemistry

Date : 04-20-2023 08:25:38

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
04/18/2023	Solid	O2423-03	Paint Filter	Cool 4 deg C	ENVO01	M11	SPD-1WC-23-04-18	04/18/2023	9095B
04/18/2023	Solid	O2423-07	Paint Filter	Cool 4 deg C	ENVO01	M11	SPD-2WC-23-04-18	04/18/2023	9095B
04/18/2023	Solid	O2423-11	Paint Filter	Cool 4 deg C	ENVO01	M11	SPE-1WC-23-04-18	04/18/2023	9095B
04/18/2023	Solid	O2423-15	Paint Filter	Cool 4 deg C	ENVO01	M11	SPE-2WC-23-04-18	04/18/2023	9095B
04/19/2023	Solid	O2426-01	Paint Filter	Cool 4 deg C	PSEG05	M11	EO-3-041923	04/19/2023	9095B

Date/Time 04/20/2023 15:35
 Raw Sample Received by: RMA CWC
 Raw Sample Relinquished by: JQ(CDC)

Date/Time 04/20/2023 15:35
 Raw Sample Received by: JQ(CDC)
 Raw Sample Relinquished by: RMA CWC