



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 5/1/2023

OVENTEMP IN Celsius(°C): 107
Time IN: 17:00
In Date: 04/28/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:30
Out Date: 04/29/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB125208

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
O2523-01	IRV-2023-10A	1	1.00	1.00	2.00	2.00	100.0	PILC REEL
O2523-02	IRV-2023-10B	2	1.00	1.00	2.00	2.00	100.0	PILC REEL
O2523-03	IRV-2023-11A	3	1.00	1.00	2.00	2.00	100.0	PILC REEL
O2523-04	IRV-2023-11B	4	1.00	1.00	2.00	2.00	100.0	PILC REEL
O2523-05	IRV-2023-12A	5	1.00	1.00	2.00	2.00	100.0	PILC REEL
O2523-06	IRV-2023-12B	6	1.00	1.00	2.00	2.00	100.0	PILC REEL
O2523-07	IRV-2023-13A	7	1.00	1.00	2.00	2.00	100.0	PILC REEL
O2523-08	IRV-2023-13B	8	1.00	1.00	2.00	2.00	100.0	PILC REEL
O2523-09	IRV-2023-14A	9	1.00	1.00	2.00	2.00	100.0	PILC REEL
O2523-10	IRV-2023-14B	10	1.00	1.00	2.00	2.00	100.0	PILC REEL
O2523-11	IRV-2023-15A	11	1.00	1.00	2.00	2.00	100.0	PILC REEL
O2523-12	IRV-2023-15B	12	1.00	1.00	2.00	2.00	100.0	PILC REEL
O2523-13	IRV-2023-16A	13	1.00	1.00	2.00	2.00	100.0	PILC REEL
O2523-14	IRV-2023-16B	14	1.00	1.00	2.00	2.00	100.0	PILC REEL
O2529-03	LNWC	67	1.00	1.00	2.00	2.00	100.0	OIL SAMPLE
O2530-01	T-1	15	1.14	8.60	9.74	8.56	86.3	
O2530-02	T-2	16	1.17	8.51	9.68	8.52	86.4	
O2530-03	T-3	17	1.19	8.43	9.62	8.45	86.1	
O2530-04	T-4	18	1.18	8.59	9.77	8.57	86.0	
O2530-05	T-5	19	1.15	8.79	9.94	8.67	85.6	
O2530-06	T-6	20	1.19	8.52	9.71	8.5	85.8	
O2543-01	011	21	1.00	1.00	2.00	2.00	100.0	OIL SAMPLE
O2543-02	012	22	1.00	1.00	2.00	2.00	100.0	OIL SAMPLE,
O2543-03	013	23	1.00	1.00	2.00	2.00	100.0	OIL SAMPLE,
O2543-04	014	24	1.00	1.00	2.00	2.00	100.0	OIL SAMPLE,
O2544-01	007	25	1.00	1.00	2.00	2.00	100.0	OIL SAMPLE,
O2544-02	008	26	1.00	1.00	2.00	2.00	100.0	OIL SAMPLE,
O2544-03	009	27	1.00	1.00	2.00	2.00	100.0	OIL SAMPLE,



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 5/1/2023

OVENTEMP IN Celsius(°C): 107
Time IN: 17:00
In Date: 04/28/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:30
Out Date: 04/29/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB125208

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
O2544-04	010	28	1.00	1.00	2.00	2.00	100.0	OIL SAMPLE,
O2545-01	003	29	1.00	1.00	2.00	2.00	100.0	OIL SAMPLE,
O2545-02	004	30	1.00	1.00	2.00	2.00	100.0	OIL SAMPLE,
O2545-03	005	31	1.00	1.00	2.00	2.00	100.0	OIL SAMPLE,
O2545-04	006	32	1.00	1.00	2.00	2.00	100.0	OIL SAMPLE,
O2546-01	001	33	1.00	1.00	2.00	2.00	100.0	OIL SAMPLE,
O2546-02	002	34	1.00	1.00	2.00	2.00	100.0	OIL SAMPLE,
O2550-01	M-041923RB05	35	1.00	1.00	2.00	2.00	100.0	STONE SAMPLE,100% SOLIDS
O2550-02	M-041923RB06	36	1.00	1.00	2.00	2.00	100.0	breck sample
O2550-03	M-041923RB07	37	1.00	1.00	2.00	2.00	100.0	wall plester
O2550-04	M-041923RB08	38	1.00	1.00	2.00	2.00	100.0	flooring compond
O2550-05	M-041923RB09	39	1.00	1.00	2.00	2.00	100.0	medel lath floor
O2550-06	M-041923RB10	40	1.00	1.00	2.00	2.00	100.0	white floor stone
O2550-07	M-041923RB11	41	1.00	1.00	2.00	2.00	100.0	wood sill sample
O2558-01	P001-SS011-0006-01	42	1.18	8.79	9.97	6.3	58.2	
O2558-02	O2558-01MS	43	1.18	8.79	9.97	6.3	58.2	
O2558-03	O2558-01MSD	44	1.18	8.79	9.97	6.3	58.2	
O2558-04	P001-SS011-0006-02	45	1.19	8.77	9.96	7.02	66.5	
O2558-05	P001-SS012-0006-01	46	1.12	8.81	9.93	6.59	62.1	
O2558-06	P001-SS013-0006-01	47	1.13	8.82	9.95	8.71	85.9	
O2558-07	P001-SS013-0612-01	48	1.19	8.48	9.67	8.22	82.9	
O2558-08	P001-SS013-1218-01	49	1.1	8.87	9.97	8.45	82.9	
O2559-01	WASTE	50	1.11	8.68	9.79	8.48	84.9	
O2559-02	VOC	51	1.18	8.37	9.55	8.32	85.3	
O2559-03	1	52	1.19	8.43	9.62	8.5	86.7	
O2559-04	2	53	1.15	8.73	9.88	8.64	85.8	
O2559-05	3	54	1.16	8.60	9.76	8.53	85.7	
O2559-06	4	55	1.17	8.71	9.88	8.58	85.1	



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 5/1/2023

OVENTEMP IN Celsius(°C): 107
Time IN: 17:00
In Date: 04/28/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:30
Out Date: 04/29/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB125208

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
O2559-07	5	56	1.1	8.74	9.84	8.44	84.0	
O2561-05	SVOC-GPC-BLANK	57	1.00	1.00	2.00	2.00	100.0	
O2561-06	PEST-GPC-BLANK	58	1.00	1.00	2.00	2.00	100.0	
O2561-07	PEST-GPC-BLANK-SPIKE	59	1.00	1.00	2.00	2.00	100.0	
O2561-08	PCB-GPC-BLANK	60	1.00	1.00	2.00	2.00	100.0	
O2561-09	PCB-GPC-BLANK-SPIKE	61	1.00	1.00	2.00	2.00	100.0	
O2561-10	SVOC-GPC2-BLANK	62	1.00	1.00	2.00	2.00	100.0	
O2561-11	PEST-GPC2-BLANK	63	1.00	1.00	2.00	2.00	100.0	
O2561-12	PEST-GPC2-BLANK-SPIKE	64	1.00	1.00	2.00	2.00	100.0	
O2561-13	PCB-GCP2-BLANK	65	1.00	1.00	2.00	2.00	100.0	
O2561-14	PCB-GCP2-BLANK-SPIKE	66	1.00	1.00	2.00	2.00	100.0	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$