



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: RUBINA

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB125233

BalanceID: WC SC 4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	O2554-01	TR-04-42823	1	100.05	0.00	05/01/2023	10:15
2	O2554-01DUP	TR-04-42823DUP	1	100.04	0.00	05/01/2023	10:22
3	O2555-01	OE-1-042823	1	100.02	0.00	05/01/2023	10:30
4	O2557-01	JC-03-042823-A	1	100.04	0.00	05/01/2023	10:37
5	O2557-03	JC-03-042823-B	1	100.02	0.00	05/01/2023	10:45
6	O2562-01	OR-02-04282023	1	100.03	0.00	05/01/2023	10:52
7	O2563-01	HR-01-042823	1	100.04	0.00	05/01/2023	11:00
8	O2563-03	HR-03-042823	1	100.02	0.00	05/01/2023	11:07

WORKLIST(Hardcopy Internal Chain)

LB 125233

WorkList Name : pf-5-01

WorkList ID : 169542

Department : Wet-Chemistry

Date : 05-01-2023 08:31:02

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
04/28/2023	Solid	O2554-01	Paint Filter	Cool 4 deg C	PSEG05	K13	TR-04-42823	04/28/2023	9095B
04/28/2023	Solid	O2555-01	Paint Filter	Cool 4 deg C	PSEG05	K13	OE-1-042823	04/28/2023	9095B
04/28/2023	Solid	O2557-01	Paint Filter	Cool 4 deg C	PSEG05	K11	JC-03-042823-A	04/28/2023	9095B
04/28/2023	Solid	O2557-03	Paint Filter	Cool 4 deg C	PSEG05	K11	JC-03-042823-B	04/28/2023	9095B
04/28/2023	Solid	O2562-01	Paint Filter	Cool 4 deg C	PSEG05	K11	OR-02-04282023	04/28/2023	9095B
04/28/2023	Solid	O2563-01	Paint Filter	Cool 4 deg C	PSEG05	N11	HR-01-042823	04/28/2023	9095B
04/28/2023	Solid	O2563-03	Paint Filter	Cool 4 deg C	PSEG05	N11	HR-03-042823	04/28/2023	9095B

Date/Time 05/01/2023 10:00
 Raw Sample Received by: Rm (wv)
 Raw Sample Relinquished by: JPC (C)

Date/Time 05/01/2023 11:20
 Raw Sample Received by: JPC (C)
 Raw Sample Relinquished by: Rm (wv)