



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB125346

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	O2624-01	WZ-3	1	100.04	0.00	05/08/2023	15:40
2	O2624-01DUP	WZ-3DUP	1	100.04	0.00	05/08/2023	15:47
3	O2624-02	WZ-2A	1	100.02	0.00	05/08/2023	15:55
4	O2624-03	WZ-2B	1	100.03	0.00	05/08/2023	16:02
5	O2652-01	CLAY-LINER	1	100.02	0.00	05/08/2023	16:10
6	O2652-02	CLAY-LINER	1	100.04	0.00	05/08/2023	16:17
7	O2659-04	DGA-CRUSHED-STONE	1	100.05	0.00	05/08/2023	16:25
8	O2665-01	TR-612-COMP-01	1	100.02	0.00	05/08/2023	16:32
9	O2665-08	TR-612-COMP-02	1	100.05	0.00	05/08/2023	16:40

WORKLIST(Hardcopy Internal Chain)

WorkList Name : pf-5-8

WorkList ID : 169732

Department : Wet-Chemistry

Date : 05-08-2023 08:26:45

06/25346

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
05/04/2023	Solid	O2624-01	Paint Filter	Cool 4 deg C	EARTH03	O11	WZ-3	05/04/2023	9095B
05/04/2023	Solid	O2624-02	Paint Filter	Cool 4 deg C	EARTH03	O11	WZ-2A	05/04/2023	9095B
05/04/2023	Solid	O2624-03	Paint Filter	Cool 4 deg C	EARTH03	O11	WZ-2B	05/04/2023	9095B
05/05/2023	Solid	O2652-01	Paint Filter	Cool 4 deg C	PSEG03	O11	CLAY-LINER	05/05/2023	9095B
05/05/2023	Solid	O2652-02	Paint Filter	Cool 4 deg C	PSEG03	O11	CLAY-LINER	05/05/2023	9095B
05/05/2023	Solid	O2659-04	Paint Filter	Cool 4 deg C	PSEG03	O11	DGA-CRUSHED-STONE	05/05/2023	9095B
05/06/2023	Solid	O2665-01	Paint Filter	Cool 4 deg C	PSEG03	O11	TR-612-COMP-01	05/06/2023	9095B
05/06/2023	Solid	O2665-08	Paint Filter	Cool 4 deg C	PSEG03	O11	TR-612-COMP-02	05/06/2023	9095B

Date/Time 05/08/2023 15:35
 Raw Sample Received by: Rrg (we)
 Raw Sample Relinquished by: Rrg (we)

Date/Time 05/08/2023 16:50
 Raw Sample Received by: Rrg (we)
 Raw Sample Relinquished by: Rrg (we)