



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 5/22/2023

OVENTEMP IN Celsius(°C): 107
Time IN: 17:25
In Date: 05/19/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:33
Out Date: 05/20/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB125551

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
O2840-02	TP-1	100	1.14	8.82	9.96	8.78	86.6	
O2840-03	TP-1-EPH-2	101	1.14	8.82	9.96	8.78	86.6	
O2840-04	TP-2	102	1.19	8.61	9.8	8.43	84.1	
O2840-05	TP-2-EPH-2	103	1.19	8.61	9.8	8.43	84.1	
O2845-01	TP1	1	1.44	8.21	9.65	8.95	91.5	
O2845-03	TP1-A	2	1.12	8.51	9.63	8.3	84.4	
O2845-04	TP1-B	3	1.18	8.62	9.8	8.54	85.4	
O2845-05	TP1-C	4	1.19	8.69	9.88	8.47	83.8	
O2845-06	TP1-D	5	1.12	8.45	9.57	8.24	84.3	
O2845-07	TP1-E	6	1.11	8.56	9.67	8.3	84.0	
O2845-08	TP1-F	7	1.15	8.78	9.93	8.57	84.5	
O2845-09	TP1-G	8	1.15	8.82	9.97	9.1	90.1	
O2845-10	TP1-H	9	1.17	8.33	9.5	8.31	85.7	
O2845-11	TP2	10	1.19	8.49	9.68	8.71	88.6	
O2845-13	TP2-A	11	1.19	8.39	9.58	8.64	88.8	
O2845-14	TP2-B	12	1.15	8.39	9.54	8.79	91.1	
O2845-15	TP2-C	13	1.12	8.48	9.6	8.72	89.6	
O2845-16	TP2-D	14	1.17	8.60	9.77	9.00	91.0	
O2845-17	TP2-E	15	1.17	8.48	9.65	8.94	91.6	
O2845-18	TP2-F	16	1.15	8.82	9.97	9.18	91.0	
O2845-19	TP2-G	17	1.19	8.65	9.84	9.09	91.3	
O2845-20	TP2-H	18	1.15	8.48	9.63	8.5	86.7	
O2845-21	TP3	19	1.1	8.79	9.89	8.97	89.5	
O2845-23	TP3-A	20	1.18	8.48	9.66	8.76	89.4	
O2845-24	TP3-B	21	1.19	8.77	9.96	9.05	89.6	
O2845-25	TP3-C	22	1.18	8.45	9.63	8.52	86.9	
O2845-26	TP3-D	23	1.18	8.61	9.79	8.8	88.5	
O2845-27	TP3-E	24	1.12	8.68	9.8	8.85	89.1	



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 5/22/2023

OVENTEMP IN Celsius(°C): 107
Time IN: 17:25
In Date: 05/19/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:33
Out Date: 05/20/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB125551

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
O2845-28	TP3-F	25	1.15	8.80	9.95	9.17	91.1	
O2845-29	TP3-G	26	1.18	8.56	9.74	8.87	89.8	
O2845-30	TP3-H	27	1.19	8.65	9.84	8.8	88.0	
O2847-01	TR-04-051823	104	1.18	8.38	9.56	9.24	96.2	
O2847-02	TR-04-051823-EPH-2	105	1.18	8.38	9.56	9.24	96.2	
O2848-01	TP4	28	1.16	8.39	9.55	8.66	89.4	
O2848-02	TP4-A	29	1.15	8.35	9.5	8.61	89.3	
O2848-03	TP4-B	30	1.19	8.78	9.97	9.2	91.2	
O2848-04	TP4-C	31	1.13	8.64	9.77	8.84	89.2	
O2848-05	TP4-D	32	1.19	8.79	9.98	8.94	88.2	
O2848-06	TP4-E	33	1.18	8.50	9.68	8.45	85.5	
O2848-07	TP4-F	34	1.15	8.83	9.98	9.32	92.5	
O2848-08	TP4-G	35	1.16	8.76	9.92	8.64	85.4	
O2848-09	TP4-H	36	1.11	8.74	9.85	8.9	89.1	
O2848-10	TP5	37	1.18	8.80	9.98	9.04	89.3	
O2848-12	TP5-A	38	1.16	8.81	9.97	9.00	89.0	
O2848-13	TP5-B	39	1.15	8.36	9.51	8.46	87.4	
O2848-14	TP5-C	40	1.19	8.49	9.68	8.86	90.3	
O2848-15	TP5-D	41	1.18	8.44	9.62	8.68	88.9	
O2848-16	TP5-E	42	1.19	8.58	9.77	8.79	88.6	
O2848-17	TP5-F	43	1.19	8.71	9.9	8.79	87.3	
O2848-18	TP5-G	44	1.13	8.47	9.6	8.45	86.4	
O2848-19	TP5-H	45	1.18	8.59	9.77	8.79	88.6	
O2848-20	TP6	46	1.19	8.52	9.71	8.8	89.3	
O2848-22	TP6-A	47	1.19	8.41	9.6	8.56	87.6	
O2848-23	TP6-B	48	1.17	8.44	9.61	8.75	89.8	
O2848-24	TP6-C	49	1.19	8.40	9.59	8.49	86.9	
O2848-25	TP6-D	50	1.15	8.83	9.98	9.22	91.4	



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 5/22/2023

OVENTEMP IN Celsius(°C): 107
Time IN: 17:25
In Date: 05/19/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:33
Out Date: 05/20/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB125551

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
O2848-26	TP6-E	51	1.19	8.49	9.68	8.77	89.3	
O2848-27	TP6-F	52	1.18	8.52	9.7	8.75	88.8	
O2848-28	TP6-G	53	1.14	8.85	9.99	8.74	85.9	
O2848-29	TP6-H	54	1.18	8.80	9.98	8.89	87.6	
O2849-01	TP7	55	1.14	8.83	9.97	9.08	89.9	
O2849-03	TP7-A	56	1.18	8.61	9.79	8.97	90.5	
O2849-04	TP7-B	57	1.1	8.78	9.88	8.97	89.6	
O2849-05	TP7-C	58	1.18	8.71	9.89	8.81	87.6	
O2849-06	TP7-D	59	1.19	8.55	9.74	8.81	89.1	
O2849-07	TP7-E	60	1.19	8.49	9.68	8.54	86.6	
O2849-08	TP7-F	61	1.19	8.31	9.5	8.33	85.9	
O2849-09	TP7-G	62	1.14	8.85	9.99	8.97	88.5	
O2849-10	TP7-H	63	1.12	8.49	9.61	8.5	86.9	
O2849-11	TP8	64	1.19	8.45	9.64	8.73	89.2	
O2849-13	TP8-A	65	1.16	8.40	9.56	8.58	88.3	
O2849-14	TP8-B	66	1.19	8.42	9.61	8.75	89.8	
O2849-15	TP8-C	67	1.16	8.78	9.94	8.99	89.2	
O2849-16	TP8-D	68	1.19	8.55	9.74	8.84	89.5	
O2849-17	TP8-E	69	1.12	8.71	9.83	8.79	88.1	
O2849-18	TP8-F	70	1.14	8.68	9.82	8.94	89.9	
O2849-19	TP8-G	71	1.17	8.49	9.66	8.95	91.6	
O2849-20	TP8-H	72	1.18	8.67	9.85	8.96	89.7	
O2849-21	TP9	73	1.15	8.81	9.96	9.26	92.1	
O2849-23	TP9-A	74	1.19	8.78	9.97	9.00	89.0	
O2849-24	TP9-B	75	1.1	8.50	9.6	8.26	84.2	
O2849-25	TP9-C	76	1.12	8.47	9.59	8.5	87.1	
O2849-26	TP9-D	77	1.19	8.32	9.51	8.63	89.4	
O2849-27	TP9-E	78	1.1	8.79	9.89	8.91	88.9	



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 5/22/2023

OVENTEMP IN Celsius(°C): 107
Time IN: 17:25
In Date: 05/19/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:33
Out Date: 05/20/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB125551

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
O2849-28	TP9-F	79	1.12	8.46	9.58	8.42	86.3	
O2849-29	TP9-G	80	1.13	8.64	9.77	8.9	89.9	
O2849-30	TP9-H	81	1.19	8.36	9.55	8.79	90.9	
O2849-31	TP10	82	1.19	8.58	9.77	8.9	89.9	
O2849-33	TP10-A	83	1.18	8.48	9.66	8.44	85.6	
O2849-34	TP10-B	84	1.19	8.58	9.77	8.62	86.6	
O2849-35	TP10-C	85	1.13	8.43	9.56	8.5	87.4	
O2849-36	TP10-D	86	1.15	8.80	9.95	8.81	87.0	
O2849-37	TP10-E	87	1.19	8.71	9.9	8.48	83.7	
O2849-38	TP10-F	88	1.18	8.72	9.9	8.39	82.7	
O2849-39	TP10-G	89	1.19	8.51	9.7	8.48	85.7	
O2849-40	TP10-H	90	1.19	8.70	9.89	8.83	87.8	
O2849-41	TP11	91	1.19	8.38	9.57	8.72	89.9	
O2849-43	TP11-A	92	1.19	8.43	9.62	8.33	84.7	
O2849-44	TP11-B	93	1.19	8.65	9.84	8.12	80.1	
O2849-45	TP11-C	94	1.19	8.59	9.78	8.57	85.9	
O2849-46	TP11-D	95	1.15	8.81	9.96	8.94	88.4	
O2849-47	TP11-E	96	1.17	8.70	9.87	9.05	90.6	
O2849-48	TP11-F	97	1.19	8.79	9.98	9.04	89.3	
O2849-49	TP11-G	98	1.12	8.71	9.83	9.07	91.3	
O2849-50	TP11-H	99	1.19	8.68	9.87	9.04	90.4	
O2850-01	TRE-1742	106	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
O2850-02	TRE-1743	107	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
O2850-03	TRE-1744	108	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
O2850-04	TRE-1745	109	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
O2850-05	TRE-1729	110	1.12	8.41	9.53	7.88	80.4	
O2852-01	CB-32-G3-SO-11.5-051823	111	1.19	8.79	9.98	8.87	87.4	



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 5/22/2023

OVENTEMP IN Celsius(°C): 107
Time IN: 17:25
In Date: 05/19/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:33
Out Date: 05/20/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB125551

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
O2852-02	CB-32-G3-SO-14.5-051823	112	1.18	8.49	9.67	8.06	81.0	
O2852-03	CB-32-G3-SO-18-051823	113	1.19	8.41	9.6	8.05	81.6	
O2852-04	CB-32-G3-SO-23-051823	114	1.18	8.79	9.97	8.39	82.0	
O2852-05	CB-32-G3-SO-26-051823	115	1.14	8.83	9.97	8.23	80.3	
O2852-06	CB-32-G3-SO-33-051823	116	1.19	8.50	9.69	7.84	78.2	
O2852-07	CB-32-G3-SO-38-051823	117	1.19	8.56	9.75	7.99	79.4	
O2852-08	CB-32-G3-SO-45-051823	118	1.18	8.36	9.54	7.62	77.0	
O2852-09	CB-32-G3-SO-50.5-051823	119	1.18	8.72	9.9	8.1	79.4	
O2852-10	CB-32-G3-SO-50.5-051823-FD	120	1.15	8.81	9.96	8.43	82.6	
O2852-11	CB-32-G3-SO-55.5-051823	121	1.19	8.47	9.66	8.22	83.0	
O2852-12	CB-32-G3-SO-55.5-051823-FD	122	1.15	8.82	9.97	9.00	89.0	
O2852-13	CB-32-G3-SO-62.5-051823	123	1.16	8.63	9.79	8.64	86.7	
O2852-14	CB-32-G3-SO-62.5-051823-FD	124	1.17	8.66	9.83	8.69	86.8	
O2852-15	CB-32-G3-SO-69.5-051823	125	1.12	8.78	9.9	9.14	91.3	
O2852-16	O2852-15MS	126	1.12	8.78	9.9	9.14	91.3	
O2852-17	O2852-15MSD	127	1.12	8.78	9.9	9.14	91.3	
O2864-01	ETGI-289	128	1.14	8.83	9.97	9.32	92.6	
O2864-03	ETGI-280	129	1.18	8.44	9.62	8.63	88.3	
O2864-05	ETGI-359	130	1.19	8.42	9.61	8.62	88.2	
O2864-07	SOIL-BIN	131	1.15	8.57	9.72	8.84	89.7	
O2871-01	ETGI-367	132	1.14	8.48	9.62	9.16	94.6	
O2871-02	ETGI-367	133	1.16	8.61	9.77	9.1	92.2	
O2871-03	VNJ-226	134	1.19	8.50	9.69	9.07	92.7	
O2871-04	VNJ-226	135	1.15	8.80	9.95	9.2	91.5	
O2873-01	PL-01-051923	136	1.14	8.54	9.68	9.43	97.1	
O2873-02	PL-01-051923-EPH-2	137	1.18	8.79	9.97	9.5	94.7	



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 5/22/2023

OVENTEMP IN Celsius(°C): 107
Time IN: 17:25
In Date: 05/19/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:33
Out Date: 05/20/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB125551

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
--------	-----------------	--------	----------------	--------------	-------------------------	---------------------------	---------	----------

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$