

Analysis Method: 9034

ANALYST: Rubina

Parameter: Reactive Sulfide

SUPERVISOR REVIEW BY: Iwona

Run Number: LB125594

Constant: 16000

Normality1: 0.025

Normality2: 0.025

Reagent/Standard	Lot/Log #
SODIUM THIOSULFATE, 0.025N, 4LITRE	W2976
IODINE SOLUTION .025N 1L	W2924
Starch Solution, 4L	W2977

Seq	Lab ID	True Value (mg/l)	DF	Initial Volume (mL)	Final Volume (ml)	T1 (ml)	T2 Initial	T2 Final	T2 Diff. (ml)	T1 - T2 Diff (mL)	Value Corrected With Blank	Result (ppm)	Anal Date	Anal Time
1	PB152869BL		1	50	50	2.00	0.00	1.92	1.92	0.08	0.00	0.00	05/23/2023	11:00
2	O2820-01		1	50	50	2.00	0.00	1.88	1.88	0.12	0.04	0.32	05/23/2023	11:03
3	O2820-01DUP		1	50	50	2.00	0.00	1.86	1.86	0.14	0.06	0.48	05/23/2023	11:06
4	O2820-02		1	50	50	2.00	0.00	1.90	1.90	0.10	0.02	0.16	05/23/2023	11:08
5	O2840-06		1	50	50	2.00	0.00	1.82	1.82	0.18	0.10	0.80	05/23/2023	11:10
6	O2891-03		1	50	50	2.00	0.00	1.86	1.86	0.14	0.06	0.48	05/23/2023	11:13

T1 = Titrant1

T2 = Titrant2

T2 Diff = T2 Final - T2 Initial

Value Corrected With Blank = ((T1 - T2 Diff) - Blank Correction(BL))

Result = ((T1 * Normality1) - ((T1 - Value Corrected With Blank) * Normality2)) * Constant / Initial Volume